

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
28 October 2004 (28.10.2004)

PCT

(10) International Publication Number
WO 2004/092351 A2

(51) International Patent Classification⁷: **C12N**

Avigenics, Inc., 111 Riverbend Road, Athens, GA 30606 (US).

(21) International Application Number:
PCT/US2004/009253

(74) Agent: **YESLAND, Kyle**; Legal Department, Avigenics, Inc., 111 Riverbend Road, Athens, GA 30606 (US).

(22) International Filing Date: 26 March 2004 (26.03.2004)

(25) Filing Language: English

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(26) Publication Language: English

(30) Priority Data:
60/458,014 27 March 2003 (27.03.2003) US
60/490,452 28 July 2003 (28.07.2003) US
60/536,677 15 January 2004 (15.01.2004) US
10/790,455 1 March 2004 (01.03.2004) US


(71) Applicant: **AVIGENICS, INC.** [US/US]; Legal Department, 111 Riverbend Road, Athens, GA 30606 (US).

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK,

(72) Inventors: **RAPP, Jeffrey**; Avigenics, Inc., 111 Riverbend Road, Athens, GA 30606 (US). **CHRISTMANN, Leandro**; Avigenics, Inc., 111 Riverbend Road, Athens, GA 30606 (US). **HARVEY, Alex**; Avigenics, Inc., 111 Riverbend Road, Athens, GA 30606 (US). **LEAVITT, Markley**;

[Continued on next page]

(54) Title: PRODUCTION OF A TRANSGENIC AVIAN BY CYTOPLASMIC INJECTION



(57) Abstract: The invention provides methods for integrating a heterologous polynucleotide into the genome of an avian cell. The methods deliver to an avian cell a polynucleotide and a source of integrase activity that mediates recombination between the polynucleotide and the genomic DNA of the avian cell. The invention provides modified avian or artificial chromosomes as vectors to shuttle transgenes or gene clusters into an avian genome. Another aspect of the invention are avian cells genetically modified with a transgene vector. One cell line for the delivery and integration of a transgene comprises a heterologous attP site and, optionally, a region for expressing the integrase. Methods are also included for the production of a heterologous polypeptide by transgenic avian tissue involve integrating a heterologous polynucleotide into the avian genome. The present invention also relates to methods of producing transgenic chickens which include introducing into an avian cell a nucleic acid comprising a transgene and an integrase activity in addition to a cationic polymer and/or a nuclear localization signal and introducing the avian cell into a recipient avian wherein the recipient avian produces an offspring which includes the transgene. Also included are methods of dispersing a nucleic acid in a cell.



TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *without international search report and to be republished upon receipt of that report*

PRODUCTION OF A TRANSGENIC AVIAN BY CYTOPLASMIC INJECTION

The present application claims priority from U.S. Patent Application No.
5 10/790,455, filed March 1, 2004; U.S. provisional patent application Serial No.
60/490,452, filed July 28, 2003; U.S. provisional patent application Serial No.
60/536,677, filed January 15, 2004; and U.S. provisional patent application Serial
No. 60/458,014, filed March 27, 2003.

Field of the Invention

10 The present invention relates to the field of biotechnology, and more
specifically to the field of avian genome modification. Disclosed herein are
compositions, vectors, and methods of use thereof, for the generation of genetically
transformed avian cells and transgenic birds.

Background

Transgenic technology to convert animals into "bioreactors" for the
production of specific proteins or other substances of pharmaceutical interest
(Gordon *et al.*, 1987, *Biotechnology* 5: 1183-1187; Wilmut *et al.*, 1990,
20 *Theriogenology* 33: 113-123) offers significant advantages over more conventional
methods of protein production by gene expression. Recombinant nucleic acid
molecules, for instance, have been engineered and incorporated into transgenic
animals so that an expressed heterologous protein may be joined to a protein or
peptide that allows secretion of the transgenic expression product into milk or urine,
25 from which the protein may then be recovered. These procedures, however, may
require lactating animals, with the attendant costs of maintaining individual animals
or herds of large species, such as cows, sheep, or goats.

Historically, transgenic animals have been produced almost exclusively by
microinjection of the fertilized egg. The pronuclei of fertilized eggs are
30 microinjected *in vitro* with foreign, i.e., xenogeneic or allogeneic, heterologous
DNA or hybrid

DNA molecules. The microinjected fertilized eggs are then transferred to the genital tract of a pseudopregnant female (e.g., Krimpenfort *et al.*, U.S. Pat. No. 5,175,384).

One system that holds potential is the avian reproductive system. The production of an avian egg begins with formation of a large yolk in the ovary of the hen. The unfertilized oocyte or ovum is positioned on top of the yolk sac. After ovulation, the ovum passes into the infundibulum of the oviduct where it is fertilized if sperm are present, and then moves into the magnum of the oviduct, which is lined with tubular gland cells. These cells secrete the egg-white proteins, including ovalbumin, lysozyme, ovomucoid, conalbumin and ovomucin, into the lumen of the magnum where they are deposited onto the avian embryo and yolk. The hen oviduct offers outstanding potential as a protein bioreactor because of the high levels of protein production, the promise of proper folding and post-translation modification of the target protein, the ease of product recovery, and the shorter developmental period of chickens compared to other potential animal species.

One method for creating permanent genomic modification of a eukaryotic cell is to integrate an introduced DNA into an existing chromosome. Only retroviruses have so far provided efficient integration. However, retroviral integration is directed to a number, albeit limited, of insertion sites within the recipient genome so that positional variation in heterologous gene expression can be evident. Unpredictability as to which insertion site is targeted introduces an undesirable lack of control over the procedure. An additional limitation of the use of retroviruses is that the size of the nucleic acid molecule encoding the virus and heterologous sequences is restricted to about 8 kb. Although wild-type adeno-associated virus (AAV) often integrates at a specific region in the human genome, vectors derived from AAV do not integrate site-specifically due to the deletion of the toxic *rep* gene. Other well-known methods for genomic modification of animal cells include transfection of DNA using calcium phosphate co-precipitation, electroporation, lipofection, microinjection, protoplast fusion and particle bombardment, all of which methods typically produce random integration and at low frequency. Homologous recombination produces site-specific integration, but the frequency of such integration usually is very low.

An alternative method that has been considered for driving the integration of heterologous nucleic acid fragments into a chromosome is the use of a site-specific recombinase (integrase) that can catalyze the insertion or excision of nucleic acid fragments. These enzymes recognize relatively short unique nucleic acid sequences
5 that serve for both recognition and recombination. Examples include Cre (Sternberg & Hamilton, 1981, *J. Mol. Biol.* 150: 467-486, 1981), Flp (Broach *et al.*, 1982, *Cell* 29: 227-234, 1982) and R (Matsuzaki *et al.*, 1990, *J. Bact.* 172: 610-618, 1990).

A novel class of phage integrases that includes the integrase from the phage phiC31 can mediate highly efficient integration of transgenes in mammalian cells both
10 *in vitro* and *in vivo* (Thyagarajan *et al.*, *Mol. Cell Biol.* 21: 3926-3934 (2001)). Constructs and methods of using recombinase to integrate heterologous DNA into a plant, insect or mammalian genome are described by Calos in U.S. Patent Serial No. 6,632,672.

The phiC31 integrase is a member of a subclass of integrases, termed serine
15 recombinases, that include R4 and TP901-1. Unlike the phage lambda integrases, which belong to a tyrosine class of recombinases, the serine integrases do not require cofactors such as integration host factor. The phiC31 integrase normally mediates integration of the phiC31 bacteriophage into the genome of *Streptomyces* via recombination between the attP recognition sequence of the phage genome and the
20 attB recognition sequence within the bacterial genome. When a plasmid is equipped with a single attB site, phiC31 integrase will detect and mediate crossover between the attB site and a pseudo-attP site within the mammalian genome. Such pseudo-attP integration sites have now been identified in the mouse and human genomes. If the heterologous DNA is in a circular or supercoiled form, the entire plasmid becomes
25 integrated with *attL* and *attR* arms flanking the nucleic acid insert. PhiC31 integrase is not able to mediate the integration into genomic DNA of sequences bearing attP sites.

PhiC31 integrase-mediated integration results in the destruction of the recognition or recombination sites themselves so that the integration reaction is
30 irreversible. This will bypass the primary concern inherent with other recombinases, i.e., the reversibility of the integration reaction and excision of the inserted DNA.

It has been estimated that there are 50 to 100 pseudo-attP sites in mammalian genomes (mouse and human) and some sites are apparently preferred for integration over others. The chicken genome, however, is only about one-third the size of mammalian genomes, and it was unknown whether there would be a sufficient
5 number of pseudo attP sites in the chicken genome to allow efficient integrase-mediated integration.

We have found that the phiC31 integrase is active in avian cells, increasing the rate of integration over that of a non-integrase-mediated integration. Furthermore, we have determined that the phiC31 integrase works well at both 37° Celsius and 41°
10 Celsius, showing that it will function in the environment of a developing avian embryo.

A need still exists, however, for methods by which avian chromosomes can be permanently modified in an efficient and site-specific manner and the genetically transformed cells used to generate transgenic birds.

15

Summary of the Invention

Integration of a transgene into a defined chromosomal site is useful to improve the predictability of expression of the transgene, which is particularly advantageous when creating transgenic avians. Transgenesis by methods that randomly insert a
20 transgene into an avian genome is often inefficient since the transgene may not be expressed at the desired levels or in desired tissues.

A novel class of phage integrases, and in particular the integrase from phage phiC31, can mediate the efficient integration of transgenes into target cells both *in vitro* and *in vivo*. When a plasmid is equipped with a single attB site, phiC31
25 integrase detects attP homologous sequences, termed pseudo-attP sites, in a target genome and mediates crossover between the attB site and a pseudo attP site.

The present invention provides novel methods and recombinant polynucleotide molecules for transfecting and integrating a heterologous nucleic acid molecule into the genome of an avian cell. The methods of the invention deliver to an avian cell
30 population a first nucleic acid molecule that comprises a region encoding a bacterial

recombination site. A source of integrase activity also delivered to the avian cell can be an integrase-encoding nucleic acid sequence and its associated promoter included in the first nucleic acid molecule or as a region of a second nucleic acid molecule that may be co-delivered with the polynucleotide molecule. Alternatively, integrase
5 protein itself can be delivered directly to the target cell.

The recombinant nucleic acid molecules of the present invention may further comprise a heterologous nucleotide sequence operably linked to a promoter so that the heterologous nucleotide sequence, when integrated into the genome DNA of a recipient avian cell, can be expressed to yield a desired polypeptide. The nucleic acid
10 molecule may also include a second transcription initiation site, such as an internal ribosome entry site (IRES), operably linked to a second heterologous polypeptide-encoding region desired to be expressed with the first polypeptide in the same cell.

The heterologous nucleic acid molecule of the present invention may include a cassette for the expression in a recipient avian cell of a desired heterologous
15 polypeptide. Optionally, the nucleic acid molecules may further comprise a marker such as, but not limited to, a puromycin resistance gene, a luciferase gene, EGFP-encoding gene, and the like.

Once delivered to a recipient avian cell, the phiC31 integrase mediates recombination between the att site within the nucleic acid molecule and a
20 bacteriophage attachment site within the genomic DNA of the avian cell. Both att sites are disrupted and the nucleic acid molecule, with partial att sequences at each end, is stably integrated into the genome attP site. The phiC31 integrase, by disrupting the att sites of the incoming nucleic acid and of the recipient site within the avian cell genome, precludes any subsequent reverse recombination event that would
25 excise the integrated nucleic acid and reduce the overall efficiency of stable incorporation of the heterologous nucleic acid.

Following delivery of the nucleic acid molecule and a source of integrase activity into an avian cell population and integrase-mediated recombination, the cells may be returned to an embryo. Late stage blastodermal cells may be returned to a
30 hard shell egg, which is resealed for incubation until hatching. Stage I embryos may be directly microinjected with the polynucleotide and source of integrase activity,

isolated, transfected and returned to a stage I embryo which is reimplanted into a hen for further development. Alternatively, the transfected cells may be maintained *in vitro* culture.

5 The present invention further provides modified isolated avian or artificial chromosomes useful as vectors to shuttle transgenes or gene clusters into the avian genome. By delivery to the modified chromosome to an isolated recipient cell, the target cell, and progeny thereof, become trisomic. The additional or trisomic chromosome will not affect the subsequent development of the recipient cell and/or an embryo, nor interfere with the reproductive capacity of an adult bird developed from
10 such cells or embryos. The chromosome will also be stable within chicken cells. The invention provides methods to isolate a population of chromosomes for delivery into chicken embryos or early cells.

The method comprises inserting a lac-operator sequence into an isolated chromosome and, optionally, inserting a desired transgene sequence within the same
15 chromosome. The lac operator region is typically a concatamer of a plurality of lac operators for the binding of multiple lac repressor molecules. A recombinant DNA molecule is constructed that includes an identified region of the target chromosome, a recombination site such as attB or attP, and the lac-operator concatamer. The recombinant molecule is delivered to an avian cell, and homologous recombination
20 will integrate the heterologous polynucleotide and the lac-operator concatamer into the targeted chromosome. A tag-polypeptide, such as the GPF-lac-repressor fusion protein, binds to the lac-operator sequence for identification and isolation of the genetically modified chromosome. The tagged mitotic chromosome can be isolated using, for instance, flow cytometry.

25 Another aspect of the present invention is an avian cell genetically modified with a transgene vector by the methods of the invention. For example, in one embodiment, the transformed cell can be a chicken early stage blastodermal cell or a genetically transformed cell line, including a sustainable cell line. The transfected cell may comprise a transgene stably integrated into the nuclear genome of the recipient
30 cell, thereby replicating with the cell so that each progeny cell receives a copy of the transfected nucleic acid. A particularly useful cell line for the delivery and integration

of a transgene comprises a heterologous attP site that can increase the efficiency of integration of a polynucleotide by phiC31 integrase and, optionally, a region for expressing the integrase.

5 Another aspect of the present invention is methods of expressing a heterologous polypeptide in an avian cell by stably transfecting a cell by using site-specific integrase-mediation and a recombinant nucleic acid molecule, as described above, and culturing the transfected cell under conditions suitable for expression of the heterologous polypeptide under the control of the avian transcriptional regulatory region.

10 Yet another aspect of the present invention concerns transgenic birds, such as chickens, comprising a recombinant nucleic acid molecule and which preferably (though optionally) express a heterologous gene in one or more cells in the animal. Embodiments of the methods for the production of a heterologous polypeptide by the avian tissue involve providing a suitable vector and introducing the vector into
15 embryonic blastodermal cells together with an integrase, preferably phiC31 integrase, so that the vector can integrate into the avian genome. A subsequent step involves deriving a mature transgenic avian from the transgenic blastodermal cells by transferring the transgenic blastodermal cells to an embryo and allowing that embryo to develop fully, so that the cells become incorporated into the bird as the embryo is
20 allowed to develop. An alternative is to transfer a transfected nucleus to an enucleated recipient cell which may then develop into a zygote and ultimately an adult bird. The resulting chick is then grown to maturity.

In various embodiments of the transgenic bird of the present invention, the expression of the transgene may be restricted to specific subsets of cells, tissues or
25 developmental stages utilizing, for example, *trans*-acting factors acting on the transcriptional regulatory region operably linked to the polypeptide-encoding region of interest of the present invention and which control gene expression in the desired pattern. Tissue-specific regulatory sequences and conditional regulatory sequences can be used to control expression of the transgene in certain spatial patterns.
30 Moreover, temporal patterns of expression can be provided by, for example,

conditional recombination systems or prokaryotic transcriptional regulatory sequences.

The invention can be used to express, in large yields and at low cost, a wide range of desired proteins including those used as human and animal pharmaceuticals, diagnostics, and livestock feed additives. Proteins such as growth hormones, cytokines, structural proteins and enzymes including human growth hormone, interferon, lysozyme, and β -casein are examples of proteins which are desirably expressed in the oviduct and deposited in eggs according to the invention.

The present invention includes methods of producing transgenic avians, for example, transgenic chickens, which employ the use of integrase, cationic polymers and/ nuclear localization signals. The present invention also includes the transgenic avians produced by these methods and other methods disclosed herein. The invention also includes the eggs produced by the transgenic avians produced by these methods and other methods disclosed herein.

In one embodiment, the methods of the invention include introducing into an avian cell: 1) a nucleic acid comprising a transgene; 2) an integrase activity; and 3) a cationic polymer. Such methods provide for an increased efficiency of transgenic avian production relative to identical methods without the cationic polymer.

In another embodiment, the methods include introducing into an avian cell: 1) a nucleic acid comprising a transgene; 2) an integrase activity; and 3) and a nuclear localization signal. Such methods provide for an increased efficiency of transgenic avian production relative to identical methods without the nuclear localization signal.

In another embodiment, the methods include introducing into an avian cell: 1) a nucleic acid comprising a transgene; 2) an integrase activity; 3) a cationic polymer; and 4) a nuclear localization signal. Such methods provide for an increased efficiency of transgenic avian production relative to identical methods without the cationic polymer or without the nuclear localization signal.

In one embodiment, the avian cell is a cell of an avian embryo. For example, the avian cell may be a cell of an early stage embryo comprising a germinal disc. The avian cell may be, for example, a cell of a stage I avian embryo, a cell of a stage II avian embryo, a cell of a stage III avian embryo, a cell of a stage IV avian embryo, a

cell of a stage V avian embryo, a cell of a stage VI avian embryo, a cell of a stage VII avian embryo, a cell of a stage VIII avian embryo, a cell of a stage IX avian embryo, a cell of a stage X avian embryo, a cell of a stage XI avian embryo or a cell of a stage XII avian embryo. In one particularly useful embodiment, the avian cell is a cell of a stage X avian embryo.

The methods provide for the introduction of nucleic acid into the avian cell by any suitable technique known to those of skill in the art. For example, the nucleic acid may be introduced into the avian cell by microinjecting, transfection, electroporation or lipofection. In one particularly useful embodiment, the introduction of the nucleic acid is done by microinjecting.

The nucleic acid which includes a transgene may be DNA or RNA or a combination of RNA and DNA. The nucleic acid may comprise a single strand or may comprise a double strand. The nucleic acid may be a linear nucleic acid or may be an open or closed circular nucleic acid and may be naturally occurring or synthetic.

Integrase activity may be introduced into the avian cell in any suitable form. In one embodiment, an integrase protein is introduced into the avian cell. In another embodiment, a nucleic acid encoding an integrase is introduced into the avian cell. The nucleic acid encoding the integrase may be double stranded DNA, single stranded DNA, double stranded RNA, single stranded RNA or a single or double stranded nucleic acid which includes both RNA and DNA. In one particularly useful embodiment, the nucleic acid is mRNA. Integrase activity may be introduced into the avian cell by any suitable technique. Suitable techniques included those described herein for introducing the nucleic acid encoding a transgene into an avian cell. In one useful embodiment, the integrase activity is introduced into the avian cell with the nucleic acid encoding the transgene. For example, the integrase activity may be introduced into the avian cell in a mixture with the nucleic acid encoding the transgene.

In one embodiment, a nuclear localization signal (NLS) is associated with the nucleic acid which includes a transgene. For example, the NLS may be associated with the nucleic acid by a chemical bond. Examples of chemical bonds by which an NLS may be associated with the nucleic acid include an ionic bond, a covalent bond,

hydrogen bond and Van der Waal's force. In one particularly useful embodiment, the nucleic acid which includes a transgene is associated with an NLS by an ionic bond. NLS may be introduced into the avian cell by any suitable technique. Suitable techniques included those described herein for introducing the nucleic acid encoding a transgene into an avian cell. In one useful embodiment, the NLS is introduced into the avian cell with the nucleic acid encoding the transgene. For example, the NLS may be introduced into the avian cell while associated with the nucleic acid encoding the transgene.

Cationic polymers may be employed to facilitate the production of transgenic avians. For example, the cationic polymers may be employed in combination with integrase and/or NLS. Any suitable cationic polymer may be used. For example, and without limitation, one or more of polyethylenimine, polylysine, DEAE-dextran, starburst dendrimers and starburst polyamidoamine dendrimers may be used. In a particularly useful embodiment, the cationic polymer includes polyethylenimine. The cationic polymer may be introduced into the avian cell by any suitable technique. Suitable techniques included those described herein for introducing the nucleic acid encoding a transgene into an avian cell. In one useful embodiment, the cationic polymer is introduced into the avian cell in a mixture with the nucleic acid encoding the transgene. For example, the cationic polymer may be introduced into the avian cell while associated with the nucleic acid encoding the transgene.

In one particularly useful embodiment of the invention, the transgene includes a coding sequence which is expressed in a cell of the transgenic avian producing a peptide or a polypeptide (e.g., a protein). The coding sequence may be expressed in any or all of the cells of the transgenic avian. For example, the coding sequence may be expressed in the blood, the magnum and/or the sperm of the transgenic avian. In a particularly useful embodiment of the invention, the polypeptide is present in an egg, for example, in the egg white, produced by the transgenic avian.

The methods of the invention include introducing the avian cell into a recipient avian, for example, a hen, wherein the recipient avian produces an offspring which includes the transgene. The avian cell may be introduced into a recipient avian by any suitable technique.

The present invention also includes methods of dispersing nucleic acid in a cell, for example an avian cell (e.g., an avian embryo cell). These methods include introducing into a cell a nucleic acid and a dispersing agent, for example, a cationic polymer (e.g., polyethylenimine, polylysine, DEAE-dextran, starburst dendrimers and/or starburst polyamidoamine dendrimers) in an amount that will disperse the nucleic acid in a cell. In one embodiment, the methods include introducing an avian cell into a recipient avian wherein the recipient avian produces an offspring which includes the transgene,

In one embodiment, the nucleic acid includes a transgene. NLS or integrase activity may also be introduced into the cell.

Typically, the dispersing of the nucleic acid is a homogeneous dispersing.

Any combination of features described herein are included within the scope of the present invention provided that the features included in any such combination are not mutually inconsistent as will be apparent from the context, this specification, and the knowledge of one of ordinary skill in the art.

Additional objects and aspects of the present invention will become more apparent upon review of the detailed description set forth below when taken in conjunction with the accompanying figures, which are briefly described as follows.

Brief Description of the Figures

Fig. 1 illustrates phage integrase-mediated integration. A plasmid vector bearing the transgene includes the attB recognition sequence for the phage integrase. The vector along with integrase-coding mRNA, a vector expressing the integrase, or the integrase protein itself, are delivered into cells or embryos. The integrase recognizes DNA sequences in the avian genome similar to attP sites, termed pseudo-attP, and mediates recombination between the attB and pseudo-attP sites, resulting in the permanent integration of the transgene into the avian genome.

Fig. 2 illustrates the persistent expression of luciferase from a nucleic acid molecule after phiC31 integrase-mediated integration into chicken cells.

Fig. 3 illustrates the results of a puromycin resistance assay to measure phiC31 integrase-mediated integration into chicken cells.

Fig. 4 illustrates phiC31 integrase-mediated integration into quail cells. Puromycin resistance vectors bearing attB sites were cotransfected with phiC31 integrase, or a control vector, into QT6 cells, a quail fibrosarcoma cell line. One day after transfection, puromycin was added. Puromycin resistant colonies were counted
5 12 days post-transfection.

Figs. 5A and 5B illustrate that phiC31 integrase can facilitate multiple integrations per avian cell. A puromycin resistance vector bearing an attB site was cotransfected with an enhanced green fluorescent protein (EGFP) expression vector bearing an attB site, and a phiC31 integrase expression vector. After puromycin
10 selection, many puromycin resistant colonies expressed EGFP in all of their cells. Figs. 5A and 5B are the same field of view with EGFP illuminated with ultraviolet light (Fig. 5A) and puromycin resistant colonies photographed in visible light (Fig. 5B). In Fig. 5B, there are 4 puromycin resistant colonies, two of which are juxtaposed at the top. One of these colonies expressed EGFP.

15 Fig. 6 shows maps of the small vectors used for integrase assays.

Fig. 7 shows integrase promotes efficient integration of large transgenes in avian cells.

Fig. 8 shows maps of large vectors used for integrase assays.

Fig. 9 illustrates the nucleotide sequence of the integrase-expressing plasmid
20 pCMV-31int (SEQ ID NO: 1).

Fig. 10 illustrates the nucleotide sequence of the plasmid pCMV-luc-attB (SEQ ID NO: 2).

Fig. 11 illustrates the nucleotide sequence of the plasmid pCMV-luc-attP (SEQ ID NO: 3).

25 Fig. 12 illustrates the nucleotide sequence of the plasmid pCMV-pur-attB (SEQ ID NO: 4).

Fig. 13 illustrates the nucleotide sequence of the plasmid pCMV-pur-attP (SEQ ID NO: 5).

Fig. 14 illustrates the nucleotide sequence of the plasmid pCMV-EGFP-attB
30 (SEQ ID NO: 6).

Fig. 15 illustrates the nucleotide sequence of the plasmid p12.0-lys-LSPIPNMM-CMV-pur-attB (SEQ ID NO: 7).

Fig. 16 illustrates the nucleotide sequence of the plasmid pOMIFN-Ins-CMV-pur-attB (SEQ ID NO: 8).

5 Fig. 17 illustrates the nucleotide sequence of the integrase-expressing plasmid pRSV-Int (SEQ ID NO: 9).

Fig. 18 illustrates the nucleotide sequence of the plasmid pCR-XL-TOPO-CMV-pur-attB (SEQ ID NO: 10).

10 Fig. 19 illustrates the nucleotide sequence of the attP containing polynucleotide SEQ ID NO: 11.

Fig. 20 illustrates in schematic form the integration of a heterologous att recombination site into an isolated chromosome. The attB sequence is linked to selectable maker such as a puromycin expression cassette and is flanked by sequences found in the target site of the chromosome to be modified. The DNA is transfected
15 into cells containing the chromosome and stable transfectants are selected by drug resistance. Site specific integration may be confirmed by several techniques including PCR.

Fig. 21 illustrates the persistent expression of luciferase from a nucleic acid molecule after phiC31 integrase-mediated integration into chicken cells bearing a
20 wild-type attP sequence.

Fig. 22 illustrates the distribution of plasmid DNA in a stage I embryo.

Fig. 23 illustrates the distribution of plasmid DNA in a stage I embryo in the presence of low molecular weight polyethylenimine.

Fig. 24 illustrates the distribution of plasmid DNA in a stage I embryo in the
25 presence of low molecular weight polyethylenimine.

Detailed Description of the Preferred Embodiments

This description uses gene nomenclature accepted by the Cucurbit Genetics Cooperative as it appears in the *Cucurbit Genetics Cooperative Report* 18:85 (1995),
30 which are incorporated herein by reference in its entirety. Using this gene nomenclature, genes are symbolized by italicized Roman letters. If a mutant gene is

recessive to the normal type, then the symbol and name of the mutant gene appear in italicized lower case letters.

The disclosures of publications, patents, and published patent specifications referenced in this application are hereby incorporated by reference into the present disclosure to more fully describe the state of the art to which this invention pertains.

Definitions

For convenience, definitions of certain terms employed in the specification, examples, and appended claims are collected here.

As used in this specification and the appended claims, the singular forms "a," "an" and "the" include plural references unless the content clearly dictates otherwise. Thus, for example, reference to "an antigen" includes a mixture of two or more such agents.

The term "avian" as used herein refers to any species, subspecies or race of organism of the taxonomic class *ava*, such as, but not limited to chicken, turkey, duck, goose, quail, pheasants, parrots, finches, hawks, crows and ratites including ostrich, emu and cassowary. The term includes the various known strains of *Gallus gallus*, or chickens, (for example, White Leghorn, Brown Leghorn, Barred-Rock, Sussex, New Hampshire, Rhode Island, Australorp, Minorca, Amrook, California Gray), as well as strains of turkeys, pheasants, quails, duck, ostriches and other poultry commonly bred in commercial quantities. It also includes an individual avian organism in all stages of development, including embryonic and fetal stages. The term "avian" also may denote "pertaining to a bird", such as "an avian (bird) cell."

The term "nucleic acid" as used herein includes any natural or synthetic linear and sequential array of nucleotides and nucleosides, for example cDNA, genomic DNA, mRNA, tRNA, oligonucleotides, oligonucleosides and derivatives thereof. For ease of discussion, such nucleic acids may be collectively referred to herein as "constructs," "plasmids," or "vectors." The term "nucleic acid" further includes modified or derivatized nucleotides and nucleosides such as, but not limited to, halogenated nucleotides such as, but not only, 5-bromouracil, and derivatized nucleotides such as biotin-labeled nucleotides.

The terms "polynucleotide," "oligonucleotide," and "nucleic acid sequence" are used interchangeably herein and include, but are not limited to, coding sequences (polynucleotide(s) or nucleic acid sequence(s) which are transcribed and translated into polypeptide *in vitro* or *in vivo* when placed under the control of appropriate regulatory or control sequences); control sequences (e.g., translational start and stop codons, promoter sequences, ribosome binding sites, polyadenylation signals, transcription factor binding sites, transcription termination sequences, upstream and downstream regulatory domains, enhancers, silencers, and the like); and regulatory sequences (DNA sequences to which a transcription factor(s) binds and alters the activity of a gene's promoter either positively (induction) or negatively (repression)). No limitation as to length or to synthetic origin are suggested by the terms described above.

As used herein the terms "peptide," "polypeptide" and "protein" refer to a polymer of amino acids in a serial array, linked through peptide bonds. A "peptide" typically is a polymer of at least two to about 30 amino acids linked in a serial array by peptide bonds. The term "polypeptide" includes proteins, protein fragments, protein analogues, oligopeptides and the like. The term "polypeptides" contemplates polypeptides as defined above that are encoded by nucleic acids, produced through recombinant technology (isolated from an appropriate source such as a bird), or synthesized. The term "polypeptides" further contemplates polypeptides as defined above that include chemically modified amino acids or amino acids covalently or noncovalently linked to labeling moieties.

The terms "percent sequence identity" or "percent sequence similarity" as used herein refer to the degree of sequence identity between two nucleic acid sequences or two amino acid sequences as determined using the algorithm of Karlin & Attsehl, *Proc. Natl. Acad. Sci.* 87: 2264-2268 (1990), modified as in Karlin & Attschul, *Proc. Natl. Acad. Sci.* 90: 5873-5877 (1993). Such an algorithm is incorporated into the NBLAST and XBLAST programs of Attschul *et al.*, 1990, *T. Mol. Biol.* Q15: 403-410. BLAST nucleotide searches are performed with the NBLAST program, score = 100, word length = 12, to obtain nucleotide sequences homologous to a nucleic acid molecule of the invention. BLAST protein searches are performed with the XBLAST

program, score = 50, word length = 3, to obtain amino acid sequences homologous to a reference polypeptide. To obtain gapped alignments for comparison purposes, Gapped BLAST is utilized as described in Attschul *et al.*, *Nucl. Acids Res.* 25: 3389-3402 (1997). When utilizing BLAST and Gapped BLAST programs, the default
5 parameters of the respective programs (e.g. XBLAST and NBLAST) are used. Other algorithms, programs and default settings may also be suitable such as, but not only, the GCG-Sequence Analysis Package of the U.K. Human Genome Mapping Project Resource Centre that includes programs for nucleotide or amino acid sequence comparisons. Examples of preferred algorithms are FASTA and BESTFIT.

10 The terms "recombinant nucleic acid" and "recombinant DNA" as used herein refer to combinations of at least two nucleic acid sequences that are not naturally found in a eukaryotic or prokaryotic cell. The nucleic acid sequences may include, but are not limited to, nucleic acid vectors, gene expression regulatory elements, origins of replication, suitable gene sequences that when expressed confer antibiotic
15 resistance, protein-encoding sequences and the like. The term "recombinant polypeptide" is meant to include a polypeptide produced by recombinant DNA techniques. A recombinant polypeptide may be distinct from a naturally occurring polypeptide either in its location, purity or structure. Generally, a recombinant polypeptide will be present in a cell in an amount different from that normally
20 observed in nature.

The term "gene" or "genes" as used herein refers to nucleic acid sequences that encode genetic information for the synthesis of a whole RNA, a whole protein, or any portion of such whole RNA or whole protein. Genes that are not naturally part of a particular organism's genome are referred to as "foreign genes," "heterologous genes"
25 or "exogenous genes" and genes that are naturally a part of a particular organism's genome are referred to as "endogenous genes". The term "gene product" refers to an RNA or protein that is encoded by the gene. "Endogenous gene products" are RNAs or proteins encoded by endogenous genes. "Heterologous gene products" are RNAs or proteins encoded by "foreign, heterologous or exogenous genes" and are, therefore,
30 not naturally expressed in the cell.

The term "expressed" or "expression" as used herein refers to the transcription

from a gene to give an RNA nucleic acid molecule at least complementary in part to a region of one of the two nucleic acid strands of the gene. The term “expressed” or “expression” as used herein may also refer to the translation from an RNA molecule to give a protein, a polypeptide or a portion thereof.

5 The term “operably linked” refers to an arrangement of elements wherein the components so described are configured so as to perform their usual function. Control sequences operably linked to a coding sequence are capable of effecting the expression of the coding sequence. The control sequences need not be contiguous with the coding sequence, so long as they function to direct the expression thereof. For
10 example, intervening untranslated yet transcribed sequences can be present between a promoter sequence and the coding sequence and the promoter sequence can still be considered “operably linked” to the coding sequence.

 The term “transcription regulatory sequences” as used herein refers to nucleotide sequences that are associated with a gene nucleic acid sequence and which
15 regulate the transcriptional expression of the gene. Exemplary transcription regulatory sequences include enhancer elements, hormone response elements, steroid response elements, negative regulatory elements, and the like.

 The term “promoter” as used herein refers to the DNA sequence that determines the site of transcription initiation by an RNA polymerase. A “promoter-proximal element” is a regulatory sequence generally within about 200 base pairs of
20 the transcription start site.

 The term “internal ribosome entry sites (IRES)” as used herein refers to a region of a nucleic acid, most typically an RNA molecule, wherein eukaryotic initiation of protein synthesis occurs far downstream of the 5' end of the RNA
25 molecule. A 43S pre-initiation complex comprising the elf2 protein bound to GTP and Met-tRNA_i^{Met}, the 40S ribosomal subunit, and factors elf3 and 31f1A may bind to an “IRES” before locating an AUG start codon. An “IRES” may be used to initiate translation of a second coding region downstream of a first coding region, wherein each coding region is expressed individually, but under the initial control of a single
30 upstream promoter. An “IRES” may be located in a eukaryotic cellular mRNA.

 The term “coding region” as used herein refers to a continuous linear

arrangement of nucleotides which may be translated into a polypeptide. A full length coding region is translated into a full length protein; that is, a complete protein as would be translated in its natural state absent any post-translational modifications. A full length coding region may also include any leader protein sequence or any other
5 region of the protein that may be excised naturally from the translated protein.

The terms "vector" or "nucleic acid vector" as used herein refer to a natural or synthetic single or double stranded plasmid or viral nucleic acid molecule (RNA or DNA) that can be transfected or transformed into cells and replicate independently of, or within, the host cell genome. The term "expression vector" as used herein refers to
10 a nucleic acid vector that comprises a transcription regulatory region operably linked to a site wherein is, or can be, inserted, a nucleotide sequence to be transcribed and, optionally, to be expressed, for instance, but not limited to, a sequence coding at least one polypeptide.

The term "transfection" as used herein refers to the process of inserting a
15 nucleic acid into a host cell. Many techniques are well known to those skilled in the art to facilitate transfection of a nucleic acid into an eukaryotic cell. These methods include, for instance, treating the cells with high concentrations of salt such as a calcium or magnesium salt, an electric field, detergent, or liposome mediated transfection, to render the host cell competent for the uptake of the nucleic acid
20 molecules, and by such methods as micro-injection into a pro-nucleus, sperm-mediated and restriction-mediated integration.

The terms "recombinant cell" and "genetically transformed cell" refer to a cell comprising a combination of nucleic acid segments not found in a single cell with each other in nature. A new combination of nucleic acid segments can be introduced
25 into an organism using a wide array of nucleic acid manipulation techniques available to those skilled in the art. The recombinant cell may harbor a vector that is extragenomic, i.e. that does not covalently insert into the cellular genome, including a non-nuclear (e.g. mitochondrial) genome(s). A recombinant cell may further harbor a vector or a portion thereof that is intragenomic, i.e. covalently incorporated within the
30 genome of the recombinant cell.

As used herein, a "transgenic avian" is any avian, as defined above, including the chicken and quail, in which one or more of the cells of the avian contain heterologous nucleic acid introduced by manipulation, such as by transgenic techniques. The nucleic acid may be introduced into a cell, directly or indirectly, by
5 introduction into a precursor of the cell by way of deliberate genetic manipulation, such as by microinjection or by infection with a recombinant virus. Genetic manipulation also includes classical cross-breeding, or *in vitro* fertilization. A recombinant DNA molecule may be integrated within a chromosome, or it may be extrachromosomally replicating DNA.

10 The terms "chimeric animal" or "mosaic animal" are used herein to refer to animals in which the recombinant gene is found, or in which the recombinant is expressed, in some but not all cells of the animal. The term "tissue-specific chimeric animal" indicates that the recombinant gene is present and/or expressed in some tissues but not others.

15 As used herein, the term "transgene" means a nucleic acid sequence that is partly or entirely heterologous, i.e., foreign, to the transgenic animal or cell into which it is introduced, or, is homologous to an endogenous gene of the transgenic animal or cell into which it is introduced, but which is designed to be inserted, or is inserted, into the animal's genome in such a way as to alter the genome of the cell into which it
20 is inserted (*e.g.*, it is inserted at a location which differs from that of the natural gene or its insertion results in a knockout).

The term "cytokine" as used herein refers to any secreted polypeptide that affects a function of cells and modulates an interaction between cells in the immune, inflammatory or hematopoietic response. A cytokine includes, but is not limited to,
25 monokines and lymphokines. Examples of cytokines include, but are not limited to, interferon $\alpha 2b$, Interleukin-1 (IL-1), Interleukin-6 (IL-6), Interleukin-8 (IL-8), Tumor Necrosis Factor- α (TNF- α .) and Tumor Necrosis Factor β (TNF- β .).

The term "antibody" as used herein refers to polyclonal and monoclonal antibodies and fragments thereof, and immunologic binding equivalents thereof.
30 Antibodies may include, but are not limited to polyclonal antibodies, monoclonal antibodies (mAbs), humanized or chimeric antibodies, single chain antibodies, Fab

fragments, F(ab')₂ fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies, and epitope-binding fragments of any of the above.

The term "immunoglobulin polypeptide" as used herein refers to a constituent polypeptide of an antibody or a polypeptide derived therefrom. An "immunological polypeptide" may be, but is not limited to, an immunological heavy or light chain and may include a variable region, a diversity region, joining region and a constant region or any combination, variant or truncated form thereof. The term "immunological polypeptides" further includes single-chain antibodies comprised of, but not limited to, an immunoglobulin heavy chain variable region, an immunoglobulin light chain variable region and optionally a peptide linker.

The terms "integrase" and "integrase activity" as used herein refer to a nucleic acid recombinase of the serine recombinase family of proteins.

The term "source of integrase activity" as used herein refers to a polypeptide or multimeric protein having serine recombinase (integrase) activity in an avian cell. The term may further refer to a polynucleotide encoding the serine recombinase, such as an mRNA, an expression vector, a gene or isolated gene that may be expressed as the recombinase-specific polypeptide or protein.

The term "recombination site" as used herein refers to a polynucleotide stretch comprising a recombination site normally recognized and used by an integrase. For example, λ phage is a temperate bacteriophage that infects *E. coli*. The phage has one attachment site for recombination (attP) and the *E. coli* bacterial genome has an attachment site for recombination (attB). Both of these sites are recombination sites for λ integrase. Recombination sites recognized by a particular integrase can be derived from a homologous system and associated with heterologous sequences, for example, the attP site can be placed in other systems to act as a substrate for the integrase.

The term "pseudo-recombination site" as used herein refers to a site at which an integrase can facilitate recombination even though the site may not have a sequence identical to the sequence of its wild-type recombination site. For example, a phiC31 integrase and vector carrying a phiC31 wild-type recombination site can be placed into an avian cell. The wild-type recombination sequence aligns itself with a sequence

in the avian cell genome and the integrase facilitates a recombination event. When the sequence from the genomic site in the avian cell, where the integration of the vector took place, is examined, the sequence at the genomic site typically has some identity to, but may not be identical with, the wild-type bacterial genome recombination site.

- 5 The recombination site in the avian cell genome is considered to be a pseudo-recombination site (e.g., a pseudo-attP site) at least because the avian cell is heterologous to the normal phiC31 phage/bacterial cell system. The size of the pseudo-recombination site can be determined through the use of a variety of methods including, but not limited to, (i) sequence alignment comparisons, (ii) secondary
10 structural comparisons, (iii) deletion or point mutation analysis to find the functional limits of the pseudo-recombination site, and (iv) combinations of the foregoing.

A nucleic acid fragment of interest may be a trait-producing sequence, by which it is meant a sequence conferring a non-native trait upon the cell in which the protein encoded by the trait-producing sequence is expressed. The term "non-native"
15 when used in the context of a trait-producing sequence means that the trait produced is different than one would find in an unmodified organism which can mean that the organism produces high amounts of a natural substance in comparison to an unmodified organism, or produces a non-natural substance. For example, the genome of a bird could be modified to produce proteins not normally produced in birds such
20 as, for instance, human or mouse antibodies, human cytokines, etc. Other useful traits include disease resistance, meat flavor, animal size, and the like.

A nucleic acid fragment of interest may additionally be a "marker nucleic acid" or expressed as a "marker polypeptide". Marker genes encode proteins that can be easily detected in transformed cells and are, therefore, useful in the study of those
25 cells. Examples of suitable marker genes include β -galactosidase, green or yellow fluorescent proteins, enhanced green fluorescent protein, chloramphenicol acetyl transferase, luciferase, and the like. Such regions may also include those 5' noncoding sequences involved with initiation of transcription and translation, such as the enhancer, TATA box, capping sequence, CAAT sequence, and the like

30 The term "transformed" as used herein refers to a heritable alteration in a cell resulting from the uptake of a heterologous DNA.

The term "trisomic" as used herein refers to a cell or animal, such as an avian cell or bird that has a $2n+1$ chromosomal complement, where n is the haploid number of chromosomes, for the animal species concerned.

Techniques useful for isolating and characterizing the nucleic acids and proteins of the present invention are well known to those of skill in the art and standard molecular biology and biochemical manuals may be consulted to select suitable protocols without undue experimentation. See, for example, Sambrook *et al.*, 1989, "Molecular Cloning: A Laboratory Manual", 2nd ed., Cold Spring Harbor, the content of which is herein incorporated by reference in its entirety.

10

Abbreviations

Abbreviations used in the present specification include the following: aa, amino acid(s); bp, base pair(s); kb, kilobase; att, bacterial recombination attachment site; IU, infectious units.

15 In the standard method of integrase mediated-transgenesis, a serine recombinase integrase mediates recombination between an attB site on a transgene vector and a pseudo attP site on a chromosome. In the method of the invention for integrase-mediated transgenesis, a heterologous wild-type attP site can be integrated into an avian nuclear genome to create a transgenic cell line or bird. A serine
20 recombinase (integrase) and an attB-bearing transgene vector are then introduced into cells harboring the heterologous attP site, or into embryos derived from birds which bear the attP recombination site. The locations of attP and attB may be reversed such that the attB site is inserted into an avian chromosome and the attP sequence resides in an incoming transgene vector. In either case, the att site of the introduced vector
25 would then preferentially recombine with the integrated heterologous att site in the genome of the recipient cell.

The methods of the invention are based, in part, on the discovery that there exist in avian genomes a number of specific nucleic acid sequences, termed pseudo-recombination sites, the sequences of which may be distinct from wild-type
30 recombination sites but which can be recognized by a site-specific integrase and used

to promote the efficient insertion of heterologous genes or polynucleotides into the targeted avian nuclear genome. The inventors have identified pseudo-recombination sites in avian cells capable of recombining with a recombination site, such as an attB site within a recombinant nucleic acid molecule introduced into the target avian cell.

5 The invention is also based on the prior integration of a heterologous att recombination site, typically isolated from a bacteriophage or a modification thereof, into the genome of the target avian cell.

Integration into a predicted chromosomal site is useful to improve the predictability of expression, which is particularly advantageous when creating
10 transgenic avians. Transgenesis by methods that result in insertion of the transgene into random positions of the avian genome is unpredictable since the transgene may not express at the expected levels or in the predicted tissues.

The invention as disclosed herein, therefore, provides methods for site-specifically genetically transforming an avian nuclear genome. In general, an avian
15 cell having a first recombination site in the nuclear genome is transformed with a site-specific polynucleotide construct comprising a second recombination sequence and one or more polynucleotides of interest. Into the same cell, integrase activity is introduced that specifically recognizes the first and second recombination sites under conditions such that the polynucleotide sequence of interest is inserted into the nuclear
20 genome via an integrase-mediated recombination event between the first and second recombination sites.

The integrase activity, or a source thereof, can be introduced into the avian cell prior to, or concurrent with, the introduction of the site-specific construct. The integrase can be delivered to a cell as a polypeptide, or by expressing the integrase
25 from a source polynucleotide such as an mRNA or from an expression vector that encodes the integrase, either of which can be delivered to the target avian cell before, during or after delivery of the polynucleotide of interest. Any integrase that has activity in an avian cell may be useful in the present invention, including HK022 (Kolot *et al.*, *Biotechnol. Bioeng.*, 84: 56-60 (2003)). Preferably, the integrase is a
30 serine recombinase as described, for example, by Smith & Thorpe, in *Mol. Microbiol.*, 44: 299-307 (2002). More preferably, the integrase is a bacteriophage integrase such

as, but not limited to, TP901-1 (Stoll *et al.*, *J. Bact.*, 184: 3657-3663 (2002); Olivares *et al.*, *Gene*, 278:167-176 (2001). Most preferably, the integrase is from the phage phiC31.

5 The nucleotide sequence of the junctions between an integrated transgene into the attP (or attB site) would be known. Thus, a PCR assay can be designed by one of skill in the art to detect when the integration event has occurred. The PCR assay for integration into a heterologous wild-type attB or attP site can also be readily incorporated into a quantitative PCR assay using TAQMAN™ or related technology so that the efficiency of integration can be measured.

10 The minimal attB and attP sites able to catalyze recombination mediated by the phiC31 integrase are 34 and 39 bp, respectively. In cell lines that harbor a heterologous integrated attP site, however, integrase has a preference for the inserted attP over any pseudo-attP sites of similar length, because pseudo-attP sites have very low sequence identity (between 10 to 50% identity) compared to the more efficient
15 wild-type attP sequence. It is within the scope of the methods of the invention, however, for the recombination site within the target avian genome to be a pseudo-att site such as a pseudo-attP site or an attP introduced into an avian genome.

The sites used for recognition and recombination of phage and bacterial DNAs (the native host system) are generally non-identical, although they typically have a
20 common core region of nucleic acids. The bacterial sequence is generally called the attB sequence (bacterial attachment) and the phage sequence is called the attP sequence (phage attachment). Because they are different sequences, recombination will result in a stretch of nucleic acids (called attL or attR for left and right) that is neither an attB sequence or an attP sequence, and likely is functionally unrecognizable
25 as a recombination site to the relevant enzyme, thus removing the possibility that the enzyme will catalyze a second recombination reaction that would reverse the first.

The integrase may recognize a recombination site where sequence of the 5' region of the recombination site can differ from the sequence of the 3' region of the recombination sequence. For example, for the phage phiC31 attP (the phage
30 attachment site), the core region is 5'-TTG-3' the flanking sequences on either side are represented here as attP5' and attP3', the structure of the attP recombination site is,

accordingly, attP5'-TTG-attP3'. Correspondingly, for the native bacterial genomic target site (attB) the core region is 5'-TTG-3', and the flanking sequences on either side are represented here as attB5' and attB3', the structure of the attB recombination site is, accordingly, attB5'-TTG-attB3'. After a single-site, phiC31 integrase-mediated recombination event takes place between the phiC31 phage and the bacterial genome, the result is the following recombination product: attB5'-TTG-attP3'{phiC31 vector sequences}attP5'-TTG-attB3'. In the method of invention, the attB site will be within a recombinant nucleic acid molecule that may be delivered to a target avian cell. The corresponding attP (or pseudo-attP) site will be within the avian cell nuclear genome. Consequently, after phiC31 integrase mediated recombination, the recombination product, the nuclear genome with the integrated heterologous polynucleotide will have the sequence attP5'-TTG-attB3'{heterologous polynucleotide}-attB5'-TTG-attP3'. Typically, after recombination the post-recombination recombination sites are no longer able to act as substrate for the phiC31 integrase. This results in stable integration with little or no integrase mediated excision.

While the preferred recombination site to be included in the recombinant nucleic acid molecules and modified chromosomes of the present invention is the attP site, it is contemplated that any attP-like site may be used if compatible with the attB site. For instance, any pseudo-attP site of the chicken genome may be identified according to the methods of Example 7 below and used as a heterologous att recombination site. Such attP-like sites may have a sequence that is at least 25% identical to SEQ ID NO: 11 as shown in Fig. 19, such as described in Groth *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 97: 5995-6000 (2000) incorporated herein by reference in its entirety. Preferably the selected site will have at least the same degree of efficiency of recombination as the attP site (SEQ ID NO: 11) itself.

In the methods of the present invention, the recipient avian cell population may be an isolated avian cell line such as, for example, DF-1 chicken fibroblasts, chicken DT40 cells or a cell population derived from an early stage embryo such as a chicken stage I or stage X embryo. A particularly useful avian cell population is blastodermal cells isolated from a stage X avian embryo. The methods of the present invention, therefore, include steps for the isolation of blastodermal cells that are then

suspended in a cell culture medium or buffer for maintaining the cells in a viable state, and which allows the cell suspension to contact the nucleic acids of the present invention. It is also within the scope of the invention for the nucleic acid construct and the source of integrase activity to be delivered directly to an avian embryo such as
5 a blastodermal layer, or to a tissue layer of an adult bird such as the lining of an oviduct.

When the recipient avian cell population is isolated from an early stage avian embryo, the embryos must first be isolated. For stage I avian embryos from, for example, a chicken, a fertilized ovum is surgically removed from a bird before the
10 deposition of the outer, hard shell has occurred. The nucleic acids for integrating a heterologous nucleic acid into a recipient avian cell genome may then be delivered to isolated embryos by lipofection, microinjection (as described in Example 6 below) or electroporation and the like. After delivery of the nucleic acid, the transfected embryo and its yolk may be deposited into the infundibulum of a recipient hen for the
15 deposition of egg white proteins and a hard shell, and laying of the egg. Stage X avian embryos are obtained from freshly laid fertilized eggs and the blastodermal cells isolated as a suspension of cells in a medium, as described in Example 4 below. Isolated stage X blastodermal cell populations, once transfected, may be injected into recipient stage X embryos and the hard shell eggs resealed according to the methods
20 described in U.S. Patent No. 6,397,777.

In the methods of the invention, once a heterologous nucleic acid is delivered to the recipient avian cell, the integrase activity is expressed. The expressed integrase (or injected integrase polypeptide) then mediates recombination between the att site of the heterologous nucleic acid molecule, and the att (or pseudo att) site within the
25 genomic DNA of the recipient avian cell.

It is within the scope of the present invention for the integrase-encoding sequence and a promoter operably linked thereto to be included in the delivered nucleic acid molecule and that expression of the integrase activity occurs before integration of the heterologous nucleic acid into the avian cell genome. Preferably,
30 the integrase-encoding nucleic acid sequence and associated promoter are in an

expression vector that may be co-delivered to the recipient avian cell with the heterologous nucleic acid molecule to be integrated into the recipient genome.

One suitable integrase expressing expression vector for use in the present invention is pCMV-C31int (SEQ ID NO: 1) as shown in Fig. 9, and described in
5 Groth *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 97: 5995-6000 (2000), incorporated herein by reference in its entirety. In pCMV-C31int, expression of the integrase-encoding sequence is driven by the CMV promoter. However, any promoter may be used that will give expression of the integrase in a recipient avian cell, including operably linked avian-specific gene expression control regions of the avian ovalbumin,
10 lysozyme, ovomucin, ovomucoid gene loci, viral gene promoters, inducible promoters, the RSV promoter and the like.

The recombinant nucleic acid molecules of the present invention for delivery of a heterologous polynucleotide to the genome of a recipient avian cell may comprise a nucleotide sequence encoding the attB attachment site of *Streptomyces ambifaciens*
15 as described in Thorpe & Smith, *Proc. Natl. Acad. Sci. U.S.A.* 95: 5505-5510 (1998). The nucleic acid molecule of the present invention further comprises an expression cassette for the expression in a recipient avian cell of a heterologous nucleic acid encoding a desired heterologous polypeptide. Optionally, the nucleic acid molecules may further comprise a marker such as, but not limited to, a puromycin resistance
20 gene, a luciferase gene, EGFP, and the like.

It is contemplated that the expression cassette for introducing a desired heterologous polypeptide comprises a promoter operably linked to a nucleic acid encoding the desired polypeptide and, optionally, a polyadenylation signal sequence. Exemplary nucleic acids suitable for use in the present invention are more fully
25 described in the examples below.

In the methods of the present invention, following delivery of the nucleic acid molecule and a source of integrase activity into an avian cell population, the cells are maintained under culture conditions suitable for the expression of the integrase and/or for the integrase to mediate recombination between the recombination site of the
30 nucleic acid and recombination site in the genome of the recipient avian cell. When the recipient avian cell is cultured *in vitro*, such cells may be incubated at 37° Celsius

if the cells are chicken early stage blastodermal cells. They may then be injected into an embryo within a hard shell, which is resealed for incubation until hatching. Alternatively, the transfected cells may be maintained in *in vitro* culture.

5 *Site-Specific Nucleic Acid Constructs and Methods of Delivery to an Avian Cell*

The present invention provides methods for the site-specific insertion of a heterologous nucleic acid molecule into the nuclear genome of an avian cell by delivering to a target avian cell that has a recombination site in its nuclear genome, a source of integrase activity, a site-specific construct that has another recombination
10 site and a polynucleotide of interest, and allowing the integrase activity to facilitate a recombination event between the two recombination sites, thereby integrating the polynucleotide of interest into the avian nuclear genome.

(a) *Expression vector nucleic acid molecules:* A variety of recombinant nucleic acid expression vectors are suitable for use in the practice of the present invention. The
15 site-specific constructs described herein can be constructed utilizing methodologies well known in the art of molecular biology (see, for example, *Ausubel* or *Maniatis*) in view of the teachings of the specification. As described above, the constructs are assembled by inserting into a suitable vector backbone a recombination site such as an attP or an attB site, a polynucleotide of interest operably linked to a gene expression
20 control region of interest and, optionally a sequence encoding a positive selection marker. Polynucleotides of interest can include, but are not limited to, expression cassettes encoding a polypeptide to be expressed in the transformed avian cell or in a transgenic bird derived therefrom. The site-specific constructs are typically circular and may also contain selectable markers, an origin of replication, and other elements.

25 Any of the vectors of the present invention may also optionally include a sequence encoding a signal peptide that directs secretion of the polypeptide expressed by the vector from the transgenic cells, for instance, from tubular gland cells of the oviduct. This aspect of the invention effectively broadens the spectrum of exogenous proteins that may be deposited in the whites of avian eggs using the methods of the
30 invention. Where an exogenous polypeptide would not otherwise be secreted, the vector bearing the coding sequence can be modified to comprise, for instance, about

60 bp encoding a signal peptide. The DNA sequence encoding the signal peptide is inserted in the vector such that the signal peptide is located at the N-terminus of the polypeptide encoded by the vector.

The expression vectors of the present invention can comprise an avian transcriptional regulatory region for directing expression of either fusion or non-fusion proteins. With fusion vectors, a number of amino acids are usually added to the desired expressed target gene sequence such as, but not limited to, a polypeptide sequence for thioredoxin. A proteolytic cleavage site may further be introduced at a site between the target recombinant protein and the fusion sequence. Additionally, a region of amino acids such as a polymeric histidine region may be introduced to allow binding of the fusion protein to metallic ions such as nickel bonded to a solid support, for purification of the fusion protein. Once the fusion protein has been purified, the cleavage site allows the target recombinant protein to be separated from the fusion sequence. Enzymes suitable for use in cleaving the proteolytic cleavage site include, but are not limited to, Factor Xa and thrombin. Fusion expression vectors that may be useful in the present invention include pGex (Amrad Corp., Melbourne, Australia), pRIT5 (Pharmacia, Piscataway, NJ) and pMAL (New England Biolabs, Beverly, MA), that fuse glutathione S-transferase, protein A, or maltose E binding protein, respectively, to a desired target recombinant protein.

Epitope tags are short peptide sequences that are recognized by epitope specific antibodies. A fusion protein comprising a recombinant protein and an epitope tag can be simply and easily purified using an antibody bound to a chromatography resin, for example. The presence of the epitope tag furthermore allows the recombinant protein to be detected in subsequent assays, such as Western blots, without having to produce an antibody specific for the recombinant protein itself. Examples of commonly used epitope tags include V5, glutathione-S-transferase (GST), hemagglutinin (HA), the peptide Phe-His-His-Thr-Thr, chitin binding domain, and the like.

Preferred gene expression control regions for use in avian cells include, but are not limited to, avian specific promoters such as the chicken lysozyme, ovalbumin, or ovomucoid promoters, and the like. Particularly useful are tissue-specific promoters

such as avian oviduct promoters that allow for expression and delivery of a heterologous polypeptide to an egg white.

Viral promoters serve the same function as bacterial or eukaryotic promoters and either provide a specific RNA polymerase in trans (bacteriophage T7) or recruit
5 cellular factors and RNA polymerase (SV40, RSV, CMV). Viral promoters may be preferred as they are generally particularly strong promoters. A preferred promoter for use in avian cells is the RSV promoter.

Selection markers are valuable elements in expression vectors as they provide a means to select for growth of only those cells that contain a vector. Common
10 selectable marker genes include those for resistance to antibiotics such as ampicillin, puromycin, tetracycline, kanamycin, bleomycin, streptomycin, hygromycin, neomycin, ZEOCIN™, and the like.

Another element useful in an expression vector is an origin of replication. Replication origins are unique DNA segments that contain multiple short repeated
15 sequences that are recognized by multimeric origin-binding proteins and that play a key role in assembling DNA replication enzymes at the origin site. Suitable origins of replication for use in expression vectors employed herein include *E. coli* oriC, colE1 plasmid origin, and the like.

A further useful element in an expression vector is a multiple cloning site or
20 polylinker. Synthetic DNA encoding a series of restriction endonuclease recognition sites is inserted into a vector, for example, downstream of the promoter element. These sites are engineered for convenient cloning of DNA into the vector at a specific position.

Elements such as the foregoing can be combined to produce expression vectors
25 suitable for use in the methods of the invention. Those of skill in the art will be able to select and combine the elements suitable for use in their particular system in view of the teachings of the present specification.

(b) Genetically modified avian and artificial chromosomes: The present invention further provides modified chromosomes, either isolated avian or artificial
30 chromosomes, are useful vectors to shuttle transgenes or gene clusters into the avian genome. By delivering the modified or artificial chromosome to an isolated recipient

cell, the target cell, and progeny thereof, become trisomic. Preferably, an additional or trisomic chromosome will not affect the subsequent development of the recipient cell and/or an embryo, nor interfere with the reproductive capacity of an adult bird developed from such cells or embryos. The chromosome also should be stable within
5 chicken cells. An effective method is also required to isolate a population of chromosomes for delivery into chicken embryos or early cells.

A number of artificial chromosomes are useful in the methods of the invention, including, for instance, a human chromosome modified to work as an artificial chromosome in a heterologous species as described, for example, for mice
10 (Tomizuka *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 97: 722-727 (2000); for cattle (Kuroiwa *et al.*, *Nat. Biotechnol.* 20: 889-894 (2002); a mammalian artificial chromosome used in mice (Co *et al.*, *Chromosome Res.* 8: 183-191 (2000).

Chickens that are trisomic for microchromosome 16 have been described (Miller *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 93: 3958-3962 (1996); Muscarella *et al.*, *J.*
15 *Cell Biol.* 101: 1749-1756 (1985). In these cases, triploidy and trisomy occurred naturally, and illustrate that an extra copy of one or more of the chicken chromosomes is compatible with normal development and reproductive capacity.

A useful chromosome isolation protocol can comprise the steps of inserting a lac-operator sequence (Robinett *et al.* *J. Cell Biol.* 135: 1685-1700 (1996) into an
20 isolated chromosome and, optionally, inserting a desired transgene sequence within the same chromosome. Preferably, the lac operator region is a concatamer of a plurality of lac operators for the binding of multiple lac repressor molecules. Insertion can be accomplished, for instance, by identifying a region of known nucleotide sequence associated with a particular avian chromosome. A recombinant DNA
25 molecule may be constructed that comprises the identified region, a recombination site such as attB or attP and a lac-operator concatamer. The recombinant molecule is delivered to an isolated avian cell, preferably, but not limited to, chicken DT40 cells that have elevated homologous recombination activity compared to other avian cell lines, whereupon homologous recombination will integrate the heterologous
30 recombination site and the lac-operator concatamer into the targeted chromosome as shown in the schema illustrated in Fig. 20. A tag-polypeptide comprising a label

domain and a lac repressor domain is also delivered to the cell, preferably by expression from a suitable expression vector. The nucleotide sequence coding for a GFP-lac-repressor fusion protein (Robinett *et al.*, *J. Cell Biol.* 135: 1685-1700 (1996)) may be inserted into the same chromosome as the lac-operator insert. The lac
5 repressor sequence, however, can also be within a different chromosome. An inducible promoter may also be used to allow the expression of the GFP-lac-repressor only after chromosome is to be isolated.

Induced expression of the GFP-lac-repressor fusion protein will result in specific binding of the tag fusion polypeptide to the lac-operator sequence for
10 identification and isolation of the genetically modified chromosome. The tagged mitotic chromosome can be isolated using, for instance, flow cytometry as described in de Jong *et al.* *Cytometry* 35: 129-133 (1999) and Griffin *et al.* *Cytogenet. Cell Genet.* 87: 278-281 (1999).

A tagged chromosome can also be isolated using microcell technology
15 requiring treatment of cells with the mitotic inhibitor colcemid to induce the formation of micronuclei containing intact isolated chromosomes within the cell. Final separation of the micronuclei is then accomplished by centrifugation in cytochalasin as described by Killary & Fournier in *Methods Enzymol.* 254: 133-152 (1995). Further purification of microcells containing only the desired tagged
20 chromosome could be done by flow cytometry. It is contemplated, however, that alternative methods to isolate the mitotic chromosomes or microcells, including mechanical isolation or the use of laser scissors and tweezers, and the like.

Delivery of a Site-Specific Nucleic Acid to a Recipient Avian Cell or Embryo.

25 (a) *Delivery of polynucleotide constructs.*

Most non-viral methods of gene transfer rely on normal mechanisms used by eukaryotic cells for the uptake and intracellular transport of macromolecules. In preferred embodiments, non-viral gene delivery systems of the present invention rely on endocytic pathways for the uptake of the subject transcriptional regulatory region
30 and operably linked polypeptide-encoding nucleic acid by the targeted cell. Exemplary gene delivery systems of this type include liposomal derived systems,

poly-lysine conjugates, and artificial viral envelopes. Modified chromosomes as described above may be delivered to isolated avian embryonic cells for subsequent introduction to an embryo.

5 In a representative embodiment, a nucleic acid molecule can be entrapped in liposomes bearing positive charges on their surface (*e.g.*, lipofectins) and (optionally) which are tagged with antibodies against cell surface antigens of the target tissue (Mizuno *et al.*, 1992, *NO Shinkei Geka* 20: 547-551; PCT publication WO91/06309; Japanese patent application 1047381; and European patent publication EP-A-43075, all of which are incorporated herein by reference in their entireties).

10 In similar fashion, the gene delivery system can comprise an antibody or cell surface ligand that is cross-linked with a gene binding agent such as polylysine (see, for example, PCT publications WO93/04701, WO92/22635, WO92/20316, WO92/19749, and WO92/06180, all of which are incorporated herein by reference in their entireties). It will also be appreciated that effective delivery of the subject
15 nucleic acid constructs via receptor-mediated endocytosis can be improved using agents which enhance escape of genes from the endosomal structures. For instance, whole adenovirus or fusogenic peptides of the influenza HA gene product can be used as part of the delivery system to induce efficient disruption of DNA-containing endosomes (Mulligan *et al.*, 1993, *Science* 260-926; Wagner *et al.*, 1992, *Proc. Natl. Acad. Sci.* 89:7934-7938; and Christiano *et al.*, 1993, *Proc. Natl. Acad. Sci.* 90:2122-2126, all of which are incorporated herein by reference in their entireties). It is further
20 contemplated that a recombinant nucleic acid molecule of the present invention may be delivered to a target host cell by other non-viral methods including by gene gun, microinjection, sperm-mediated transfer, or the like.

25 In yet another embodiment of the invention, an expression vector that comprises a heterologous attB recombination site and a region encoding a polypeptide deposited into an egg white are delivered to oviduct cells by *in vivo* electroporation. In this method, the luminal surface of an avian oviduct is surgically exposed. A buffered solution of the expression vector and a source of integrase activity such as a
30 second expression vector expressing integrase (for example pCMV-int) is deposited on the luminal surface. Electroporation electrodes are then positioned on either side

of the oviduct wall, the luminal electrode contacting the expression vector solution. After electroporation, the surgical incisions are closed. The electroporation will deliver the expression vectors to some, if not all, treated recipient oviduct cells to create a tissue-specific chimeric animal. Expression of the integrase allows for the
5 integration of the heterologous polynucleotide into the genome of recipient oviduct cells. While this method may be used with any bird, a preferred recipient is a chicken due to the size of the oviduct. More preferred is a transgenic bird that has a transgenic attP recombinant site in the nuclear genomes of recipient oviduct cells, thus increasing the efficiency of integration of the expression vector.

10 The attB/P integrase system is preferred in the in vivo electroporation method to allow the formation of stable genetically transformed oviduct cells that otherwise progressively lose the heterologous expression vector.

The stably modified oviduct cells will express the heterologous polynucleotide and deposit the resulting polypeptide into the egg white of a laid egg. For this
15 purpose, the expression vector will further comprise an oviduct-specific promoter such as ovalbumin or ovomucoid operably linked to the desired heterologous polynucleotide.

(b) Delivery of chromosomes to avian cells.

Another aspect of the invention is the generation of a trisomic avian cell
20 comprising a genetically modified extra chromosome. The extra chromosome may be an artificial chromosome or an isolated avian chromosome that has been genetically modified. Introduction of the extra chromosome to an avian cell will generate a trisomic cell with $2n+1$ chromosomes, where n is the haploid number of chromosomes of a normal avian cell.

25 Delivery of an isolated chromosome into an isolated avian cell or embryo can be accomplished in several ways. Isolated mitotic chromosomes or a micronucleus containing an interphase chromosome can be injected into early stage I embryos by cytoplasmic injection. The injected zygote would then be surgically transferred to a recipient hen for the production and laying of a hard shell egg. This hard shell egg
30 would then be incubated until hatching of a chick.

Isolated microcells can be fused to primordial germ cells (PGCs) isolated from

the blood stream of late stage 15 embryos as described by Killary & Fournier in *Methods Enzymol.* 254: 133-152 (1995). The PGC/microcell hybrids can then be transplanted into the blood stream of a recipient embryo to produce germline chimeric chickens. (See Naito *et al.*, *Mol. Reprod. Dev.* 39: 153-161 (1994)). The manipulated
5 eggs would then incubated until hatching of the bird.

Blastodermal cells isolated from stage X embryos can be transfected with isolated mitotic chromosomes. Following *in vitro* transfection, the cells are transplanted back into stage X embryos as described, for example, in Etches *et al.*, *Poult. Sci.*, 72: 882-829 (1993), and the manipulated eggs are incubated to hatching.

10 Stage X blastodermal cells can also be fused with isolated microcells and then transplanted back into to stage X embryos or fused to somatic cells to be used as nuclear donors for nuclear transfer as described by Kuroiwa *et al.*, *Nat. Biotechnol.* 20: 889-894 (2002).

Chromosomal vectors, as described above, may be delivered to a recipient
15 avian cell by, for example, microinjection, liposomal delivery or microcell fusion.

In the methods of the invention, a site-specific integrase is introduced into an avian cell whose genome is to be modified. Methods of introducing functional proteins into cells are well known in the art. Introduction of purified integrase protein can ensure a transient presence of the protein and its activity. Thus, the lack of
20 permanence associated with most expression vectors is not expected to be detrimental.

The integrase used in the practice of the present invention can be introduced into a target cell before, concurrently with, or after the introduction of a site-specific vector. The integrase can be directly introduced into a cell as a protein, for example, by using liposomes, coated particles, or microinjection, or into the blastodermal layer
25 of an early stage avian embryo by microinjection. A source of the integrase can also be delivered to an avian cell by introducing to the cell an mRNA encoding the integrase and which can be expressed in the recipient cell as an integrase polypeptide. Alternately, a DNA molecule encoding the integrase can be introduced into the cell using a suitable expression vector.

30 The present invention provides novel nucleic acid vectors and methods of use that allow the phiC31 integrase to efficiently integrate a heterologous nucleic acid into

an avian genome. A novel finding is that the phiC31 integrase is remarkably efficient in avian cells and increases the rate of integration of heterologous nucleic acid at least 30-fold over that of random integration. Furthermore, the phiC31 integrase works equally well at 37°C and 41°C, indicating that it will function in the environment of
5 the developing avian embryo, as shown in Example 1.

It is important to note that the present invention is not bound by any mechanism or theory of operation. For example, the mechanism by which integrase, or any other substance described herein, facilitates transgenesis is unimportant. Integrase, for example, may facilitate transgenesis by mediating the integration of
10 DNA into the genome of a recipient cell or integrase may facilitate transgenesis by facilitating the entry of the DNA into the cell or integrase may facilitate transgenesis by some other mechanism.

The site-specific vector components described above are useful in the construction of expression cassettes containing sequences encoding an integrase. One
15 integrase-expressing vector useful in the methods of the invention is pCMV-C31int (SEQ ID NO: 1 as shown in Fig. 9) where the phiC31 integrase is encoded by a region under the expression control of the strong CMV promoter. Another preferred promoter generally useful in avian cells is the RSV promoter as used in SEQ ID NO: 9 shown in Fig. 17. Expression of the integrase is typically desired to be transient.
20 Accordingly, vectors providing transient expression of the integrase are preferred. However, expression of the integrase can be regulated in other ways, for example, by placing the expression of the integrase under the control of a regulatable promoter (i.e., a promoter whose expression can be selectively induced or repressed).

Delivery of the nucleic acids introduced into avian cells, for example,
25 embryonic avian cells, using methods of the invention may also be enhanced by mixing the nucleic acid to be introduced with a nuclear localization signal (NLS) peptide prior to introduction, for example, microinjection, of the nucleic acid. Nuclear localization signal (NLS) sequences are a class of short amino acid sequences which may be exploited for cellular import of linked cargo into a nucleus. The
30 present invention envisions the use of any useful NLS peptide, including but not limited to, the NLS peptide of SV40 virus T-antigen.

An NLS of the invention is an amino acid sequence which mediates nuclear transport into the nucleus, wherein deletion of the NLS reduces transport into the nucleus. In certain embodiments, an NLS is a cationic peptide, for example, a highly cationic peptide. The present invention includes the use of any NLS sequence, including but not limited to, SV40 virus T-antigen. NLSs known in the art include, but are not limited to those discussed in Cokol *et al.*, 2000, *EMBO Reports*, 1(5):411-415, Boulikas, T., 1993, *Crit. Rev. Eukaryot. Gene Expr.*, 3:193-227, Collas, P. *et al.*, 1996, *Transgenic Research*, 5: 451-458, Collas and Alestrom, 1997, *Biochem. Cell Biol.* 75: 633-640, Collas and Alestrom, 1998, *Transgenic Research*, 7: 303-309, Collas and Alestrom, *Mol. Reprod. Devel.*, 1996, 45:431-438. The disclosure of each of these references is incorporated by reference herein in its entirety.

Not to be bound by any mechanism of operation, DNA is protected and hence stabilized by cationic polymers. The stability of DNA molecules in the cytoplasm of cells may be increased by mixing the DNA to be introduced, for example, microinjected with cationic polymers (for example, branched cationic polymers), such as polyethylenimine (PEI), polylysine, DEAE-dextran, starburst dendrimers, starburst polyamidoamine dendrimers, and other materials that package and condense the DNA molecules (Kukowska-Latallo *et al.*, 1996, *Proc. Natl. Acad. Sci. USA* 93:4897-4902).

Once the DNA molecules are delivered to the cytoplasm of cells, they migrate into the cell's endocytotic vesicles. Furthermore, migration into the cell's endosome is followed by fast inactivation of DNA within the endolysosomal compartment in transfected or injected cells, both in vitro and in vivo (Godbey, W, *et al.* 1999, *Proc Natl Acad Sci U S A* 96: 5177-81; and Lechardeur, D, *et al.* 1999, *Gene Ther* 6: 482-97; and references cited therein). Accordingly, in certain embodiments, DNA uptake is enhanced by the receptor-mediated endocytosis pathway using transferrin-polylysine conjugates or adenoviral-mediated vesicle disruption to effect the release of DNA from endosomes. However, the invention is not limited to this or any other theory or mechanism of operation referred to herein.

Buffering the endosomal pH using endosomal-scaping elements also protects DNA from degradation (Kircheis, R, *et al.* 2001, *Adv Drug Deliv Rev* 53: 341-58 ; Boussif, O, *et al.* 1995, *Proc Natl Acad Sci U S A* 92: 7297-301; and Pollard, H, *et al.*

1998, *J Biol Chem* 273: 7507-11; and references cited therein). Thus, in certain embodiments, DNA complexes are delivered with polycations or cationic polymers that possess substantial buffering capacity below physiological pH, such as polyethylenimine, lipopolyamines and polyamidoamine polymers. In certain
5 embodiments, DNA condensing compounds, such as the ones described above, are combined with viruses (Curiel, D, *et al. Proc Natl Acad Sci U S A* 88: 8850-4, 1991; Wagner, E, *et al. Proc Natl Acad Sci U S A* 89: 6099-103, 1992 and Cotten, M, *et al.*, 1992, *Proc Natl Acad Sci U S A* 89: 6094-8), viral peptides (Wagner, E, *et al.* 1992, *Proc Natl Acad Sci U S A* 89: 7934-8; Plank, C, *et al.* 1994, *J Biol Chem* 269: 12918-
10 24) and subunits of toxins (Uherek, C, *et al.*, 1998, *J Biol Chem* 273: 8835-48). These materials significantly enhance the release of DNA from endosomes. In certain embodiments, viruses, viral peptides, toxins or subunits of toxins may be coupled to DNA/polylysine complexes via biochemical means or specifically by a streptavidin-biotin bridge (Wagner et al., 1992, *Proc. Natl. Acad. Sci. USA* 89:6099-6103; Plank et al., 1994, *J. Biol Chem.* 269(17):12918-12924). In other certain embodiments, the
15 virus that is complexed with the DNA may be adenovirus, retrovirus, vaccinia virus, or parvovirus. The viruses may be linked to PEI or another cationic polymer associated with the nucleic acid. In certain embodiments, the virus may be alphavirus, orthomyxovirus, or picornavirus. In certain embodiments, the virus is defective or
20 chemically inactivated. The virus may be inactivated by short-wave UV radiation or the DNA intercalator psoralen plus long-wave UV. The adenovirus may coupled to polylysine, either enzymatically through the action of transglutaminase or biochemically by biotinylating adenovirus and streptavidinylating the polylysine moiety. Transferrin may also be useful in combination with cationic polymers,
25 adenoviruses and/or other materials disclosed herein to produce transgenic avians. For example, DNA complexes containing PEI, PEI-modified transferrin, and PEI-bound influenza peptides may be used to enhance transgenic avian production.

In other certain embodiments, complexes containing plasmid DNA, transferrin-PEI conjugates, and PEI-conjugated peptides derived from the N-terminal
30 sequence of the influenza virus hemagglutinin subunit HA-2 may be used to produce transgenic chickens. In certain embodiments, the PEI-conjugated peptide may be a an

amino-terminal amino acid sequence of influenza virus hemagglutinin which may be elongated by an amphipathic helix or by carboxyl-terminal dimerization.

The present invention provides for methods of dispersing or distributing nucleic acid in a cell, for example, in an avian cell. The avian cell may be, for example, and without limitation, a cell of a stage I avian embryo, a cell of a stage II avian embryo, a cell of a stage III avian embryo, a cell of a stage IV avian embryo, a cell of a stage V avian embryo, a cell of a stage VI avian embryo, a cell of a stage VII avian embryo, a cell of a stage VIII avian embryo, a cell of a stage IX avian embryo, a cell of a stage X avian embryo, a cell of a stage XI avian embryo or a cell of a stage XII avian embryo. In one particularly useful embodiment, the avian cell is a cell of a stage X avian embryo.

In one aspect of the present invention, cationic polymers are useful to distribute, for example, homogeneously distribute, nucleic acid introduced into a cell, for example, an embryonic avian cell. The present invention contemplates the use of cationic polymers including, but not limited to, those disclosed herein.

However, substances other than cationic polymers also capable of distributing or dispersing nucleic acids in a cell are included within the scope of the present invention.

The concentration of cationic polymer used is not critical though, preferably, enough cationic polymer is present to coat the nucleic acid to be introduced into the avian cell. The cationic polymer may be present in an aqueous mixture with the nucleic acid to be introduced into the cell at a concentration in a range of an amount equal to about the weight of the nucleic acid to a concentration wherein the solution is saturated with cationic polymer. In one useful embodiment, the cationic polymer is present in an amount in a range of about 0.01% to about 50 %, for example, about 0.1% to about 20% (e.g., about 5%). The molecular weights of the cationic polymers can range from a molecular weight of about 1,000 to a molecular weight of about 1,000,000. In one embodiment, the molecular weight of the cationic polymers range from about 5,000 to about 100,000 for example, about 20,000 to about 30,000.

In one particularly useful aspect of the invention, procedures that are effective to facilitate the production of a transgenic avian may be combined to provide for an

enhanced production of a transgenic avian wherein the enhanced production is an improved production of a transgenic avian relative to the production of a transgenic avian by only one of the procedures employed in the combination. For example, one or more of integrase activity, NLS, cationic polymer or other technique useful to enhance transgenic avian production disclosed herein can be used in the same procedure to provide for an enhanced production of transgenic avians relative to an identical procedure which does not employ all of the same techniques useful to enhance transgenic avian production.

10 Transgenic Avian Cells.

Another aspect of the present invention is an avian cell genetically modified with a transgene vector according to the present invention and described above. For example, in one embodiment, the transformed cell can be a chicken early stage blastodermal cell or a genetically transformed cell line, including a sustainable cell line. The transfected cell according to the present invention may comprise a transgene stably integrated into the nuclear genome of the recipient cell, thereby replicating with the cell so that each progeny cell receives a copy of the transfected nucleic acid. A particularly useful cell line for the delivery and integration of a transgene comprises a heterologous attP site that can increase the efficiency of integration of a polynucleotide by phiC31 integrase and, optionally, a region for expressing the integrase.

A retroviral vector can be used to deliver the att site into the avian genome since an attP or attB site is less than 300 bp. For example, the attP site can be inserted into the NLB retroviral vector, which is based on the avian leukosis virus genome. A lentiviral vector is a particularly suitable vector because lentiviral vectors can transduce non-dividing cells, so that a higher percentage of cells will have an integrated attP site.

The lacZ region of NLB is replaced by the attP sequence. A producer cell line would be created by transformation of, for example, the Isolde cell line capable of producing a packaged recombinant NLB-attP virus pseudo-typed with the envA envelope protein. Supernatant from the Isolde NLB-attP line is concentrated by

centrifugation to produce high titer preparations of the retroviral vector that can then be used to deliver the attP site to the genome of an avian cell, as described in Example 9 below.

5 An attP-containing line of transgenic birds are a source of attP transgenic embryos and embryonic cells. Fertile zygotes and oocytes bearing a heterologous attP site in either the maternal, paternal, or both, genomes can be used for transgenic insertion of a desired heterologous polynucleotide. A transgene vector bearing an attB site, for example, would be injected into the cytoplasm along with either an integrase expression plasmid, mRNA encoding the integrase or the purified integrase protein.

10 The oocyte or zygote is then cultured to hatch by *ex ovo* methods or reintroduced into a recipient hen such that the hen lays a hard shell egg the next day containing the injected egg.

In another example, fertile stage VII-XII embryos hemizygous or homozygous for the heterologous attP sequence, are used as a source of blastodermal cells. The

15 cells are harvested and then transfected with a transgene vector bearing an attB site along with a source of integrase. The transfected cells are then injected into the subgerminal cavity of windowed fertile eggs. The chicks that hatch will bear the transgene integrated into the attP site in a percentage of their somatic and germ cells. To obtain fully transgenic birds, chicks are raised to sexual maturity and those that are

20 positive for the transgene in their semen are bred to non-transgenic mates.

In various embodiments, the genetically engineered cells of the invention may contain an integrase specifically recognizing recombination sites and which is introduced into genetically engineered cells containing a nucleic acid construct of the invention under conditions such that the nucleic acid sequence(s) of interest will be

25 inserted into the nuclear genome. Methods for introducing such an integrase into a cell are described above.

In some embodiments, the site-specific integrase is introduced into the cell as a polypeptide. In alternative embodiments, the site-specific integrase is introduced into the transgenic cell as a polynucleotide encoding the integrase, such as an expression

30 cassette optionally carried on a transient expression vector, and comprising a polynucleotide encoding the recombinase.

In one embodiment, the invention is directed to methods of using a vector for site-specific integration of a heterologous nucleotide sequence into the genome of an avian cell, the vector comprising a circular backbone vector, a polynucleotide of interest operably linked to a promoter, and a first recombination site, wherein the
5 genome of the cell comprises a second recombination site and recombination between the first and second recombination sites is facilitated by phiC31 integrase. In certain embodiments, the integrase facilitates recombination between a bacterial genomic recombination site (attB) and a phage genomic recombination site (attP).

In another embodiment, the invention is directed to an avian cell having a
10 transformed genome comprising an integrated heterologous polynucleotide of interest whose integration, mediated by phiC31 integrase, was into a recombination site native to the avian cell genome and the integration created a recombination-product site comprising the polynucleotide sequence. In yet another embodiment, integration of the polynucleotide was into a recombination site not native to the avian cell genome,
15 but instead into a heterologous recombination site engineered into the avian cell genome.

In further embodiments, the invention is directed to transgenic birds comprising a modified cell and progeny thereof as described above, as well as methods of producing the same.

20 Cells genetically modified to carry a heterologous attB or attP site by the methods of the present invention can be maintained under conditions that, for example, keep them alive but do not promote growth, promote growth of the cells, and/or cause the cells to differentiate or dedifferentiate. Cell culture conditions may be permissive for the action of the integrase in the cells, although regulation of the
25 activity of the integrase may also be modulated by culture conditions (e.g., raising or lowering the temperature at which the cells are cultured).

One aspect of the invention is a method for generating a genetically modified avian cell, and progeny thereof, using a tagged chromosome, the method comprising the steps of providing an isolated modified chromosome comprising a lac operator
30 region and a first recombination site, delivering the modified chromosome to a avian cell, thereby generating a trisomic avian cell, delivering to the avian cell a source of a

tagged polypeptide comprising a fluorescent domain and a lac repressor domain, delivering a source of integrase activity to the avian cell, delivering a polynucleotide comprising a second recombination site and a region encoding a polypeptide to the avian cell, maintaining the avian cell under conditions suitable for the integrase to
5 mediate recombination between the first and second recombination sites, thereby integrating the polynucleotide into the modified chromosome and generating a genetically modified avian cell, expressing the tag polypeptide by the avian cell, allowing the tag polypeptide to bind to the modified chromosome so as to label the modified chromosome, and isolating the modified chromosome by selecting modified
10 chromosomes having a tag polypeptide bound thereto.

In one embodiment of the invention, the second avian cell is selected from the group consisting of a stage VII-XII blastodermal cell, a stage I embryo, a stage X embryo; an isolated primordial germ cell, an isolated non-embryonic cell, and an oviduct cell.

15 In various embodiments, the isolated modified chromosome is an avian chromosome or an artificial chromosome.

In other embodiments of the invention, the step of providing an isolated modified chromosome comprising a lac operator region and a first recombination site comprises the steps of generating a trisomic avian cell by delivering to an isolated
20 avian cell an isolated chromosome and a polynucleotide comprising a lac operator and a second recombination site, maintaining the trisomic cell under conditions whereby the heterologous polynucleotide is integrated into the chromosome by homologous recombination, delivering to the avian cell a source of a tag polypeptide to label the chromosome, and isolating the labeled chromosome.

25 In one embodiment of the invention, the lac operator region is a concatamer of lac operators. In other embodiments of the invention, the tag polypeptide is expressed from an expression vector.

In one embodiment of the invention, the tag polypeptide is microinjected into the cell. In various embodiments of the invention, the method of delivery of a
30 chromosome to an avian cell is selected from the group consisting of liposome

delivery, microinjection, microcell, electroporation and gene gun delivery, or a combination thereof.

In embodiments of the invention, the fluorescent domain of the tag polypeptide is GFP.

5 In another embodiment of the invention, the method further comprises the step of delivering the second avian cell to an avian embryo. The embryo may be maintained under conditions suitable for hatching as a chick.

In one embodiment of the invention, the second avian cell is maintained under conditions suitable for the proliferation of the cell, and progeny thereof.

10 In various embodiments of the invention, the source of integrase activity is delivered to a first avian cell as a polypeptide or expressed from a polynucleotide, said polynucleotide being selected from an mRNA and an expression vector.

In one embodiment of the invention, the tag polypeptide activity is delivered to the avian cell as a polypeptide or expressed from a polynucleotide operably linked to a promoter. In another embodiment of the invention, the promoter is an inducible promoter. In yet another embodiment of the invention, the integrase is phiC31 integrase and in various embodiments of the invention, the first and second recombination sites are selected from an attB and an attP site, but wherein the first and second sites are not identical.

20

Expression of Heterologous Proteins by Site-Specific Genetic Transformation of Avian Cells.

Another aspect of the present invention is a method of expressing a heterologous polypeptide in an avian cell by stably transfecting a cell by using site-specific integrase-mediation and a recombinant nucleic acid molecule, as described above, and culturing the transfected cell under conditions suitable for expression of the heterologous polypeptide under the control of the avian transcriptional regulatory region.

25 The protein of the present invention may be produced in purified form by any known conventional techniques. For example, chicken cells, an egg or an egg white may be homogenized and centrifuged. The supernatant may then be subjected to

sequential ammonium sulfate precipitation and heat treatment. The fraction containing the protein of the present invention is subjected to gel filtration in an appropriately sized dextran or polyacrylamide column to separate the proteins. If necessary, the protein fraction may be further purified by HPLC or other methods well known in the art of protein purification.

The methods of the invention are useful for expressing nucleic acid sequences that are optimized for expression in avian cells and which encode desired polypeptides or derivatives and fragments thereof. Derivatives include, for instance, polypeptides with conservative amino acid replacements, that is, those within a family of amino acids that are related in their side chains (commonly known as acidic, basic, nonpolar, and uncharged polar amino acids). Phenylalanine, tryptophan, and tyrosine are sometimes classified jointly as aromatic amino acids and other groupings are known in the art (see, for example, "Biochemistry", 2nd ed, L. Stryer, ed., W.H. Freeman & Co., 1981). Peptides in which more than one replacement has taken place can readily be tested for activity in the same manner as derivatives with a single replacement, using conventional polypeptide activity assays (e.g. for enzymatic or ligand binding activities).

Regarding codon optimization, if the recombinant nucleic acid molecules are transfected into a recipient chicken cell, the sequence of the nucleic acid insert to be expressed can be optimized for chicken codon usage. This may be determined from the codon usage of at least one, and preferably more than one, protein expressed in a chicken cell according to well known principles. For example, in the chicken the codon usage could be determined from the nucleic acid sequences encoding the proteins such as lysozyme, ovalbumin, ovomucin and ovotransferrin of chicken. Optimization of the sequence for codon usage can elevate the level of translation in avian eggs.

The present invention provides methods for the production of a protein by an avian cell comprising the steps of maintaining an avian cell, transfecting with a first expression vector and, optionally, a second expression vector, under conditions suitable for proliferation and/or gene expression and such that an integrase will mediate site specific recombination at att sites. The expression vectors may each have

a transcription unit comprising a nucleotide sequence encoding a heterologous polypeptide, wherein one polypeptide is an integrase, a transcription promoter, and a transcriptional terminator. The cells may then be maintained under conditions for the expression and production of the desired heterologous polypeptide(s).

5 The present invention further relates to methods for gene expression by avian cells from nucleic acid vectors, and transgenes derived therefrom, that include more than one polypeptide-encoding region wherein, for example, a first polypeptide-encoding region can be operatively linked to an avian promoter and a second polypeptide-encoding region is operatively linked to an Internal Ribosome Entry
10 Sequence (IRES). It is contemplated that the first polypeptide-encoding region, the IRES and the second polypeptide-encoding region of a recombinant DNA of the present invention may be arranged linearly, with the IRES operably positioned immediately 5' of the second polypeptide-encoding region. This nucleic acid construct, when inserted into the genome of an avian cell or a bird and expressed
15 therein, will generate individual polypeptides that may be post-translationally modified and combined in the white of a hard shell bird egg. Alternatively, the expressed polypeptides may be isolated from an avian egg and combined *in vitro*.

 The invention, therefore, includes methods for producing multimeric proteins including immunoglobulins, such as antibodies, and antigen binding fragments
20 thereof. Thus, in one embodiment of the present invention, the multimeric protein is an immunoglobulin, wherein the first and second heterologous polypeptides are immunoglobulin heavy and light chains respectively. Illustrative examples of this and other aspects of the present invention for the production of heterologous multimeric polypeptides in avian cells are fully disclosed in U.S. Patent Application No.
25 09/877,374, filed June 8, 2001, by *Rapp*, published as US-2002-0108132-A1 on August 8, 2002, and U.S. Patent Application No. 10/251,364, filed September 18, 2002, by *Rapp*, both of which are incorporated herein by reference in their entirety.

 Accordingly, the invention further provides immunoglobulin and other multimeric proteins that have been produced by transgenic avians of the invention.

30 In various embodiments, an immunoglobulin polypeptide encoded by the transcriptional unit of at least one expression vector may be an immunoglobulin heavy

chain polypeptide comprising a variable region or a variant thereof, and may further comprise a D region, a J region, a C region, or a combination thereof. An immunoglobulin polypeptide encoded by an expression vector may also be an immunoglobulin light chain polypeptide comprising a variable region or a variant thereof, and may further comprise a J region and a C region. The present invention also contemplates multiple immunoglobulin regions that are derived from the same animal species, or a mixture of species including, but not only, human, mouse, rat, rabbit and chicken. In preferred embodiments, the antibodies are human or humanized.

10 In other embodiments, the immunoglobulin polypeptide encoded by at least one expression vector comprises an immunoglobulin heavy chain variable region, an immunoglobulin light chain variable region, and a linker peptide thereby forming a single-chain antibody capable of selectively binding an antigen.

Examples of therapeutic antibodies that may be produced in methods of the invention include but are not limited to HERCEPTINTM (Trastuzumab) (Genentech, CA) which is a humanized anti-HER2 monoclonal antibody for the treatment of patients with metastatic breast cancer; REOPROTM (abciximab) (Centocor) which is an anti-glycoprotein IIb/IIIa receptor on the platelets for the prevention of clot formation; ZENAPAXTM (daclizumab) (Roche Pharmaceuticals, Switzerland) which is an immunosuppressive, humanized anti-CD25 monoclonal antibody for the prevention of acute renal allograft rejection; PANOREXTM which is a murine anti-17-IA cell surface antigen IgG2a antibody (Glaxo Wellcome/Centocor); BEC2 which is a murine anti-idiotypic (GD3 epitope) IgG antibody (ImClone System); IMC-C225 which is a chimeric anti-EGFR IgG antibody (ImClone System); VITAXINTM which is a humanized anti- α V β 3 integrin antibody (Applied Molecular Evolution/MedImmune); Campath 1H/LDP-03 which is a humanized anti CD52 IgG1 antibody (Leukosite); Smart M195 which is a humanized anti-CD33 IgG antibody (Protein Design Lab/Kanebo); RITUXANTM which is a chimeric anti-CD20 IgG1 antibody (IDEC Pharm/Genentech, Roche/Zettyaku); LYMPHOCIDETM which is a humanized anti-CD22 IgG antibody (Immunomedics); ICM3 is a humanized anti-ICAM3 antibody (ICOS Pharm); IDEC-114 is a primate anti-CD80 antibody (IDEC

Pharm/Mitsubishi); ZEVALIN™ is a radiolabelled murine anti-CD20 antibody (IDEC/Schering AG); IDEC-131 is a humanized anti-CD40L antibody (IDEC/Eisai); IDEC-151 is a primatized anti-CD4 antibody (IDEC); IDEC-152 is a primatized anti-CD23 antibody (IDEC/Seikagaku); SMART anti-CD3 is a humanized anti-CD3 IgG (Protein Design Lab); 5G1.1 is a humanized anti-complement factor 5 (CS) antibody (Alexion Pharm); D2E7 is a humanized anti-TNF- α antibody (CATIBASF); CDP870 is a humanized anti-TNF- α Fab fragment (Celltech); IDEC-151 is a primatized anti-CD4 IgG1 antibody (IDEC Pharm/SmithKline Beccham); MDX-CD4 is a human anti-CD4 IgG antibody (Medarex/Eisai/Genmab); CDP571 is a humanized anti-TNF- α IgG4 antibody (Celltech); LDP-02 is a humanized anti- α 4 β 7 antibody (LeukoSite/Genentech); OrthoClone OKT4A is a humanized anti-CD4 IgG antibody (Ortho Biotech); ANTOVA™ is a humanized anti-CD40L IgG antibody (Biogen); ANTEGREN™ is a humanized anti-VLA-4 IgG antibody (Elan); and CAT-152 is a human anti-TGF- β ₂ antibody (Cambridge Ab Tech).

15

Production of Heterologous Protein by Transgenic Avians

One aspect of the present invention, therefore, concerns transgenic birds, such as chickens, comprising a recombinant nucleic acid molecule and which preferably (though optionally) express a heterologous gene in one or more cells in the animal. Suitable methods for the generation of transgenic avians having heterologous DNA incorporated therein are described, for example, in WO 99/19472 to *Ivarie et al.*; WO 00/11151 to *Ivarie et al.*; and WO 00/56932 to *Harvey et al.*, all of which are incorporated herein by reference in their entirety.

Embodiments of the methods for the production of a heterologous polypeptide by the avian tissue such as the oviduct and the production of eggs which contain heterologous protein involve providing a suitable vector and introducing the vector into embryonic blastodermal cells together with an integrase, preferably phiC31 integrase, so that the vector can integrate into the avian genome. A subsequent step involves deriving a mature transgenic avian from the transgenic blastodermal cells produced in the previous steps. Deriving a mature transgenic avian from the blastodermal cells optionally involves transferring the transgenic blastodermal cells to

an embryo and allowing that embryo to develop fully, so that the cells become incorporated into the bird as the embryo is allowed to develop. Another alternative is to transfer a transfected nucleus to an enucleated recipient cell which may then develop into a zygote and ultimately an adult bird. The resulting chick is then grown
5 to maturity.

In an alternative embodiment, the cells of a blastodermal embryo are transfected or transduced with the vector and integrase directly within the embryo. It is contemplated, for example, that the recombinant nucleic acid molecules of the present invention may be introduced into a blastodermal embryo by direct
10 microinjection of the DNA into a stage X or earlier embryo that has been removed from the oviduct. The egg is then returned to the bird for egg white deposition, shell development and laying. The resulting embryo is allowed to develop and hatch, and the chick allowed to mature.

In one embodiment, a transgenic bird of the present invention is produced by
15 introducing into embryonic cells such as, for instance, isolated avian blastodermal cells, a nucleic acid construct comprising an attB recombination site capable of recombining with a pseudo-attP recombination site found within the nuclear genome of the organism from which the cell was derived, and a nucleic acid fragment of interest, in a manner such that the nucleic acid fragment of interest is stably integrated
20 into the nuclear genome of germ line cells of a mature bird and is inherited in normal Mendelian fashion. It is also within the scope of the invention that the targeted cells for receiving the transgene have been engineered to have a heterologous attP recombination site integrated into the nuclear genome of the cells, thereby increasing the efficiency of recognition and recombination with a heterologous attB site.

25 In either case, the transgenic bird produced from the transgenic blastodermal cells is known as a "founder" Some founders can be chimeric or mosaic birds if, for example, microinjection does not deliver nucleic acid molecules to all of the blastodermal cells of an embryo. Some founders will carry the transgene in the tubular gland cells in the magnum of their oviducts and will express the heterologous
30 protein encoded by the transgene in their oviducts. If the heterologous protein

contains the appropriate signal sequences, it will be secreted into the lumen of the oviduct and onto the yolk of an egg.

Some founders are germ-line founders. A germ-line founder is a founder that carries the transgene in genetic material of its germ-line tissue, and may also carry the transgene in oviduct magnum tubular gland cells that express the heterologous protein. Therefore, in accordance with the invention, the transgenic bird will have tubular gland cells expressing the heterologous protein and the offspring of the transgenic bird will also have oviduct magnum tubular gland cells that express the selected heterologous protein. (Alternatively, the offspring express a phenotype determined by expression of the exogenous gene in a specific tissue of the avian.)

The invention can be used to express, in large yields and at low cost, a wide range of desired proteins including those used as human and animal pharmaceuticals, diagnostics, and livestock feed additives. Proteins such as growth hormones, cytokines, structural proteins and enzymes including human growth hormone, interferon, lysozyme, and β -casein are examples of proteins which are desirably expressed in the oviduct and deposited in eggs according to the invention. Other possible proteins to be produced include, but are not limited to, albumin, α -1 antitrypsin, antithrombin III, collagen, factors VIII, IX, X (and the like), fibrinogen, hyaluronic acid, insulin, lactoferrin, protein C, erythropoietin (EPO), granulocyte colony-stimulating factor (G-CSF), granulocyte macrophage colony-stimulating factor (GM-CSF), tissue-type plasminogen activator (tPA), feed additive enzymes, somatotropin, and chymotrypsin. Immunoglobulins (shown, for example in Example 10 below) and genetically engineered antibodies, including immunotoxins which bind to surface antigens on human tumor cells and destroy them, can also be expressed for use as pharmaceuticals or diagnostics.

In various embodiments of the transgenic bird of the present invention, the expression of the transgene may be restricted to specific subsets of cells, tissues or developmental stages utilizing, for example, *trans*-acting factors acting on the transcriptional regulatory region operably linked to the polypeptide-encoding region of interest of the present invention and which control gene expression in the desired pattern. Tissue-specific regulatory sequences and conditional regulatory sequences

can be used to control expression of the transgene in certain spatial patterns. Moreover, temporal patterns of expression can be provided by, for example, conditional recombination systems or prokaryotic transcriptional regulatory sequences.

5 The stably modified oviduct cells will express the heterologous polynucleotide and deposit the resulting polypeptide into the egg white of a laid egg. For this purpose, the expression vector will further comprise an oviduct-specific promoter such as ovalbumin or ovomucoid operably linked to the desired heterologous polynucleotide.

10 Another aspect of the present invention provides a method for the production in an avian of an heterologous protein capable of forming an antibody suitable for selectively binding an antigen. This method comprises a step of producing a transgenic avian incorporating at least one transgene, the transgene encoding at least one heterologous polypeptide selected from an immunoglobulin heavy chain variable
15 region, an immunoglobulin heavy chain comprising a variable region and a constant region, an immunoglobulin light chain variable region, an immunoglobulin light chain comprising a variable region and a constant region, and a single-chain antibody comprising two peptide-linked immunoglobulin variable regions.

 In one embodiment of this method, the isolated heterologous protein is an
20 antibody capable of selectively binding to an antigen and which may be generated by combining at least one immunoglobulin heavy chain variable region and at least one immunoglobulin light chain variable region, preferably cross-linked by at least one disulfide bridge. The combination of the two variable regions generates a binding site that binds an antigen using methods for antibody reconstitution that are well known in
25 the art.

 The present invention also encompasses immunoglobulin heavy and light chains, or variants or derivatives thereof, to be expressed in separate transgenic avians, and thereafter isolated from separate media including serum or eggs, each isolate comprising one or more distinct species of immunoglobulin polypeptide. The
30 method may further comprise the step of combining a plurality of isolated heterologous immunoglobulin polypeptides, thereby producing an antibody capable of

selectively binding to an antigen. In this embodiment, for instance, two or more individual transgenic avians may be generated wherein one transgenic produces serum or eggs having an immunoglobulin heavy chain variable region, or a polypeptide comprising such, expressed therein. A second transgenic animal, having a second
5 transgene, produces serum or eggs having an immunoglobulin light chain variable region, or a polypeptide comprising such, expressed therein. The polypeptides from two or more transgenic animals may be isolated from their respective sera and eggs and combined in vitro to generate a binding site capable of binding an antigen.

The present invention is further illustrated by the following examples, which
10 are provided by way of illustration and should not be construed as limiting. The contents of all references, published patents and patents cited throughout the present application are hereby incorporated by reference in their entireties.

It will be apparent to those skilled in the art that various modifications, combinations, additions, deletions and variations can be made in the present invention
15 without departing from the scope or spirit of the invention. For instance, features illustrated or described as part of one embodiment can be used in another embodiment to yield a still further embodiment. It is intended that the present invention covers such modifications, combinations, additions, deletions and variations as come within the scope of the appended claims and their equivalents.

20

Example 1: Phage phiC31 integrase functions in avian cells.

(a) A luciferase vector bearing either an attB (SEQ ID NO: 2 shown in Fig. 10) or attP (SEQ ID NO: 3 shown in Fig. 11) site was co-transfected with an integrase expression vector CMV-C31int (SEQ ID NO: 1) into DF-I cells, a chicken fibroblast cell line.
25 The cells were passaged several times and the luciferase levels were assayed at each passage.

Cells were passaged every 3-4 days and one third of the cells were harvested and assayed for luciferase. The expression of luciferase was plotted as a percentage of the expression measured 4 days after transfection. A luciferase expression vector
30 bearing an attP site as a control was also included.

As can be seen in Fig. 2, in the absence of integrase, luciferase expression from a vector bearing attP or attB decreased to very low levels after several days. However, luciferase levels were persistent when the luciferase vector bearing attB was co-transfected with the integrase expression vector, indicating that the luciferase vector had stably integrated into the avian genome.

(b) A drug-resistance colony formation assay was used to quantitate integration efficiency. The puromycin resistance expression vector pCMV-pur was outfitted with an attB (SEQ ID NO: 4 shown in Fig. 12) or an attP (SEQ ID NO: 5 shown in Fig. 13) sites. Puromycin resistance vectors bearing attB sites were cotransfected with phiC31 integrase or a control vector into DF-1 cells. One day after transfection, puromycin was added. Puromycin resistant colonies were counted 12 days post-transfection.

In the absence of co-transfected integrase expression, few DF-1 cell colonies were observed after survival selection. When integrase was co-expressed, multiple DF-1 cell colonies were observed, as shown in Fig. 3. Similar to the luciferase expression experiment, the attB sequence (but not the attP sequence) was able to facilitate integration of the plasmid into the genome. Fig. 3 also shows that phiC31 integrase functions at both 37° Celsius and 41° Celsius. Integrase also functions in quail cells using the puromycin resistance assay, as shown in Fig. 4.

(c) The CMV-pur-attB vector (SEQ ID NO: 4) was also cotransfected with an enhanced green fluorescent protein (EGFP) expression vector bearing an attB site (SEQ ID NO: 6 shown in Fig. 14) into DF-1 cells and the phiC31 integrase expression vector CMV-C31int (SEQ ID NO: 1). After puromycin selection for 12 days, the colonies were viewed with UV light to determine the percentage of cells that expressed EGFP. Approximately 20% of puromycin resistant colonies expressed EGFP in all of the cells of the colony, as shown in Fig. 5, indicating that the integrase can mediate multiple integrations per cell.

(d) PhiC31 integrase promoted the integration of large transgenes into avian cells. A puromycin expression cassette comprising a CMV promoter, puromycin resistance gene, polyadenylation sequence and the attB sequence was inserted into a vector containing a 12.0 kb lysozyme promoter and the human interferon $\alpha 2b$ gene (SEQ ID NO: 7 shown in Fig. 15) and into a vector containing a 10.0 kb ovomucoid

promoter and the human interferon $\alpha 2b$ gene (SEQ ID NO: 8) as shown in Fig. 16.

DF-1 cells were transfected with donor plasmids of varying lengths bearing a puromycin resistance gene and an attB sequence in the absence or presence of an integrase expression plasmid. Puromycin was added to the culture media to kill those
5 cells which did not contain a stably integrated copy of the puromycin resistance gene. Cells with an integrated gene formed colonies in the presence of puromycin in 7-12 days. The colonies were visualized by staining with methylene blue and the entire 60 mm culture dish was imaged.

PhiC31 integrase mediated the efficient integration of both vectors as shown in
10 Fig. 7.

Example 2: Cell culture methods.

DF-1 cells were cultured in DMEM with high glucose, 10% fetal bovine serum, 2 mM L-glutamine, 100 units/ml penicillin and 100 μ g/ml streptomycin at 37°
15 Celsius and 5% CO₂. A separate population of DF-1 cells was grown at 41° Celsius. These cells were adapted to the higher temperature for one week before they were used for experiments.

Quail QT6 cells were cultured in F10 medium (Gibco) with 5% newborn calf serum, 1% chicken serum heat inactivated (at 55° Celsius for 45 mins), 10 units/ ml
20 penicillin and 10 μ g/ml streptomycin at 37° Celsius and 5% CO₂.

Example 3: Selection and Assay Methods

(a) *Puromycin selection assay*: About 0.8×10^6 DF-1 (chicken) or QT6 (quail) cells were plated in 60 mm dishes. The next day, the cells were transfected as follows:

25 10 to 50 ng of a donor plasmid and 1 to 10 μ g of an Integrase-expressing plasmid DNA were mixed with 150 μ l of OptiMEM. 15 μ l of DMRIE-C was mixed with 150 μ l of OptiMEM in a separate tube, and the mixtures combined and incubated for 15 mins. at room temperature.

While the liposome/DNA complexes were forming, the cells were washed
30 with OptiMEM and 2.5 ml of OptiMEM was added. After 15 minutes, 300 μ l of the DNA-lipid mixture was added drop wise to the 2.5 ml of OptiMEM covering the cell

layers. The cells were incubated for 4-5 hours at either 37° Celsius or 41° Celsius, 5% CO₂. The transfection mix was replaced with 3 mls of culture media. The next day, puromycin was added to the media at a final concentration of 1 ug/ml, and the media replaced every 2 to 4 days. Puromycin resistant colonies were counted or imaged 10-12 days after the addition of puromycin.

(b) *Luciferase assay*: Chicken DF-1 or quail QT6 cells (0.8×10^6) were plated in 60 mm dishes. Cells were transfected as described above. The cells from a plate were transferred to a new 100 mm plate when the plate became confluent, typically on day 3-4, and re-passaged every 3-4 days.

At each time point, one-third of the cells from a plate were replated, and one-third were harvested for the luciferase assay. The cells were pelleted in an eppendorf tube and frozen at -70°C.

The cell pellet was lysed in 200 µl of lysis buffer (25 mM Tris-acetate, pH7.8, 2mM EDTA, 0.5% Triton X-100, 5% glycerol). Sample (5µl) was assayed using the Promega BrightGlo reagent system.

(c) *Visualization of EGFP*: EGFP expression was visualized with an inverted microscope with FITC illumination [Olympus IX70, 100 W mercury lamp, HQ-FITC Band Pass Emission filter cube, exciter 480/40 nm, emission 535/50 nm, 20X phase contrast objective (total magnification was $2.5 \times 10 \times 20$)].

(d) *Staining of cell colonies*: After colonies had formed, typically after 7-12 days of culture in puromycin medium, the cells were fixed in 2% formaldehyde, 0.2% glutaraldehyde for 15 mins, and stained in 0.2% methylene blue for 30 mins. followed by several washes with water. The plates were imaged using a standard CCD camera in visible light.

25

Example 4: Production of genetically transformed avian cells.

Avian stage X blastodermal cells are used as the cellular vector for the transgenes. Stage X embryos are collected and the cells dispersed and mixed with plasmid DNA. The transgenes are then introduced to blastodermal cells via electroporation. The cells are immediately injected back into recipient embryos.

30

The cells are not cultured for any time period to ensure that they remain capable of contributing to the germline of resulting chimeric embryos. However, because there is no culture step, cells that bear the transgene cannot be identified. Typically, only a small percentage of cells introduced to an embryo will bear a stably
5 integrated transgene (0.01 to 1%). To increase the percentage of cells bearing a transgene, therefore, the transgene vector bears an attB site and is co-electroporated with a vector bearing the CMV promoter driving expression of the phiC31 transgene (CMV-C31int (SEQ ID NO: 1)). The integrase then drives integration of the transgene vector into the nuclear genome of the avian cell and increases the
10 percentage of cells bearing a stable transgene.

(a) Preparation of avian stage X blastodermal cells:

- i) Collect fertilized eggs from Barred Rock or White leghorn chickens (*Gallus gallus*) or quail (*Japonica coturnix*) within 48 hrs. of laying;
- ii) Use 70% ethanol to clean the shells;
- 15 iii) Crack the shells and open the eggs;
- iv) Remove egg whites by transferring yolks to opposite halves of shells, repeating to remove most of the egg whites;
- v) Put egg yolks with embryo discs facing up into a 10cm petri dish;
- vi) Use an absorbent tissue to gently remove egg white from the embryo discs;
- 20 vii) Place a Whatman filter paper 1 ring over the embryos;
- viii) Use scissors to cut the membranes along the outside edge of the paper ring while gently lifting the ring/embryos with a pair of tweezers;
- ix) Insert the paper ring with the embryos at a 45 degrees angle into a petri dish containing PBS-G solution at room temperature;
- 25 x) After ten embryo discs are collected, gently wash the yolks from the blastoderm discs using a Pasteur pipette under a stereo microscope;
- xi) Cut the discs by a hair ring cutter (a short piece of human hair is bent into a small loop and fastened to the narrow end of a Pasteur pipette with Parafilm);
- 30 xii) Transfer the discs to a 15 ml sterile centrifuge tube on ice;

- xiii) Place 10 to 15 embryos per tube and allow to settle to the bottom (about 5 mins.);
 - xiv) Aspirate the supernatant from the tube;
 - xv) Add 5 mls of ice-cold PBS without Ca^{++} and Mg^{++} , and gently pipette 4 to 5 times using a 5 mls pipette;
 - xvi) Incubate in ice for 5-7 mins. to allow the blastoderms to settle, and aspirate the supernatant;
 - xvii) Add 3 mls of ice cold 0.05% trypsin/0.02% EDTA to each tube and gently pipette 3 to 5 times using a 5 ml pipette;
 - xviii) Put the tube in ice for 5 mins. and then flick the tube by finger 40 times. Repeat;
 - xix) Add 0.5 mls FBS and 3-5 mls BDC medium to each tube and gently pipette 5-7 times using a 5 ml pipette;
 - xx) Spin at 500 rpm (RCF 57 x g) at 4° Celsius for 5 mins;
 - xxi) Remove the supernatant and add 2 mls ice cold BDC medium into each tube; and
 - xxii) Resuspend the cells by gently pipetting 20-25 times; and
 - xxiii) Determine the cell titer by hemacytometer and ensure that about 95% of all BDCs are single cells, and not clumped.
- 20 (b) *Transfection of linearized plasmids into blastodermal cells by small scale electroporation:*
- i) Centrifuge the blastodermal cell suspension from step (xxiii) above at RCF 57 x g, 4° Celsius, for 5 mins;
 - ii) Resuspend cells to a density of $1-3 \times 10^6$ per ml with PBS without Ca^{2+} and Mg^{2+} ;
 - iii) Add linearized DNA, 1-30 μg per $1-3 \times 10^5$ blastodermal cells in an eppendorf tube at room temperature. Add equimolar molar amounts of the non-linearized transgene plasmid bearing an attB site, and an integrase expression plasmid;
 - iv) Incubate at room temperature for 10 mins;

- v) Aliquot 100 μ l of the DNA-cell mixture to a 0.1 cm cuvette at room temperature;
- vi) Electroporate at 240 V and 25 μ FD (or 100 V and 125 μ FD for quail cells) using, for example, a Gene Pulser II™ (BIO-RAD).
- 5 vii) Incubate the cuvette at room temperature for 1-10 mins.
- viii) Before the electroporated cells are injected into a recipient embryo, they are transferred to a eppendorf tube at room temperature. The cuvette is washed with 350 μ l of media, which is transferred to the eppendorf, spun at room temperature and re-suspended in 0.01-0.3 ml medium;
- 10 ix) Inject 1-10 μ l of cell suspension into the subgerminal cavity of a non-irradiated or, preferably, an irradiated (e.g., with 300-900 rads) stage X egg. Shell and shell membrane are removed and, after injection, resealed according to U.S. Patent No. 6,397,777 incorporated herein by reference in its entirety; and
- 15 x) The egg is then incubated to hatching.

(c) Blastodermal Cell Culture Medium:

- i) 409.5 mls DMEM with high glucose, L-glutamine, sodium pyruvate, pyridoxine hydrochloride;
- ii) 5 mls Men non-essential amino acids solution, 10 mM;
- 20 iii) 5 mls Penicillin-streptomycin 5000 U/ml each;
- iv) 5 mls L-glutamine, 200 mM;
- v) 75 mls fetal bovine serum; and
- vi) 0.5 mls β -mercaptoethanol, 11.2mM.

25 **Example 5: Transfection of stage X embryos with attB plasmids**

- (a) DNA-PEI:* Twenty-five μ g of a phage phiC31 integrase expression plasmid (pCMV-int), and 25 μ g of a luciferase-expressing plasmid (p β -actin-GFP-attB) are combined in 200 μ l of 28 mM Hepes (pH 7.4). The DNA/Hepes is mixed with an equal volume of PEI which has been diluted 10-fold with water. The DNA/Hepes/PEI
- 30 is incubated at room temperature for 15 mins. Three to seven μ l of the complex are injected into the subgerminal cavity of windowed stage X white leghorn eggs which

are then sealed and incubated as described in U.S. Patents No. 6,397,777. The complexes will also be incubated with blastodermal cells isolated from stage X embryos which are subsequently injected into the subgerminal cavity of windowed irradiated stage X white leghorn eggs. Injected eggs are sealed and incubated as described above.

(b) Adenovirus-PEI:

Two μg of a phage phiC31 integrase expression plasmid (pCMV-int), 2 μg of a GFP expressing plasmid (p β -actin-GFP-attB) and 2 μg of a luciferase expressing plasmid (pGLB) were incubated with 1.2 μl of JetPEITM in 50 μl of 20 mM Hepes buffer (pH7.4). After 10 mins at 25°C, 3×10^9 adenovirus particles (Ad5-Null, Qbiogene) were added and the incubation continued for an additional 10 mins. Embryos are transfected *in ovo* or *ex ovo* as described above.

Example 6: Stage I cytoplasmic injection

Production of transgenic chickens by cytoplasmic DNA injection using DNA injection directly into the germinal disk as described in Sang *et al.*, *Mol. Reprod. Dev.*, 1: 98-106 (1989); Love *et al.*, *Biotechnology*, 12: 60-63 (1994) incorporated herein by reference in their entirety.

In the method of the present invention, fertilized ova, and preferably stage I embryos, are isolated from euthanized hens 45 mins. to 4 hrs. after oviposition of the previous egg. Alternatively, eggs were isolated from hens whose oviducts have been fistulated according to the techniques of Gilbert & Wood-Gush, *J. Reprod. Fertil.*, 5: 451-453 (1963) and Pancer *et al.*, *Br. Poult. Sci.*, 30: 953-7 (1989) incorporated herein in their entirety.

An isolated ovum was placed in dish with the germinal disk upwards. Ringer's buffer medium was then added to prevent drying of the ovum. Any suitable microinjection assembly and methods for microinjecting and reimplanting avian eggs are useful in the method of cytoplasmic injection of the present invention. A particularly suitable apparatus and method for use in the present invention is described in U.S. Patent Application Serial No: 09/919,143 ("the '143 Application) and incorporated herein by reference in its entirety. The avian microinjection system

described in the '143 Application allowed the loading of a DNA solution into a micropipette, followed by prompt positioning of the germinal disk under the microscope and guided injection of the DNA solution into the germinal disk. Injected embryos could then be surgically transferred to a recipient hen as described, for example, in Olsen & Neher, *J. Exp. Zool.*, 109: 355-66 (1948) and Tanaka *et al.*, *J. Reprod. Fertil.*, 100: 447-449 (1994). The embryo was allowed to proceed through the natural *in vivo* cycle of albumin deposition and hard-shell formation. The transgenic embryo is then laid as a hard-shell egg which was incubated until hatching of the chick. Preferably, injected embryos were surgically transferred to recipient hens via the ovum transfer method of Christmann *et al.* in PCT/US01/26723, the contents of which are incorporated by reference in its entirety, and hard shell eggs were incubated and hatched.

Approximately 25 nl of DNA solution (about 60ng/ μ l) with either integrase mRNA or protein were injected into a germinal disc of stage I White Leghorn embryos obtained 90 minutes after oviposition of the preceding egg. Typically the concentration of integrase mRNA used was 100 ng/ μ l, and the concentration of integrase protein was 66 ng/ μ l.

To synthesize the integrase mRNA, a plasmid template encoding the integrase protein was linearized at the 3' end of the transcription unit. mRNA was synthesized, capped and a polyadenine tract added using the mMESSAGING mMACHINE T7 Ultra Kit™ (Ambion, Austin, TX). The mRNA was purified by extraction with phenol and chloroform and precipitated with isopropanol. The integrase protein was expressed in *E. coli* and purified as described by Thorpe *et al.*, *Mol. Microbiol.*, 38: 232-241 (2000).

A plasmid encoding for the integrase protein is transfected into the target cells. However, since the early avian embryo transcriptionally silent until it reaches about 22,000 cells, injection of the integrase mRNA or protein was expected to result in better rates of transgenesis, as shown in the Table 2 below.

The chicks produced by this procedure were screened for the presence of the injected transgene using a high throughput PCR-based screening procedure as described in Harvey *et al.*, *Nature Biotech.*, 20: 396-399 (2002).

Table 2: Summary of cytoplasmic injection results using different integrase strategies

Experimental group	Ovum transfers	Hard shells produced (%)	Chicks hatched (%) *	Transgenic chicks (%) ‡
No Integrase	5164	3634 (70%)	500 (14%)	58 (11.6%)
Integrase mRNA	1109	833 (75%)	115 (13.8%)	19 (16.5%)
Integrase protein	374	264 (70.6%)	47(17.8%)	16 (34%)

* : Percentages based on the number of hard shells

‡ : Percentages based on the number of hatched birds

5 **Example 7: Characterization of phiC31 integrase-mediated integration sites in the chicken genome.**

To characterize phiC31-mediated integration into the chicken genome, a plasmid rescue method was used to isolate integrated plasmids from transfected and selected chicken fibroblasts. Plasmid pCR-XL-TOPO-CMV-pur-attB (SEQ ID NO: 10, shown in Fig. 18) does not have *Bam*H I or *Bgl* II restriction sites. Genomic DNA from cells transformed with pCR-XL-TOPO-CMV-pur-attB was cut with *Bam*H I or *Bgl* II (either or both of which would cut in the flanking genomic regions) and religated so that the genomic DNA surrounding the integrated plasmid would be captured into the circularized plasmid. The flanking DNA of a number of plasmids were then sequenced.

DF-1 cells (chicken fibroblasts), 4×10^5 were transfected with 50 ng of pCR-XL-TOPO-CMV-pur-attB and 1 μ g of pCMV-int. The following day, the culture medium was replaced with fresh media supplemented with 1 μ g/ml puromycin. After 10 days of selection, several hundred puromycin-resistant colonies were evident. These were harvested by trypsinization, pooled, replated on 10 cm plates and grown to confluence. DNA was then extracted.

Isolated DNA was digested with *Bam*H I and *Bgl* II for 2-3 hrs, extracted with phenol:chloroform:isoamyl alcohol chloroform:isoamyl alcohol and ethanol precipitated. T4 DNA ligase was added and the reaction incubated for 1 hr at room

temperature, extracted with phenol:chloroform:isoamyl alcohol and chloroform:isoamyl alcohol, and precipitated with ethanol. 5 µl of the DNA suspended in 10 µl of water was electroporated into 25 µl of Genehogs™ (Invitrogen) in an 0.1 cm cuvette using a GenePulser II (Biorad) set at 1.6 kV, 100 ohms, 25 uF and plated on Luria Broth (LB) plates with 5 µg/ml phleomycin (or 25 µg/ml zeocin) and 20 µg/ml kanamycin. Approximately 100 individual colonies were cultured, the plasmids extracted by standard miniprep techniques and digested with *Xba* I to identify clones with unique restriction fragments.

Thirty two plasmids were sequenced with the primer attB-for (5'-TACCGTCGACGATGTAGGTCACGGTC-3') (SEQ ID NO: 12) which allows sequencing across the crossover site of attB and into the flanking genomic sequence. All of plasmids sequenced had novel sequences inserted into the crossover site of attB, indicating that the clones were derived from plasmid that had integrated into the chicken genome via phiC31 integrase-mediated recombination.

The sequences were compared with sequences at GenBank using Basic Local Alignment Search Tool (BLAST). Most of the clones harbored sequences homologous to *Gallus* genomic sequences in the TRACE database.

Example 8: Insertion of a wild-type attP site into the avian genome augments integrase-mediated integration and transgenesis.

The chicken B-cell line DT40 cells (Buerstedde *et al.*, *E.M.B.O. J.*, 9: 921-927 (1990)) are useful for studying DNA integration and recombination processes (Buerstedde & Takeda, *Cell*, 67:179-88 (1991)). DT40 cells were engineered to harbor a wild-type attP site isolated from the *Streptomyces* phage phiC31. Two independent cell lines were created by transfection of a linearized plasmid bearing an attP site linked to a CMV promoter driving the resistance gene to G418 (DT40-NLB-attP) or bearing an attP site linked to a CMV promoter driving the resistance gene for puromycin (DT40-pur-attP). The transfected cells were cultured in the presence of G418 or puromycin to enrich for cells bearing an attP sequence stably integrated into the genome.

A super-coiled luciferase vector bearing an attB (SEQ ID NO: 2 shown in Fig. 10) was co-transfected, together with an integrase expression vector CMV-C31int (SEQ ID NO: 1) or a control, non-integrase expressing vector (CMV-BL) into wild-type DT40 cells and the stably transformed lines DT40-NLB-attP and DT40-pur-attP.

5 Cells were passaged at 5, 7 and 14 days post-transfection and about one third of the cells were harvested and assayed for luciferase. The expression of luciferase was plotted as a percentage of the expression measured 5 days after transfection. As can be seen in Fig. 21, in the absence of integrase, or in the presence of integrase but in the DT40 cells lacking an inserted wild-type attP site, luciferase expression from a
10 vector bearing attB progressively decreased to very low levels. However, luciferase levels were persistent when the luciferase vector bearing attB was co-transfected with the integrase expression vector into the attP bearing cell lines DT40-NLB-attP and DT40-pur-attP. Inclusion of an attP sequence in the avian genome augments the level of integration efficiency beyond that afforded by the utilization of endogenous
15 pseudo-attP sites.

**Example 9: Generation of attP transgenic cell line
and birds using an NLB vector**

The NLB-attP retroviral vector can be injected into stage X chicken embryos
20 laid by pathogen-free hens. A small hole is drilled into the egg shell of a freshly laid egg, the shell membrane cut away and the embryo visualized by eye. With a drawn needle attached to a syringe, 1 to 10 μ l of concentrated retrovirus, approximately 2.5×10^5 IU, is injected into the subgerminal cavity of the embryo. The egg shell is resealed with a hot glue gun. Suitable methods for the manipulation of avian eggs, including
25 opening and resealing hard shell eggs are described in U.S. Patent Serial Nos: 5,897,998 and 6,397,777 which are herein incorporated by reference in their entireties.

Typically, 25% of embryos hatch 21 days later. The chicks are raised to sexual maturity and semen samples are taken. Birds that have a significant level of the transgene in sperm DNA will be identified, typically by a PCR-based assay. Ten to
30 25% of the hatched roosters will be able to give rise to G1 transgenic offspring, 1 to 20% of which may be transgenic. DNA extracted from the blood of G1 offspring is

analyzed by PCR and Southern analysis to confirm the presence of the intact transgene. Several lines of transgenic roosters, each with a unique site of attP integration, are then bred to non-transgenic hens, giving 50% of G2 transgenic offspring. Transgenic G2 hens and roosters from the same line can be bred to produce
5 G3 offspring homozygous for the transgene. Homozygous offspring will be distinguished from hemizygous offspring by quantitative PCR. The same procedure can be used to integrate an attB or attP site into transgenic birds.

10 **Example 10: Expression of immunoglobulin chain polypeptides by transgenic chickens**

Bacterial artificial chromosomes (BACs) containing a 70 kbp segment of the chicken ovomucoid gene with the light and heavy chain cDNAs for a human monoclonal antibody inserted along with an internal ribosome entry site into the 3' untranslated region of the ovomucoid gene were equipped with the attB sequence.
15 The heavy and light chain cDNAs were inserted into separate ovomucoid BACs such that expression of an intact monoclonal antibody requires the presence of both BACs in the nucleus.

Several hens produced by coinjection of the attB-bearing ovomucoid BACs and integrase-encoding mRNA into stage I embryos produced intact monoclonal
20 antibodies in their egg white.. One hen, which had a high level of the light chain ovomucoid BAC in her blood DNA as determined by quantitative PCR particularly expressed the light chain portion of the monoclonal antibody in the egg white at a concentration of 350 nanograms per ml, or approximately 12 µg per egg.

25 **Example 11: Stage I cytoplasmic injection with integrase activity and PEI**

Production of transgenic chickens by cytoplasmic DNA injection directly into the germinal disk was done as described in Example 6.

Approximately 25 nl of aqueous DNA (about 60ng/µl) which includes a transgene is placed in solution with integrase mRNA or integrase protein was mixed
30 with an equal volume of PEI that had been diluted ten fold. The mixture was injected into a germinal disc of stage I White Leghorn embryos obtained about 90 minutes

after oviposition of the preceding egg. Typically the concentration of integrase mRNA used was about 100 ng/μl, and the concentration of integrase protein was about 66 ng/μl. The integrase mRNA was synthesized according to Example 6.

Transgenic chicks produced by this procedure using: integrase mRNA/PEI and
5 integrase protein/PEI showed positive results for the presence of heterologously expressed protein in the blood, semen and egg white.

Example 12: Stage I cytoplasmic injection with integrase activity and NLS

Production of transgenic chickens by cytoplasmic DNA injection directly into
10 the germinal disk was done as described in Example 6.

DNA which includes a transgene was suspended in 0.25 M KCl and SV40 T antigen nuclear localization signal peptide (NLS peptide, amino acid sequence CGGPKKKRKVG (SEQ ID NO: 13)) was added to achieve a peptide DNA molar ratio of 100:1. The DNA (about 60ng/μl) was allowed to associate with the SV40 T
15 antigen NLS peptide by incubating at 25 degrees C for about 15 minutes.

Integrase mRNA or integrase protein was added to approximately 25 nl of an aqueous DNA/NLS solution, typically, to produce a final concentration of integrase mRNA of about 50 ng/μl, or an integrase protein concentration of about 33 ng/μl. The mixture was injected into a germinal disc of stage I White Leghorn embryos obtained
20 about 90 minutes after oviposition of the preceding egg. The integrase mRNA was synthesized as according to Example 6.

Transgenic chicks produced by this procedure using: integrase mRNA/NLS and integrase protein/NLS showed positive results for the presence of heterologously expressed protein in blood, semen and egg white.

25

Example 13: Dispersing of plasmid DNA in avian stage I embryos

DNA samples are Cy3 labeled with a Cy3 ULS labeling kit (Amersham Pharmacia Biotech). Briefly, plasmid DNA (1 μg) is first sheared to approximately 100 to 500 bp fragments by sonication. Resulting DNA is incubated at 65°C for 15
30 min in Cy3 ULS labeling solution and unincorporated Cy3 dye is removed by spin column chromatography (CentriSep, Princeton Separations). The distribution of the

DNA in stage I avian embryos was visualized after introduction into the stage I avian embryo. Enough high molecular weight or low molecular weight PEI was added to the DNA to coat the DNA. Typically, PEI was added to the DNA to a concentration of about 5%.

5 Figure 22 shows an avian stage one embryo containing Cy3 labeled naked DNA. In Figure 22 it can be seen that the DNA is localized to certain areas of the embryo. Figure 23 and Figure 24 show an avian stage one embryo containing Cy3 labeled DNA coated with low molecular (22 kD) weight PEI (Figure 23) and high molecular weight (25 kD) PEI (Figure 24). In Figures 23 and 24, it can be seen that
10 the DNA is dispersed throughout the embryos.

 These experiments show that DNA/PEI conjugates are distributed more uniformly in the cytoplasm of injected embryos when compared with naked DNA

 While this invention has been described with respect to various specific
15 examples and embodiments, it is to be understood that the invention is not limited thereto and that it can be variously practiced with the scope of the following claims.

What is Claimed Is:

1. A method of producing a transgenic avian comprising:
introducing into an avian cell a nucleic acid comprising a transgene, an
integrase activity and a cationic polymer;
5 introducing the avian cell into a recipient avian wherein the recipient
avian produces an offspring which includes the transgene,
thereby producing a transgenic avian.
2. The method of claim 1 wherein introducing the nucleic acid is done by
10 a method selected from the group consisting of microinjecting, transfection,
electroporation and lipofection.
3. The method of claim 1 wherein introducing the nucleic acid is done by
microinjecting.
15
4. The method of claim 1 wherein an integrase protein is introduced into
the cell.
5. The method of claim 1 wherein a nucleic acid encoding an integrase is
20 introduced into the cell.
6. The method of claim 5 wherein the nucleic acid encoding integrase is
mRNA.
- 25 7. The method of claim 1 wherein a nuclear localization signal is
introduced into the cell.
8. The method of claim 7 wherein the nuclear localization signal is
associated with the nucleic acid comprising a transgene.
30

9. The method of claim 7 wherein the nuclear localization signal is associated with the nucleic acid comprising a transgene by a chemical bond.

10. The method of claim 7 wherein the localization signal is associated
5 with the nucleic acid comprising a transgene by an ionic bond.

11. The method of claim 1 wherein the transgene comprises a coding sequence which is expressed in a cell of the transgenic avian producing a polypeptide.

10 12. The method of claim 11 wherein the coding sequence is expressed in the blood of the transgenic avian.

13. The method of claim 11 wherein the coding sequence is expressed in the sperm of the transgenic avian.

15

14. The method of claim 11 wherein the polypeptide is present in egg white produce by the transgenic avian.

15. The method of claim 11 wherein the coding sequence is for a light
20 chain or a heavy chain of an antibody.

16. The method of claim 15 wherein the antibody is a human antibody.

17. The method of claim 11 wherein the coding sequence is for a cytokine.
25

18. The method of claim 17 wherein the cytokine is interferon.

19. The method of claim 1 wherein the avian cell is an avian embryo cell.

30 20. The method of claim 1 wherein the avian cell is a cell of an early stage avian embryo comprising a germinal disc.

21. The method of claim 1 wherein the avian cell is an avian embryo cell selected from the group consisting of stage I avian embryo, stage II avian embryo, stage III avian embryo, stage IV avian embryo, stage V avian embryo, stage VI avian embryo, stage VII avian embryo, stage VIII avian embryo, stage IX avian embryo, stage X avian embryo, stage XI avian embryo and stage XII avian embryo.

21. The method of claim 1 wherein the avian cell is a cell of a stage X avian embryo.

10

22. The method of claim 1 wherein the cationic polymer comprises one or more compounds selected from the group consisting of polyethylenimine, polylysine, DEAE-dextran, starburst dendrimers and starburst polyamidoamine dendrimers.

23. The method of claim 1 wherein the cationic polymer comprises polyethylenimine.

24. The method of claim 1 wherein the avian is a chicken.

25. The transgenic avian produced according to claim 1.

26. An egg produced by a transgenic avian of claim 1.

27. The method of claim 1 wherein the method has an increased efficiency of transgenic avian production relative to an identical method without the integrase or cationic polymer.

28. A method of producing a transgenic avian comprising:
introducing into an avian cell a nucleic acid comprising a transgene, an integrase activity and a nuclear localization signal;

30

introducing the avian cell into a recipient avian wherein the recipient avian produces an offspring which includes the transgene, thereby producing a transgenic avian.

5 29. The method of claim 28 wherein introducing the nucleic acid is done by a method selected from the group consisting of microinjecting, transfection, electroporation and lipofection.

 30. The method of claim 28 wherein introducing the nucleic acid is done
10 by microinjecting.

 31. The method of claim 28 wherein an integrase protein is introduced into the cell.

15 32. The method of claim 28 wherein a nucleic acid encoding an integrase is introduced into the cell.

 33. The method of claim 32 wherein the nucleic acid encoding integrase is mRNA.
20

 34. The method of claim 28 wherein a nuclear localization signal is introduced into the cell.

 35. The method of claim 34 wherein the nuclear localization signal is
25 associated with the nucleic acid comprising a transgene.

 36. The method of claim 34 wherein the nuclear localization signal is associated with the nucleic acid comprising a transgene by a chemical bond.

30 37. The method of claim 34 wherein the localization signal is associated with the nucleic acid by an ionic bond.

38. The method of claim 28 wherein the transgene comprises a coding sequence which is expressed in a cell of the transgenic avian producing a polypeptide.

5 39. The method of claim 38 wherein the coding sequence is expressed in the blood of the transgenic avian.

40. The method of claim 38 wherein the coding sequence is expressed in the sperm of the transgenic avian.

10

41. The method of claim 38 wherein the polypeptide is present in egg white produce by the transgenic avian.

15 42. The method of claim 38 wherein the coding sequence is for a light chain or a heavy chain of an antibody.

43. The method of claim 42 wherein the antibody is a human antibody.

44. The method of claim 38 wherein the coding sequence is for a cytokine.

20

45. The method of claim 44 wherein the cytokine is interferon.

46. The method of claim 28 wherein the cell is an avian embryo cell.

25 47. The method of claim 28 wherein the avian cell is a cell of an early stage avian embryo comprising a germinal disc.

48. The method of claim 1 wherein the avian cell is an avian embryo cell selected from the group consisting of stage I avian embryo, stage II avian embryo,
30 stage III avian embryo, stage IV avian embryo, stage V avian embryo, stage VI avian

embryo, stage VII avian embryo, stage VIII avian embryo, stage IX avian embryo, stage X avian embryo, stage XI avian embryo and stage XII avian embryo.

49. The method of claim 28 wherein the avian cell is a cell of a stage X
5 avian embryo.

50. The method of claim 28 wherein the cationic polymer comprises one or more compounds selected from the group consisting of polyethylenimine, polylysine, DEAE-dextran, starburst dendrimers and starburst polyamidoamine dendrimers.

10

51. The method of claim 28 wherein the cationic polymer comprises polyethylenimine.

52. The method of claim 28 wherein the avian is a chicken.

15

53. The transgenic avian produced according to claim 28.

54. An egg produced by a transgenic avian of claim 28.

20 55. The method of claim 28 wherein the method has an increased efficiency of transgenic avian production relative to an identical method without the integrase or nuclear localization signal.

56. A method of dispersing nucleic acid in a cell comprising:
introducing into a cell a nucleic acid and a dispersing agent in an
25 amount that will disperse the nucleic acid in a cell
thereby dispersing nucleic acid in a cell.

57. The method of claim 56 wherein the cell is an avian cell.

30 58. The method of claim 56 wherein the cell is an embryo cell

59. The method of claim 56 wherein the nucleic acid includes a transgene.

60. The method of claim 56 wherein NLS or integrase activity is
5 introduced into the cell.

61. The method of claim 57 including introducing the avian cell into a
recipient avian wherein the recipient avian produces an offspring which includes the
transgene,
10

62. The method of claim 56 wherein the dispersing is a homogeneous
dispersing.

63. The method of claim 56 wherein the dispersing agent is a cationic
15 polymer.

64. The method of claim 56 wherein the cationic polymer comprises one or
more compounds selected from the group consisting of polyethylenimine, polylysine,
DEAE-dextran, starburst dendrimers and starburst polyamidoamine dendrimers.

65. The method of claim 56 wherein the dispersing agent is
20 polyethylenimine.

25






Fig. 1

**Fig. 2**

**Fig. 3**




Fig. 4







Fig. 5

**Fig. 6**

***Fig. 7***

**Fig. 8**

pCMV-C31int (SEQ ID NO: 1)

CATTGCCATTTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCTATT
ACGCCAGCCAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATTCATTAATGCAGGATCG
ATCCAGACATGATAAGATAACATTGATGAGTTTGGACAAACCACAACCTAGAATGCAGTGAAAA
AAATGCTTTTATTTGTGAAATTTGTGATGCTATTGCTTTATTTGTAACCATTATAAGCTGCAA
TAAACAAGTTAACAACAACAATTGCATTTCATTTTATGTTTCAGGTTTCAGGGGGAGGTGTGGG
AGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTGGTATGGCTGATTATGATCATGAACAG
ACTGTGAGGACTGAGGGGCTGAAATGAGCCTTGGGACTGTGAATCTAAAATACACAAACAA
TTAGAATCACTAGCTCCTGTGTATAATATTTTCATAAATCATACTCAGTAAGCAAACTCTC
AAGCAGCAAGCATATGCAGCTAGTTTAAACACATTATACACTTAAAAATTTTATATTTACCTT
AGAGCTTTAAATCTCTGTAGGTAGTTTGTCCAATTATGTACACCACAGAAGTAAGGTTCCCT
TCACAAAGATCCCAAGCTAGCTTATAATACGACTCACTATAGGGAGAGAGCTATGACGTCGC
ATGCACGCGTAAGCTTGGGCCCCCTCGAGGGATCCGGGTGTCTCGCTACGCCGCTACGTCTTC
CGTGCCGTCTTGGGCGTCGTCTTCGTCTGTCTCGGTGCGCGGCTTCGCCCACGTGATCGAAG
CGCGCTTCTCGATGGGCGTTCCTTGCCCCCTGCCCCGTAGTCGACTTCGTGACCAACGATCTTG
TCTACGAAGAGCCCCGACGAACACGCGCTTGTCTGTCTACTGACGCGCGCCCCACCACGACTT
AGGGCCGGTCGGGTACGCTCGGCGTCTTCGGGGAACCATTTGGTCAAGGGGAAGCTTCGGGG
CTTCGGCGGCTTCAAGTTCGGCAAGCCGCTCTTCCGCCCTTGCTGCCGGAGCGTCAGCGCT
GCCTGTTGCTTCCGGAAGTGCTTCCTGCCAACGGGTCCGTCTGACGCGCTTCGCCGCGGGTC
TTCGTACAGCTCTTCAAGGGCGTTCAGGGCGTCGGCGCGCTCCGCAACAAGGTTCCGCCGT
CGCCGCTCTTCTCAGGCGCCTCAGTGAGCTTGCCGAAGCGTCGGGCGGCTTCCACAGAAGC
GCCAACGTCTCTTCGTGCGCTTCGGCGTGCTGATCTTGTTGAAGATGCGTTCGCAACGAA
CTTGTGAGTGCCGCCATGCTGACGTTGCACGTGCCTTCGTGCTGCCAGGTGCGGACGGGT
CGACCACCTTCGGCGGACGGCAGCGGTAAGAGTCTTGATCGATTCTTCCCCGCGCTTCGAA
GTCATGACGGCGCCACACTCGCAGTACAGCTTGTCCATGGCGGACAGAATGGCTTGCCCCCG
GGAAAGCCCCCTTGCCGCGCCCCCTGCCGTCCAACCACGCCTGAAGCTCATACTCAGCGG
GCTCGATGATCGGTCCGCAATCAAGCTCGACCGGCCGGAGCGTGATCGGGTCGCGCTGAATG
CGGTAACCCCTCAATCTTCGTGGTGGCGTGCCGTCCGGCTCTTCTTGTAGATCACCTCAGC
GGCGAAGCCCGCAATACGCGGGTCCCGAAGGATTCGCATAACGGTTGCCGGGTCCCAGGCGC
TTGAAGCGGTCTTCTTCCCAATCGTCTCGCCCCGGGTGCGGCACGGCGTCAGCGTCCATGCGC
TTACAAAGCCCCGTGATGCTGCCCGGGTGAATGGCGGCTTGACTGCCCGGCTTGAAGGGAAG
GTGTTTGTGCGTCTTGATCTCACGCCACCACCACCGGATTACGTGCGGCTCGAACTCGAAGG
GTCCGGTAAGGGGAGTGGTCGAGTGCGCAAGCTTGTTGATGACGACATTGACCATTTCGGCCG
TTGCGCGTGATCTCCTTCGTCTCCGAAACAAGCTCGAAGCCGTAAGGCGCCTTCCCGCCGAC
GTACCCGCCCAATTGCGCGTGAAGGTTCTTCGTGTCGAGAATCTTCGCCGACTTCAGCGAAG
ATTCTTTGTGCGACGCGTCGAGCCGCATAATCAGGTGAATCAGGTCCATGACGTTTCCCTGC
CGGAAGACGCCTTCTGAGTGGAACAATCGTCACGCCCAGGGCGAGCAATTCGAGACAAT
CGGAATCGCGTCCATGACCTTCAGGCGCGAGAAGCGCGACACGTCATAGACAATGATCATGT
TGAGCCGCCCGGCGCGGCATTGTTTCAGGATGCGTTCGAACTCCGGGCGCTCCGCCGTCCCG
AACGCCGACGTGCCCGGCGCTTCGTGAAATGCCCGACGAACCTGAACCGGCCCGGTCGCG
CTCGACTTCGCGCTGAAGGTGCGCCGCTTGTCTTCGTGCGCTACGCTGTGTGCTGGGC
TTGCTGCGCTCGAATTCTCGCGCTCGCGCGACTGACGGTCGTAAGCACCCGCGTACGTGTCC
ACCCCGGTACAAACCCCTTGTGTCTGTCGCGGACCTTACGACTAGTGAGCTCGTCGACCCG
GGAATTCGGACCTAGAGTCCGGAGGCTGGATCGGTCCCGGTGTCTTCTATGGAGGTCAAAACA
AAGCCTAGGCTAGAGTCCGGAGGCTGGATCGGTCCCGGTGTCTTCTATGGAGGTCAAAACA
GCGTGGATGGCGTCTCCAGGCGATCTGACGGTTCATAAACGAGCTCTGCTTATATAGACCT
CCCACCGTACACGCCTACCGCCATTGCGTCAATGGGGCGGAGTTGTTACGACATTTTGGA
AAGTCCCGTTGATTTTGGTGCCAAAACAACTCCCATTTGACGTCAATGGGGTGGAGACTTGG
AAATCCCCGTGAGTCAAACCGCTATCCACGCCCATTTGATGTACTGCCAAAACCGCATCACCA
TGGTAATAGCGATGACTAATACGTAGATGTACTGCCAAGTAGGAAAGTCCATAAGGTCATG
TACTGGGCATAATGCCAGGCGGGCCATTTACCGTCATTGACGTCAATAGGGGGCGTACTTGG
CATATGATACACTTGATGTACTGCCAAGTGGGCAGTTTACCGTAAATACTCCACCCATTGAC
GTCAATGGAAAGTCCCTATTGGCGTTACTATGGGAACATACGTCAATTATTGACGTCAATGGG
CGGGGGTCTGTTGGGCGGTGAGCCAGGCGGGCCATTTACCGTAAGTTATGTAACGACCTGCAC

GATGCTGTTTCCTGTGTGAAATTGTTATCCGCTCACAATTCCACACATTATACGAGCCGGAA
GCTATAAAGTGTAAGCCTGGGGTGCCTAATGAGTGAAAGGGCCTCGTATACGCCTATTTTT
ATAGGTTAATGTCATGATAATAATGGTTTCTTAGACGTGAGGTGGCACTTTTCGGGGAAATG
TGCGCGGAACCCCTATTTGTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGA
CAATAACCCTGATAAATGCTTCAATAATATTGAAAAACGCGCGAATTGCAAGCTCTGCATTA
ATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTTCGTATTGGGCGCTCTTCGCTTCCTCGC
TCACTGACTCGCTGCGCTCGGTCTGCTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCG
GTAATACGGTTATCCACAGAATCAGGGGATAACGAGGAAAGAACATGTGAGCAAAAGGCCA
GCAAAAGGCCAGGAACCGTAAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCC
CTGACGAGCATCACAAAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAA
AGATACGAGGCGTTTCCCCCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCCTGCCGCT
TACCGGATACCTGTCCGCTTTCCTCCCTTCGGGAAGCGTGGCGTTTTCTCAATGCTCACGCT
GTAGGTATCTCAGTTCGGTGTAGGTCTGCTCCAAGCTGGGCTGTGTGCACGAACCCCCC
GTTTCAGCCCCGACCGCTGCGCCTTATCCGGTAACCTATCGTCTTGAGTCCAACCCGGTAAGACA
CGACTTATCGCCACTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCG
GTGCTACAGAGTTCTTGAAGTGGTGGCTAACTACGGCTACACTAGAAGGACAGTATTTGGT
ATCTGCGCTCTGCTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAA
ACAAACCACCGCTGGTAGCGGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAA
AAGGATCTCAAGAAGATCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAAACGAAAC
TCACGTTAAGGGATTTTGGTCATGCCATAACTTCGTATAGCATAATTATACGAAGTTATGG
CATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTTTAAAT
CAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGGCA
CCTATCTCAGCGATCTGTCTATTTCTGTTTCATCCATAGTTGCCCTGACTCCCCGTCGTGTAGAT
AACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCCAC
GCTCACCGGCTCCAGATTTATCAGCAATAAACAGCCAGCCGGAAGGGCCGAGCGCAGAAGT
GGTCTGCAACTTTTATCCGCTCCATCCAGTCTATTAATTGTTGCGGGGAAGCTAGAGTAAG
TAGTTTCGCCAGTTAATAGTTTTCGCGAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTAC
GCTCGTCTGTTTGGTATGGCTTCATTCAGCTCCGGTTCCCAACGATCAAGGCGAGTTACATGA
TCCCCCATGTTGTGCAAAAAGCGGTTAGCTCCTTCGGTCTCCTCGATCGTTGTCAGAAGTAA
GTTGGCCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCTATGC
CATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGTGT
ATGCGGCGACCGAGTTGCTCTTGCCCCGCGTCAATACGGGATAATACCGCGCCACATAGCAG
AACTTTAAAAGTGCTCATTTGGAACCGTTCTTCGGGGCGAAACTCTCAAGGATCTTAC
CGCTGTTGAGATCCAGTTCGATGTAACCAACTCGTGACCCCAACTGATCTTCAGCATCTTTT
ACTTTCACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAGGGAAT
AAGGGCGACACGGAAATGTTGAATACTCATACTCTTCTTTTCAATATTATTGAAGCATTT
ATCAGGGTTATTGCTCATGCCAGGGGTGGGCACACATATTTGATACCAGCGATCCCTACAC
AGCACATAATTCAATGCGACTTCCCTCTATCGCACATCTTAGACCTTTATTTCTCCCTCCAGC
ACACATCGAAGCTGCCGAGCAAGCCGTTCTCACCAGTCCAAGACCTGGCATGAGCGGATACA
TATTTGAATGTATTTAGAAAAATAAACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTG
CCACCTGAAATTGTAAACGTTAATATTTTGTAAATTCGCGTTAAATTTTGTAAATCAG
CTCATTTTTTAACCAATAGGCCGAAATCGGCAAAATCCCTTATAAATCAAAAGAATAGACCG
AGATAGGGTTGAGTGTGTTCAGTTTGGAAACAAGAGTCCACTATTAAAGAACGTGGACTCC
AACGTCAAAGGGCGAAAAACCGTCTATCAGGGCGATGGCCCACTACGTGAACCATCACCTA
ATCAAGTTTTTTGGGGTTCGAGGTGCCGTAAAGCACTAAATCGGAACCCTAAAGGGAGCCCCC
GATTTAGAGCTTGACGGGGAAAGCCGGCGAACGTGGCGAGAAAGGAAGGAAGAAAGCGAAA
GGAGCGGGCGCTAGGGCGCTGGCAAGTGTAGCGGTACGCTGCGCGTAACCAACACACCCGC
CGCGCTTAATGCGCCGCTACAGGGCGCGTC

Fig. 9

pCMV-luc-attB (SEQ ID NO: 2)

CTCTATCGATAGGTACCGAGCTCTTACGCGTGCTAGCCCTCGAGCAGGATCTATACATTGAA
TCAATATTGGCAATTAGCCATATTAGTCATTGGTTATATAGCATAAATCAATATTGGCTATT
GGCCATTGCATACGTTGTATCTATATCATAATATGTACATTTATATTGGCTCATGTCCAATA
TGACCGCCATGTTGACATTGATTATTGACTAGTTATTAATAGTAATCAATTACGGGGTCATT
AGTTCATAGCCCATATATGGAGTTCGCGTTACATAAATTACGGTAAATGGCCCGCTGGCT
GACCGCCCAACGACCCCGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCA
ATAGGGACTTTCCATTGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGT
ACATCAAGTGTATCATATGCCAAGTCCGCCCCCTATTGACGTCAATGACGGTAAATGGCCCG
CCTGGCATTATGCCCAGTACATGACCTTACGGGACTTTCCTACTTGGCAGTACATCTACGTA
TTAGTCATCGCTATTACCATGGTGATGCGGTTTTTGGCAGTACATCAATGGGCGTGGATAGCG
GTTTGACTCACGGGGAATTTCCAAGTCTCCACCCCATTGACGTCAATGGGAGTTTTGTTTTGGC
ACCAAAATCAACGGGACTTTCCAAAATGTCGTAACAACCTCCGCCCCATTGACGCAAAATGGGC
GGTAGGCGTGACGGTGGGAGGTCTATATAAGCAGAGCTCGTTTAGTGAACCGTCAGATCGC
CTGGAGACGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCC
CCTCGAAGCTCGACTCTAGGGGCTCGAGATCTGCGATCTAAGTAAGCTTGGCATTCCGGTAC
TGTTGGTAAAGCCACCATGGAAGACGCCAAAACATAAAGAAAGGCCCGGCCATTCTATC
CGCTGGAAGATGGAACCGCTGGAGAGCAACTGCATAAGGCTATGAAGAGATACGCCCTGGTT
CCTGGAACAATTGCTTTTACAGATGCACATATCGAGGTGGACATCACTTACGCTGAGTACTT
CGAAATGTCCGTTCCGTTGGCAGAAGCTATGAAACGATATGGGCTGAATACAAATCACAGAA
TCGTCGTATGCAGTGAAAACCTCTCTTCAATTCCTTATGCCGGTGTTGGGCGCGTTATTTATC
GGAGTTGCAGTTGCGCCCGCGAACGACATTTATAATGAACGTGAATTGCTCAACAGTATGGG
CATTTTCGCAGCCTACCGTGGTGTTTCGTTTCCAAAAGGGGTTGCAAAAAATTTTGAACGTGC
AAAAAAGCTCCCAATCATCCAAAAAATTATTATCATGGATTCTAAAACGGATTACCAGGGA
TTTCAGTCGATGTACACGTTTCGTCACATCTCATCTACCTCCCGGTTTTAATGAATACGATTT
TGTGCCAGAGTCCTTCGATAGGGACAAGACAATTGCACTGATCATGAACTCCTCTGGATCTA
CTGGTCTGCCTAAAGGTGTCGCTCTGCCTCATAGAAGTGCCTGCGTGAGATTCTCGCATGCC
AGAGATCCCTATTTTGGCAATCAAAATCATTCCGGATACCTGCGATTTTAAGTGTGTTCATT
CCATCACGGTTTTTGGAAATGTTTACTACATCCGATATTTGATATGTGGATTTTCGAGTCGTCT
TAATGTATAGATTTGAAGAAGAGCTGTTTCTGAGGAGCCTTCAGGATTACAAGATTCAAAGT
GCGCTGCTGGTGCCAACCCTATTCTCCTTCTTCGCCAAAAGCACTCTGATTGACAAATACGA
TTTATCTAATTTACACGAAATTGCTTCTGGTGGCGCTCCCCTCTCTAAGGAAGTCGGGGAAG
CGGTTGCCAAGAGGTTCCATCTGCCAGGTATCAGGCAAGGATAATGGGCTCACTGAGACTACA
TCAGCTATTCTGATTACACCCGAGGGGGATGATAAACGGGCGCGGTTCGGTAAAGTTGTTCC
ATTTTTTTGAAGCGAAGGTTGTGGATCTGGATACCGGGAACCGTGGGCGTTAATCAAAGAG
GCGAACTGTGTGTGAGAGGTCTATGATTATGTCCGTTATGTAAACAATCCGGAAGCGACC
AACGCCTTGATTGACAAGGATGGATGGCTACATTCTGGAGACATAGCTTACTGGGACGAAGA
CGAACACTTCTTCATCGTTGACCGCCTGAAGTCTCTGATTAAGTACAAAGGCTATCAGGTGG
CTCCCGCTGAATTGGAATCCATCTTGCTCCAACACCCCAACATCTTCGACGCAGGTGTGCA
GGTCTTCCCGACGATGACGCCGGTGAACCTCCCGCCGCGTGTGTTGTTTTGGAGCACGGAAA
GACGATGACGGAAAAAGAGATCGTGGATTACGTGCCAGTCAAGTAACAACCGCGAAAAAGT
TGCGCGGAGGAGTTGTGTTTGTGGACGAAGTACCGAAAGGTCTTACCGGAAAACCTCGACGCA
AGAAAAATCAGAGAGATCCTCATAAAGGCCAAGAAGGGCGGAAAGATCGCCGTGTAATTCTA
GAGTCGGGGCGGCCCGGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGACAAA
CCACAAC TAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCTTTA
TTTGTAAACATTATAAGCTGCAATAAACAAGTTAACAACAACAAATTGCATTTCATTTTATGTT
TCAGGTT CAGGGGGAGGTGTGGGAGGTTTTTTAAAGCAAGTAAAACCTCTACAAATGTGGTA
AAATCGATAAGGATCAATTCGGCTTCAGGTACCGTCGACGATGTAGGTACGGTCTCGAAGC
CGCGGTGCGGGTGCCAGGGCGTGCCCTTGGGCTCCCGGGCGCGTACTCCACCTCACCATC
TGTTCCATCATGATGAACGGGTCGAGGTGGCGGTAGTTGATCCCGGCGAACGCGCGGCGCAC
CGGGAAGCCCTCGCCCTCGAAACCGCTGGGCGCGGTGGTCACGGTGAGCACGGGACGTGCGA
CGGCGTCGCGGGTGCGGATACGCGGGGCGAGCGTCAGCGGTTCTCGACGGTCACGGCGGGC
ATGTGACAGCCGAATTGATCCGTGACCGATGCCCTTGAGAGCCTTCAACCCAGTCAAGCTC
CTTCCGGTGGGCGCGGGCATGACTATCGTCGCCCACTTATGACTGTCTTCTTATCATGC

AACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCCTCGCTCACTGACTCGCTGCGCTC
GGTTCGTTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTATCCACAG
AATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGT
AAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAAA
TCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTTCCCC
CTGGAAGCTCCCTCGTGCCTCTCCTGTTCCGACCCCTGCCGCTTACCGGATACCTGTCCGCC
TTTTCTCCCTTCGGGAAGCGTGGCGTTTTCTCAATGCTCACGCTGTAGGTATCTCAGTTCGGT
GTAGGTTCGTTTCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTCAGCCCGACCGCTGCG
CCTTATCCGGTAACATATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCA
GCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAA
GTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGC
CAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGGTAGC
GGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGATCC
TTTGATCTTTTTCTACGGGGTCTGACGCTCAGTGGAAACGAAAACCTCACGTTAAGGGATTG
TCATGAGATTATCAAAAAGGATCTTACCTAGATCCTTTTAAATTAAAAATGAAGTTTTAA
TCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGGC
ACCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATAGTTGCTGACTCCCCGTCGTGTAGA
TAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCCA
CGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCAGAAG
TGGTCCCTGCAACTTTATCCGCCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAGTAA
GTAGTTTCGCCAGTTAATAGTTTTCGCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTCA
CGCTCGTTCGTTTGGTATGGCTTCATTTCAGCTCCGGTTCCTCAACGATCAAGGCGAGTTACATG
ATCCCCCATGTTGTGCAAAAAGCGGTTAGCTCCTTCGGTCTCCGATCGTTGTGAGAAGTA
AGTTGGCCGAGTGTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCTATG
CCATCCGTAAGATGCTTTTCTGTGACTGTGAGTACTCAACCAAGTCATTCTGAGATAAGTATG
TATGCGGCGACCGAGTTGCTCTTGCCCGCGTCAATACGGGATAATACCGCGCACATAGCA
GAACTTTAAAGTGCTCATCATTTGGAAAACGTTCTTCGGGGCGAAAACCTCTCAAGGATCTTA
CCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGCAACCCAACTGATCTTCAGCATCTTT
TACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAGGGAA
TAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCTTTTTCAATATTATTGAAGCATT
TATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAACAAAT
AGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGCGCATTA
GCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCC
GCTCCTTTTCGCTTTCTTCCCTTCTTCTCGCCACGTTTCGCCGGCTTTCCCCGTCAAGCTCT
AAATCGGGGGCTCCCTTTAGGGTTCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAAC
TTGATTAGGGTGATGGTTACGTTAGTGGGCCATCGCCCTGATAGACGGTTTTTCGCCCTTTG
ACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAACCC
TATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAAAA
ATGAGCTGATTTAACAAAAATTTAACGCGAATTTTAACAAAATATTAACGTTTACAATTTCC
CATTCGCCATTTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCTATT
ACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTTGGAGCGG
CCGCAATAAAATATCTTTATTTTCAATTACATCTGTGTGTGGTTTGTGTGAATCGATAG
TACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAACTAGCAAAATAGGCTGT
CCCAGTGCAAGTGCAAGTGCCAGAACATTT

Fig. 10

pCMV-luc-attP (SEQ ID NO: 3)

CTCTATCGATAGGTACCGAGCTCTTACGCGTGCTAGCCCTCGAGCAGGATCTATACATTGAA
TCAATATTGGCAATTAGCCATATTAGTCATTGGTTATATAGCATAAATCAATATTGGCTATT
GGCCATTGCATACGTTGTATCTATATCATATAATATGTACATTTATATTGGCTCATGTCCAATA
TGACCGCCATGTTGACATTGATTATTGACTAGTTATTAATAGTAATCAATTACGGGGTCATT
AGTTCATAGCCCATATATGGAGTTCGCGCTTACATAACTTACGGTAAATGGCCCCGCTGGCT
GACCGCCCAACGACCCCCGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCA
ATAGGGACTTTCCATTGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGT
ACATCAAGTGATCATATGCCAAGTCCGCCCCCTATTGACGTCAATGACGGTAAATGGCCCCG
CCTGGCATTATGCCCAGTACATGACCTTACGGGACTTTCTTACTTGGCAGTACATCTACGTA
TTAGTCATCGCTATTACCATGGTGATGCGTTTTTGGCAGTACATCAATGGGCGTGGATAGCG
GTTTGAATCACGGGGATTTCCTCAAGTCTCCACCCCATTTGACGTCAATGGGAGTTTGTCTTGGC
ACCAAAATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAAATGGGC
GGTAGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCGTTTAGTGAACCGTCAGATCGC
CTGGAGACGCCATCCACGCTGTTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCC
CCTCGAAGCTCGACTCTAGGGGCTCGAGATCTGCGATCTAAGTAAGCTTGGCATTCGCGTAC
TGTTGGTAAAGCCACCATGGAAGACGCCAAAAACATAAAGAAAGGCCCGGCCATTCTATC
CGCTGGAAGATGGAACCGCTGGAGAGCAACTGCATAAGGCTATGAAGAGATACGCCCTGGTT
CCTGGAACAATTGCTTTTACAGATGCACATATCGAGGTGGACATCACTTACGCTGAGTACTT
CGAAATGTCCGTTTCGTTTGGCAGAAGCTATGAAACGATATGGGCTGAATACAAATCACAGAA
TCGTCGTATGCAGTGAAACTCTCTTCAATTCTTTATGCCGGTGTGGGCGCGTTATTTATC
GGAGTTGCAGTTGCGCCCGCAACGACATTTATAATGAACGTGAATTGCTCAACAGTATGGG
CATTTTCGCAGCTACCGTGGTGTTCGTTTCCAAAAGGGGTTGCAAAAATTTTGAACGTGC
AAAAAAGCTCCCAATCATCCAAAAAATTATTATCATGGATTCTAAAACGGATTACCAGGGA
TTTCAGTCGATGTACACGTTCTGTCACATCTCATCTACCTCCCGGTTTTAATGAATACGATTT
TGTCGCAGAGTCCTTCGATAGGGACAAGACAATTGCACTGATCATGAACCTCTCTGGATCTA
CTGGTCTGCCTAAAGGTGTCTGCTCTCATAGAAGTGCCTGCGTGAGATTCTCGCATGCC
AGAGATCCTATTTTTTGGCAATCAAATCAATCCGGATACTGCGATTTTAAGTGTGTTCATT
CCATCACGGTTTTTGAATGTTTACTACACTCGGATATTTGATATGTGGATTTTCGAGTCGTCT
TAATGTATAGATTTGAAGAAGAGCTGTTTCTGAGGAGCCTTCAGGATTACAAGATTCAAAGT
GCGCTGCTGGTGCCAAACCCTATTCTCTTCTTCGCCAAAAGCACTCTGATTGACAAATACGA
TTTATCTAATTTACACGAAATTGCTTCTGGTGGCGCTCCCCTCTCTAAGGAAGTCGGGGAAG
CGGTTGCCAAGAGGTTCCATCTGCCAGGTATCAGGCAAGGATATGGGCTCACTGAGACTACA
TCAGCTATCTGATTACACCCGAGGGGGATGATAAACCGGGCGCGGTTCGGTAAAGTTGTTCC
ATTTTTTTGAAGCGAAGGTTGTGGATCTGGATACCGGGAAAACGCTGGGCGTTAATCAAGAG
GCGAAGTGTGTGTGAGAGGTCCTATGATTATGCTCCGGTTATGTAAACAATCCGGAAGCGACC
AACGCCTTGATTGACAAGGATGGATGGCTACATCTCTGGAGACATAGCTTACTGGGACGAAGA
CGAACAATCTTTCATCGTTGACCGCTGAAGTCTCTGATTAAAGTACAAAGGCTATCAGGTGG
CTCCCGCTGAATTGGAATCCATCTTGCTCCAACACCCCAACATCTTCGACGCAGGTGTCGCA
GGTCTTCCCGACGATGACGCCGGTGAACCTTCCCGCCCGGTTGTTGTTTTTGGAGCACGGAAA
GACGATGACGGAAGAGATCGTGGATTACGTCGCCAGTCAAGTAACAACCGCGAAAAAGT
TGCGCGGAGGAGTTGTGTTTGTGGACGAAGTACCGAAAGTCTTACCGGAAAACCTCGACGCA
AGAAAAATCAGAGAGATCCTCATAAAGGCCAAGAAGGGCGGAAAGATCGCCGTGTAATTCTA
GAGTCGGGGCGGCCGGCCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGACAAA
CCACAAC TAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCTTTA
TTTGTAAACCATTATAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTCAATTTATGTT
TCAGGTTTCAGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAACCTCTACAAATGTGGTA
AAATCGATAAGGATCAATTCGGCTTCGACTAGTACTGACGGACACACCGAAGCCCCGGCGGC
AACCCTCAGCGGATGCCCCGGGGCTTCACGTTTCCAGGTGAGGAGCGGTTTTTCGGGAGTA
GTGCCCCAACTGGGGTAACCTTTGAGTTCTCTCAGTTGGGGGCGTAGGGTCGCCGACATGAC
ACAAGGGGTTGTGACCGGGTGGACACGTACGCGGGTGCTTACGACCGTCAGTCGCGCGAGC
GCGACTAGTACAAGCCGAATTGATCCGTCGACCGATGCCCTTGAGAGCCTTCAACCCAGTCA
GCTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTTATC
ATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCTCGCTCACTGACTCGCTGC

GCTCGGTTCGTTTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTATCC
ACAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAA
CCGTAAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACA
AAAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTT
CCCCCTGGAAGCTCCCTCGTGCCTCTCTGTTCCGACCTGCCGCTTACCGGATACCTGTC
CGCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCAATGCTCACGCTGTAGGTATCTCAGTT
CGGTGTAGGTCTGTTGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTAGCCCGACCGC
TGCGCCTTATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACT
GGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCT
TGAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTG
AAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAAACAAACCACCGCTGG
TAGCGGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAG
ATCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGAACGAAAACTCACGTTAAGGGATT
TTGGTCATGAGATTATCAAAAAGGATCTTCACTAGATCTTTTAAATTAATAATGAAGTTT
TAAATCAATCTAAAGTATATATGAGTAACTTGGTCTGACAGTTACCAATGCTTAATCAGTG
AGGCACCTATCTCAGCGATCTGTCTATTTCGTTATCCATAGTTGCCTGACTCCCCGTGCTG
TAGATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCCGCGAGA
CCACGCTCACCGGCTCCAGATTTATCAGCAATAAACAGCCAGCCGGAAGGCCGAGCGCA
GAAGTGGTCCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGA
GTAAGTAGTTTCGCCAGTTAATAGTTTGCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGT
GTCACGCTCGTTCGTTTGGTATGGCTTCATTACGCTCCGGTTCCTCAACGATCAAGGCGAGTTA
CATGATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCTCCTCGATCGTTGTGAGA
AGTAAGTTGGCCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGT
CATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAAT
AGTGTATGCGGCGACCGAGTTGCTCTTGCCCGCGCTCAATACGGGATAATACCGCGCCACAT
AGCAGAACTTTAAAAGTGCTCATCATTTGGAACGTTCTTCGGGGCGAAAACTCTCAAGGAT
CTTACCGCTGTTGAGATCCAGTTGATGTAACCCACTCGTGCACCCAAGTATCTTACGCAT
CTTTTACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAAG
GGAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTTCAATATTATTGAAG
CATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAAC
AAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGCGCA
TTAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGC
GCCCCGCTCCTTTTCGCTTTCTTCCCTTCCTTTCTCGCCACGTTTCGCCGGCTTTCCCCGTCAAG
CTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCAA
AACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTCGCCC
TTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAACTGGAACAACACTCA
ACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTA
AAAAATGAGCTGATTTAACAAAAATTTAACGCGAATTTAACAAAAATATTAACGTTTACAAT
TTCCCATTCGCCATTACAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGC
TATTACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTTGGA
GCGGCCGCAATAAAATATCTTTATTTTATTACATCTGTGTGTTGTTTGTGTGAATCG
ATAGTACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAACTAGCAAAATAGGC
GTCCCCAGTGCAAGTGACAGGTGCCAGAACATTT

Fig. 11

pCMV-pur-attB (SEQ ID NO: 4)

CTAGAGTCGGGGCGGCCGGCCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGAC
AAACCACAACCTAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCT
TTATTTGTAACCATTATAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTCAATTTTAT
GTTTCAGGTTTCAGGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTG
GTAAAATCGATAAGGATCAATTCGGCTTCAGGTACCGTCGACGATGTAGGTCACGGTCTCGA
AGCCGCGGTGCGGGTGCCAGGGCGTGCCCTTGGGCTCCCCGGGCGCGTACTCCACCTCACCC
ATCTGGTCCATCATGATGAACGGGTGCGAGGTGGCGGTAGTTGATCCCGGCGAACGCGCGGCG
CACCGGGAAGCCCTCGCCCTCGAAACCGCTGGGCGCGGTGGTCACGGTGAGCACGGGACGTG
CGACGGCGTCGGCGGGTGCGGATACGCGGGGCGAGCGTCAGCGGGTTCTCGACGGTCACGGCG
GGCATGTGACAGCCGAATTGATCCGTGACCGATGCCCTTGAGAGCCTTCAACCCAGTCAG
CTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTTATCA
TGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCTCGCTCACTGACTCGCTGCG
CTCGGTGCTTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTATCCA
CAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAAC
CGTAAAAAGGCCGCGTGTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAA
AAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGCGGTTTT
CCCCTGGAAGCTCCCTCGTGCGCTCTCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCC
GCCTTTCTCCCTTCGGGAAGCGTGCGCTTTCTCAATGCTCAGCTGTAGGTATCTCAGTTC
GGTGTAGGTGCTTCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTACGCCGACCGCT
GCGCCTTATCCGGTAACCTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTG
GCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTT
GAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGA
AGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGGT
AGCGGTGGTTTTTTTTGTTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGA
TCCTTTGATCTTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACCTCACGTTAAGGGATTT
TGGTCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTTT
AAATCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGA
GGCACCTATCTCAGCGATCTGTCTATTTGTTTCATCCATAGTTGCCTGACTCCCCGTCGTGT
AGATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGAC
CCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCAG
AAGTGGTCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAG
TAAGTAGTTCGCCAGTTAATAGTTTTCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTG
TCACGCTCGTCTGTTGGTATGGCTTCATTCAGCTCCGGTTCCTAACGATCAAGGCGAGTTAC
ATGATCCCCCATGTTGTGCAAAAAGCGGTTAGCTCCTTCGGTCTCCTCGATCGTTGTGAGAA
GTAAGTTGGCCGCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCT
ATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATA
GTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATACCGGCCACATA
GCAGAACTTTAAAGTGCTCATCATTGGAAAACGTTCTTCGGGGCGAAAACCTCTCAAGGATC
TTACCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGACCCCAACTGATCTTCAGCATC
TTTTACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAGG
GAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCTTTTCAATATTATTGAAGC
ATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAACA
AATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGCGCAT
TAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCG
CCGCTCCTTTTCGCTTTCTTCCCTTCTTCTCGCCACGTTTCGCGGCTTTCCCCGTCAAGC
TCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAA
AACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTTCGCCCT
TTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAA
CCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTCGGCCTATTGGTTAA
AAAATGAGCTGATTTAACAAAAATTTAACGCGAATTTTAAACAAAATATTAACGTTTACAATT
TCCCATTCGCCATTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCT
ATTACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTTGGAG
CGGCCGCAATAAAATATCTTTATTTTTCATTACATCTGTGTGTTGGTTTTTTGTGTGAATCGA

TAGTACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAAACTAGCAAAATAGGCT
GTCCCCAGTGCAAGTGCAGGTGCCAGAACATTTCTCTATCGATAGGTACCGAGCTCTTACGC
GTGCTAGCCCTCGAGCAGGATCTATACATTGAATCAATATTGGCAATTAGCCATATTAGTCA
TTGGTTATATAGCATAAATCAATATTGGCTATTGGCCATTGCATACGTTGTATCTATATCAT
AATATGTACATTTATATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTATTGAC
TAGTTATTAATAGTAATCAATTACGGGGTCATTAGTTCATAGCCCATATATGGAGTTCCGCG
TTACATAACTTACGGTAATGGCCCGCTGGCTGACCGCCCAACGACCCCCGCCCATTGACG
TCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGT
GGAGTATTTACGGTAACCTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTCCGC
CCCCATTGACGTCAATGACGGTAATGGCCCGCTGGCATTATGCCCAGTACATGACCTTA
CGGGACTTTTCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGATGCG
GTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGACTCACGGGGATTTCCAAGTCTCC
ACCCCATTGACGTCAATGGGAGTTTGTTTTGGCACAAAATCAACGGGACTTTCCAAAATGT
CGTAACAACCTCCGCCCATTGACGCAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATAT
AAGCAGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGACGCCATCCACGCTGTTTTGACC
TCCATAGAAGACACCGGGACCGATCCAGCCTCCCCTCGAAGCTCGACTCTAGGGGCTCGAGA
TCTGCGATCTAAGTAAGCTTGCATGCCTGCAGGTGCGCCGCCACGACCGGTGCCGCCACCAT
CCCCTGACCCACGCCCCCTGACCCCTCACAAGGAGACGACCTTCCATGACCGAGTACAAGCCC
ACGGTGCGCCTCGCCACCCGCGACGACGTCCCCCGGGCCGTACGCACCCCTCGCCGCCGCGTT
CGCCGACTACCCCGCCACGCGCCACACCGTCGACCCGGACCGCCACATCGAGCGGGTCACCG
AGCTGCAAGAACTCTTCTCTACGCGCGTCGGGCTCGACATCGGCAAGGTGTGGGTGCGCGAC
GACGGCGCCGCGGTGGCGGTCTGGACCACGCCGGAGAGCGTCGAAGCGGGGGCGGTGTTTCGC
CGAGATCGGCCCGCGCATGGCCGAGTTGAGCGGTTCCCGGCTGGCCGCGCAGCAACAGATGG
AAGGCCTCCTGGCGCCGCACCGGCCCAAGGAGCCCGCGTGGTTCCTGGCCACCGTCGGCGTC
TCGCCCCGACCACCAGGGCAAGGTCCTGGGCAGCGCCGTCTGTGCTCCCCGAGTGGAGGCGGC
CGAGCGCGCCGGGGTGCCCGCCTTCTTGAGACCTCCGCGCCCCGCAACCTCCCCTTCTACG
AGCGGCTCGGCTTCACCGTCACCGCCGACGTGAGGTGCCCGAAGGACCGCGCACCTGGTG
ATGACCCGCAAGCCCGGTGCCTGACGCCCCGCCCCACGACCCGCGAGCGCCCGACCGAAAGGAG
CGCACGACCCCATGGCTCCGACCGAAGCCGACCCGGGCGGCCCCGCCGACCCCGCACCCGCC
CCCGAGGCCCAACCGACT

Fig. 12

pCMV-pur-attP (SEQ ID NO: 5)

CTAGAGTCGGGGCGGCCGCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGAC
AAACCACAACTAGAAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCT
TTATTTGTAAACCATTAAGCTGCAATAAACAAGTTAAACAACAACAAATTGCATTCAATTTTAT
GTTTCAGGTTTCAGGGGGAGGTGTGGGAGGTTTTTTAAAGCAAGTAAACCTCTACAAATGTG
GTAAATCGATAAGGATCAATTCGGCTTCGACTAGTACTGACGGACACACCGAAGCCCCGGC
GGCAACCCTCAGCGGATGCCCCGGGGCTTCACGTTTTCCAGGTCAGAAGCGGTTTTTCGGGA
GTAGTGCCCCAACTGGGGTAACCTTTGAGTTCTCTCAGTTGGGGGCGTAGGGTCGCCGACAT
GACACAAGGGGTGTGACCGGGGTGGACACGTACGCGGGTGCTTACGACCGTCAGTCGCGCG
AGCGCGACTAGTACAAGCCGAATTGATCCGTGACCGGATGCCCTTGAGAGCCTTCAACCCAG
TCAGCTCCTTCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTT
ATCATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCTCGCTCACTGACTCGC
TGCGCTCGGTCTGTTCCGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTA
TCCACAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAGGCCAGCAAAGGCCAG
GAACCGTAAAGGCCGCGTGTGCGGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATC
ACAAAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCG
TTTCCCCCTGGAAGCTCCCTCGTGCGCTCTCTGTTCCGACCCCTGCCGCTTACCGGATACCT
GTCCGCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCAATGCTCACGCTGTAGGTATCTCA
GTTTCGGTGTAGGTCTGTTCCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCGTTTCAGCCCGAC
CGCTGCGCTTATCCGGTAACATATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCC
ACTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGT
TCTTGAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTG
CTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGC
TGGTAGCGGTGGTTTTTTTGTGTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAG
AAGATCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGG
ATTTTGGTCATGAGATTATCAAAAAGGATCTTACCTAGATCCTTTTAAATTAATAATGAAG
TTTTAAATCAATCTAAAGTATATATGAGTAACTTGGTCTGACAGTTACCAATGCTTAATCA
GTGAGGCACCTATCTCAGCGATCTGTCTATTTCTGTTTCATCCATAGTTGCCTGACTCCCCGTC
GTGTAGATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCG
AGACCCACGCTCACCGGCTCCAGATTTATCAGCAATAAACAGCCAGCCGGAAGGGCCGAGC
GCAGAAAGTGGTCTGCAACTTTATCCGCTCCATCCAGTCTATTAATTGTTGCCGGAAGCT
AGAGTAAGTAGTTGCGCAGTTAATAGTTTGCACAACGTTGTTGCCATTGCTACAGGCATCGT
GGTGTACGCTCGTCTGTTTGGTATGGCTTCATTCAGCTCCGTTCCCAACGATCAAGGCGAG
TTACATGATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCTCCGATCGTTGTC
AGAAGTAAGTTGGCCGACGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTAC
TGTCATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAG
AATAGTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATACCGCGCCA
CATAGCAGAACTTTAAAAGTGCTCATCATTGGAACCGTTCTTCGGGGCGAAAACTCTCAAG
GATCTTACCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAG
CATCTTTTACTTTTACCAGCGTTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAA
AAGGGAATAAGGGCGACACGGAATGTTGAATACTCATACTCTTCTTTTCAATATTATG
AAGCATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATA
AACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGC
GCATTAAGCGCGCGGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCT
AGCGCCCGCTCCTTTCTGCTTTCTTCCCTTCTTCTCGCCACGTTCCGCGGCTTTCCCCGTC
AAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCC
AAAAAATTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTCG
CCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCAAACTGGAACAACAC
TCAACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTCCGGCCTATTGG
TTAAAAATGAGCTGATTTAACAAAAATTTAACGCGAATTTTAACAAAAATATTAACGTTTAC
AATTTCCCATTCGCCATTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTT
CGCTATTACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTT
GGAGCGGCCGCAATAAAATATCTTTATTTTATTACATCTGTGTGTTGGTTTTTTGTGTGAA
TCGATAGTACTAATACATCGCTCTCCATCAAAACAAAACGAACAAAACAACTAGCAAAATA

GGCTGTCCCCAGTGCAAGTGCAGGTGCCAGAACATTTCTCTATCGATAGGTACCGAGCTCTT
ACGCGTGCTAGCCCTCGAGCAGGATCTATACATTGAATCAATATTGGCAATTAGCCATATTA
GTCATTGGTTATATAGCATAAATCAATATTGGCTATTGGCCATTGCATACGTTGTATCTATA
TCATAATATGTACATTTATATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTAT
TGACTAGTTATTAATAGTAATCAATTACGGGGTCATTAGTTCATAGCCCATATATGGAGTTC
CGCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCCCGCCATT
GACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAAT
GGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGT
CCGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTATGCCCAGTACATGAC
CTTACGGGACTTTTCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGA
TGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGACTCACGGGGATTTCGAAGT
CTCCACCCCATTTGACGTCAATGGGAGTTTGTTTTGGCACCAAAATCAACGGGACTTTCCAAA
ATGTTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGTAGGCGTGTACGGTGGGAGGTCT
ATATAAGCAGAGCTCGTTTTAGTGAACCGTCAGATCGCCTGGAGACGCCATCCACGCTGTTTT
GACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCCCTCGAAGCTCGACTCTAGGGGCTC
GAGATCTGCGATCTAAGTAAGCTTGCATGCCTGCAGGTTCGGCCGCCACGACCGGTGCCGCCA
CCATCCCCTGACCCACGCCCCCTGACCCCTCACAAGGAGACGACCTTCCATGACCGAGTACAA
GCCCACGGTGCGCTCGCCACCCGCGACGACGTCCCCCGGGCCGTACGCACCCCTCGCCGCCG
CGTTCGCCGACTACCCCGCCACGCGCCACACCGTCGACCCGGACCGCCACATCGAGCGGGTC
ACCGAGCTGCAAGAACTCTTCCTCACGCGCGTCGGGCTCGACATCGGCAAGGTGTGGGTGCG
GGACGACGGCGCCGCGGTGGCGGTCTGGACCACGCCGGAGAGCGTCGAAGCGGGGGCGGTGT
TCGCCGAGATCGGCCCGCGCATGGCCGAGTTGAGCGGTTCCCGGCTGGCCGCGCAGCAACAG
ATGGAAGGCCTCCTGGCGCCGCACCGGCCCAAGGAGCCCGCGTGGTTCCTGGCCACCGTCCG
CGTCTCGCCCGACCAACAGGGCAAGGGTCTGGGCAGCGCCGTCTGTGCTCCCCGAGTGGAGG
CGGCCGAGCGCGCCGGGGTGCCCGCTTCTGGAGACCTCCGCGCCCCGCAACCTCCCTTC
TACGAGCGGCTCGGCTTCACCGTCACCGCCGACGTGAGGTGCCCGAAGGACCGCGCACCTG
GTGCATGACCCGCAAGCCCGGTGCCTGACGCCCCGCCACGACCCGCGAGCGCCCGACCGAAA
GGAGCGCACGACCCCATGGCTCCGACCGAAGCCGACCCGGGCGGCCCGCGACCCCGCACCC
CGCCCCGAGGCCACCGACT

Fig. 13

pCMV-EGFP-attB (SEQ ID NO: 6)

CTAGAGTCGGGGCGGCCGGCCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGAC
AAACCACAAC TAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCT
TTATTTGTAAACCATTATAAGCTGCAATAAACAAGTTAAACAACAATTGCATTCAATTTAT
GTTTCAGGTT CAGGGGGAGGTGTGGGAGGTTTTTTTAAAGCAAGTAAAACCTCTACAAATGTG
GTAAAATCGATAAGGATCAATTCGGCTTCAGGTACCGTCGACGATGTAGGTCACGGTCTCGA
AGCCGCGGTGCGGGTGCCAGGGCGTGCCCTTGGGCTCCCCGGGCGCGTACTCCACCTCACCC
ATCTGGTCCATCATGATGAACGGGTGCGAGGTGGCGGTAGTTGATCCCCGGCGAACGCGCGGCG
CACCGGGAAGCCCTCGCCCTCGAAACCGCTGGGCGCGGTGGTCACGGTGAGCACGGGACGTG
CGACGGCGTTCGGCGGGTGCGGATACGCGGGGCAGCGTCAGCGGGTTCTCGACGGTCACGGCG
GGCATGTGCGACAGCCGAATTGATCCGTGACCGATGCCCTTGAGAGCCTTCAACCCAGTCAG
CTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACCTTATGACTGTCTTCTTTATCA
TGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCTCGCTCACTGACTCGCTGCG
CTCGGTGCTTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTATCCA
CAGAATCAGGGGATAACGCAGGAAAGACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAAC
CGTAAAAAGCCCGCTTGCTGCGCTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAA
AAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACAGGCGTTTC
CCCCGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCC
GCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTTCTCAATGCTCACGCTGTAGGTATCTCAGTTC
GGTGTAGGTCGTTTCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTTCAGCCCGACCGCT
GCGCCTTATCCGGTAAC TATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTG
GCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTT
GAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGA
AGCCAGTTACCTTCGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAAACAAACCACCGCTGGT
AGCGGTGGTTTTTTTTGTTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGA
TCCTTTGATCTTTTCTACGGGTCTGACGCTCAGTGGAACGAAACTCACGTTAAGGGATTT
TGGTCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAATAATGAAGTTTT
AAATCAATCTAAAGTATATATGAGTAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGA
GGCACCTATCTCAGCGATCTGTCTATTTGCTTCATCCATAGTTGCCTGACTCCCCGTCGTGT
AGATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGAC
CCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCAG
AAGTGGTCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAG
TAAGTAGTTCGCCAGTTAATAGTTTTCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTG
TCACGCTCGTCGTTTGGTATGGCTTCATTCAGCTCCGGTTCCCAACGATCAAGGCGAGTTAC
ATGATCCCCCATGTTGTGCAAAAAGCGGTTAGCTCCTTCGGTCTCCGATCGTTGTGAGAA
GTAAGTTGGCCGCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTC
ATGCCATCCGTAAGATGCTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATA
GTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATACCGCGCCACATA
GCAGAACTTTAAAGTGCTCATCATTGGAAACGTTCTTCGGGGCGAAACTCTCAAGGATC
TTTACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAGG
GAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTCAATATTATTGAAGC
ATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAACA
AATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGCGCAT
TAAGCGCGGCGGGTGTTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCG
CCCGCTCCTTTTCGCTTTCTTCCCTTCTTCTCGCCACGTTCCGCGGCTTTCCCGCTCAAGC
TCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAA
AACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTTCGCCCT
TTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAACTGGAACAACACTCAA
CCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAA
AAAATGAGCTGATTTAACAATAATTTAACGCGAATTTTAAACAATAATTAACGTTTACAATT
TCCCATTCGCCATT CAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCT
ATTACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTTGGAG
CGGCCGCAATAAAATATCTTTATTTTCATTACATCTGTGTGTTGGTTTTTTGTGTGAATCGA

TAGTACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAAACTAGCAAAATAGGCT
GTCCCCAGTGCAAGTGCAGGTGCCAGAACATTTCTCTATCGATAGGTACCGAGCTCTTACGC
GTGCTAGCCCTCGAGCAGGATCTATACATTGAATCAATATTGGCAATTAGCCATATTAGTCA
TTGGTTATATAGCATAAATCAATATTGGCTATTGGCCATTGCATACGTTGTATCTATATCAT
AATATGTACATTTATATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTATTGAC
TAGTTATTAATAGTAATCAATTACGGGGTCATTAGTTTCATAGCCCATATATGGAGTTCCGCG
TTACATAACTTACGGTAAATGGCCCGCTGGCTGACCGCCCAACGACCCCCGCCATTGACG
TCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGT
GGAGTATTTACGGTAAACTGCCCACCTTGGCAGTACATCAAGTGTATCATATGCCAAGTCCGC
CCCCATTGACGTCAATGACGGTAAATGGCCCGCTGGCATTATGCCCAGTACATGACCTTA
CGGGACTTTCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGTATGCG
GTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGA CTCACGGGGATTTC AAGTCTCC
ACCCATTGACGTCAATGGGAGTTTGT TTTGGCACCAAAATCAACGGGACTTTCCAAAATGT
CGTAACAAC TCCGCCCATTGACGCAAAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATAT
AAGCAGAGCTCGTTTAGTGAACCGTCAGATCGCTCGGAGACGCCATCCACGCTGTTTTGACC
TCCATAGAAGACACCGGGACCGATCCAGCCTCCCTCGAAGCTCGACTCTAGGGGCTCGAGA
TCCCCGGGTACCGGTCGCCACCATGGTGAGCAAGGGCGAGGAGCTGTTCAACGGGGTGTTGC
CCATCCTGGTCGAGCTGGACGGCGACGTAAACGGCCACAAGTTCAGCGTGTCCGGCGAGGGC
GAGGGCGATGCCACCTACGGCAAGCTGACCCTGAAGTTCATCTGCAACACCGGCAAGCTGCC
CGTGCCCTGGCCACCCTCGTGACCAACCTGACCTACGGCGTGCAGTGCTTCAGCCGCTACC
CCGACCACATGAAGCAGCACGACTTCTTCAAGTCCGCCATGCCCGAAGGCTACGTCCAGGAG
CGCACCATCTTCTTCAAGGACGACGGCACTACAAGACCCGCGCCGAGGTGAAGTTCGAGGG
CGACACCCTGGTGAACCGCATCGAGCTGAAGGGCATCGACTTCAAGGAGGACGGCAACATCC
TGGGGCACAAGCTGGAGTACA ACTACAACAGCCACAACGTCTATATCATGGCCGACAAGCAG
AAGAACGGCATCAAGGTGA ACTTCAAGATCCGCCACAACATCGAGGACGGCAGCGTGCAGCT
CGCCGACCACTACCAGCAGAACACCCCCATCGGCGACGGCCCCGTGCTGCTGCCCGACAACC
ACTACCTGAGCACCCAGTCCGCCCTGAGCAAAGACCCCAACGAGAAGCGCGATCACATGGTCT
CTGCTGGAGTTCTGTGACCGCGCCGGGATCACTCTCGGCATGGACGAGCTGTACAAGTAAAG
CGGCCGCTCGAGCATGCAT

Fig. 14

p-12.0-lys-LSPIFNMM-CMV-pur-attB (SEQ ID NO: 7)

GGGCTGCAGGAATTGATTGCCGCCTTCTTTGATATTCACCTCTGTTGTATTTTCATCTCTTCT
TGCCGATGAAAGGATATAACAGTCTGTATAACAGTCTGTGAGGAAATACTTGGTATTTCTTC
TGATCAGTGTTTTTATAAGTAATGTTGAATATTGGATAAGGCTGTGTGTCCTTTGTCTTGGG
AGACAAAGCCACAGCAGGTGGTGGTGGGGTGGTGGCAGCTCAGTGACAGGAGAGGTTTTT
TTGCCTGTTTTTTTTTTTTTTTTTTTTTTTAAAGTAAGGTGTTCTTTTTCTTAGTAAATTTT
CTACTGGACTGTATGTTTTGACAGGTCAGAAACATTTCTTCAAAGAAGAACCTTTTGGAAA
CTGTACAGCCCTTTCTTTTCATTCCTTTTGTCTTCTGTGCCAATGCCTTTGGTTCTGATT
GCATTATGGAAAACGTTGATCGGAACCTTGAGGTTTTTATTTATAGTGTGGCTTGAAAGCTTG
GATAGCTGTTGTTACACGAGATACCTTATTAAGTTTAGGCCAGCTTGATGCTTTATTTTTTC
CCTTTGAAGTAGTGAGCGTTCTCTGGTTTTTTTTCTTTTGAAGTGGTGAGGCTTAGATTTTT
CTAATGGGATTTTTTACCTGATGATCTAGTTGCATACCCAAATGCTTGTAATGTTTTCTTA
GTTAACATGTTGATAACTTCGGATTTACATGTTGTATATACTTGTCTGTGTTCTAGTA
AAAATATATGGCATTATAGAAATACGTAATTCCTGATTTCTTTTTTTTTTATCTCTATGCT
CTGTGTGTACAGGTCAAACAGACTTCACTCCTATTTTTATTTATAGAATTTTATATGCAGTC
TGTCGTTGGTTCTTGTGTTGTAAGGATACAGCCTTAAATTTCTAGAGCGATGCTCAGTAAG
GCGGGTTGTCAACTGGGTTCAAATGTAAACGGGCACGTTTGGCTGCTGCCTTCCCGAGATC
CAGGACACTAAACTGCTTCTGCAGTGAAGTATAAATCGCTCAGATCCCAGGGAAGTGCAGA
TCCACGTGCATATTCTTAAAGAAGAATGAATACTTTCTAAAATATTTTGGCATAGGAAGCAA
GCTGCATGGATTTGTTTGGGACTTAAATTATTTTGGTAACGGAGTGCATAGGTTTAAACAC
AGTTGCAGCATGCTAACGAGTCACAGCGTTTATGCAGAAGTGATGCCTGGATGCCCTGTTGCA
GCTGTTTACGGCACTGCCTTGCAGTGAGCATTGCAGATAGGGGTGGGGTGTCTTGTGTCTGTG
TTCCACACGCTGCCACACAGCCACCTCCCGGAACACATCTCACCTGCTGGGTACTTTTTCAA
ACCATCTTAGCAGTAGTAGATGAGTTACTATGAAACAGAGAAGTTCTCAGTTGGATATTCT
CATGGGATGTCTTTTTTCCCATGTTGGGCAAAGTATGATAAAGCATCTCTATTTGTAAATTA
TGCACTTGTTAGTTCTGAATCCTTTCTATAGCACCCTTATTCAGCAGGTGTAGGCTCTG
GTGTGGCCTGTGTCTGTGCTTCAATCTTTTAAAGCTTCTTTGGAAATACACTGACTTGATTG
AAGTCTCTTGAAGATAGTAAACAGTACTTACCTTTGATCCCAATGAAATCGAGCATTTTCAGT
TGTAAGAAGATTCGCGCTATTTCATACCATGTAATGTAATTTTACACCCCCAGTGCTGACACT
TTGGAATATATTCAAGTAATAGACTTTGGCCTCACCTCTTGTGTACTGTATTTTGTAAATAG
AAAATATTTTAACTGTGCATATGATTATTACATTATGAAAGAGACATTCTGCTGATCTTCA
AATGTAAGAAAATGAGGAGTGCGTGTGCTTTTATAAATACAAGTGATTGCAAATTAGTGCAG
GTGTCCTTAAAAAAGTAATATAAAAAGGACCAGGTGTTTTACAAGTGAAAT
ACATTCCTATTTGGTAAACAGTTACATTTTTATGAAGATTACCAGCGCTGCTGACTTTCTAA
ACATAAGGCTGTATTGTCTTCTGTACCATTTGCATTTCTCATTTCCCAATTTGCACAAGGAT
GTCTGGGTAACTATTCAAGAAATGGCTTTGAAATACAGCATGGGAGCTTGTCTGAGTTGGA
ATGCAGAGTTGCACTGCAAAATGTCAGGAAATGGATGTCTCTCAGAAAGCCCAACTCCAAAG
GATTTTATATGTGTATATAGTAAGCAGTTTCTGATTCAGCAGGCCAAAGAGTCTGCTGAA
TGTTGTGTTGCCGGAGACCTGTATTTCTCAACAAGGTAAGATGGTATCCTAGCAACTGCGGA
TTTTAATACATTTT CAGCAGAAGTACTTAGTTAATCTCTACCTTTAGGGATCGTTTCATCAT
TTTTAGATGTTATACTTGAATACTGCATAACTTTTAGCTTTTATGGGTTCTTTTTTTTCAG
CCTTTAGGAGACTGTTAAGCAATTTGCTGTCCAACCTTTTGTGTTGGTCTTAACTGCAATAG
TAGTTTACCTTGTATTGAAGAAATAAAGACCATTTTTATATTAAAAAATACTTTTGTCTGTCT
TTCATTTTGACTTGTCTGATATCCTTGCAGTGCCATTATGTGAGTTCTGTGCTGATATTTCAG
ACATCAAACTTAACTGAGCTCAGTGGAGTTACAGCTGCGGTTTTGATGCTGTATTATTT
CTGAACTAGAAATGATGTTGTCTTCATCTGCTCATCAAACACTTCATGCAGAGTGTAAGGC
TAGTGAGAAATGCATACATTTATTGATACTTTTTTAAAGTCAACTTTTTATCAGATTTTTTT
TTCATTTGGAAATATATTGTTTTCTAGACTGCATAGCTTCTGAATCTGAAATGCAGTCTGAT
TGGCATGAAGAAGCACAGCACTCTTCATCTTACTTAAACTTCATTTTGGAAATGAAGGAAGTT
AAGCAAGGGCACAGGTCCATGAAATAGAGACAGTGCGCTCAGGAGAAAGTGAACCTGGATTT
CTTTGGCTAGTGTCTAAATCTGTAGTGAGGAAAGTAACACCCGATTCTTTGAAAGGGCTCC
AGCTTTAATGCTTCCAAATTGAAGGTGGCAGGCAACTTGGCCACTGGTTATTTACTGCATTA
TGTCTCAGTTTTCGAGCTAACCTGGCTTCTCCACTATTGAGCATGGACTATAGCCTGGCTTC
AGAGGCCAGGTGAAGGTTGGGATGGGTGGAAGGAGTGCTGGGCTGTGGCTGGGGGACTGTG

GGGACTCCAAGCTGAGCTTGGGGTGGGCAGCACAGGGAAAAGTGTGGGTAAC TATTTTTTAAG
TACTGTGTTGCAAACGTCTCATCTGCAAATACGTAGGGTGTGTACTCTCGAAGATTAACAGT
GTGGGTTTCAGTAATATATGGATGAATTCACAGTGAAGCATTCAAGGGTAGATCATCTAACG
ACACCAGATCATCAAGCTATGATTGGAAGCGGTATCAGAAGAGCGAGGAAGGTAAGCAGTCT
TCATATGTTTTCCTCCACGTAAAGCAGTCTGGGAAAGTAGCACCCCTTGAGCAGAGACAAG
GAAATAATTCAGGAGCATGTGCTAGGAGAACTTTCTTGCTGAATTCTACTTGCAAGAGCTTT
GATGCCCTGGCTTCTGGTGCTTCTGTCAGCACCTGCAAGGCCAGAGCCTGTGGTGAGCTGGA
GGGAAAGATTCTGCTCAAGTCCAAGCTTCAGCAGGTCATTGTCTTTGCTTCTTCCCCAGCA
CTGTGCAGCAGAGTGGAAGTGTGTCGAAGCCTCCTGTCCACTACCTGTTGCTGCAGGCAGA
CTGCTCTCAGAAAAAGAGAGCTAACTCTATGCCATAGTCTGAAGGTAAAATGGGTTTTAAAA
AAGAAAACACAAAGGCAAAACCGGCTGCCCATGAGAAGAAAGCAGTGGTAAACATGGTAGA
AAAGTGCAGCAGCCCCCAGGCAGTGTGACAGGCCCTCCTGCCACCTAGAGGCGGGAACAA
GCTTCCCTGCCTAGGGCTCTGCCCGCGAAGTGCCTGTTTTCTTTGGTGCGTTTTGTTTTGGCGT
TTGGTTTTGAGATTTAGACACAAGGGAAGCCTGAAAGGAGGTGTTGGGCACCTATTTTGGTTT
GTAAAGCCTGTACTTCAAATATATATTTTGTGAGGGAGTGTAGCGAATTGGCCAATTTAAAA
TAAAGTTGCAAGAGATTGAAGGCTGAGTAGTTGAGAGGGTAACACGTTTAAATGAGATCTTCT
GAAACTACTGCTTCTAAACACTTGTTTTGAGTGGTGAGACCTTGATAGGTGAGTGCTCTTGT
TACATGTCTGATGCACCTTGCTTGCTCTTTTCCATCCACATCCATGCATTCCACATCCACGCA
TTTGTCACTTATCCCATATCTGTCATATCTGACATACCTGTCTCTTCGTCACTTGGTCAGAA
GAAACAGATGTGATAATCCCAGCCGCCCAAGTTTGAGAAGATGGCAGTTGCTTCTTTCCC
TTTTTCTCTGCTAAGTAAGGATTTTCTCTGGCTTTGACACCTCACGAAATAGTCTTCTCTGCC
TTACATTCTGGGCATTATTTCAAATATCTTTGGAGTGCCTGCTCTCAAGTTTGTGTCTTCC
TACTCTTAGAGTGAATGCTCTTAGAGTGAAAGAGAAGGAAGAGAAGATGTTGGCCGCAGTTC
TCTGATGAACACACCTCTGAATAATGGCCAAAGGTGGGTGGGTTTTCTCTGAGGAACGGGCAG
CGTTTGCCTCTGAAAGCAAGGAGCTCTGCGGAGTTGCAGTTATTTTGCAACTGATGGTGGA
CTGGTGCTTAAAGCAGATTCCCTAGGTTCCCTGCTACTTCTTTTCTTCTTGGCAGTCAGTT
TATTTCTGACAGACAAACAGCCACCCCTACTGCAGGCTTAGAAAGTATGTGGCTCTGCCTGG
GTGTGTTACAGCTCTGCCCTGGTGAAAGGGGATTAAAACGGGCACCAATTCATCCCAAACAGG
ATCCTCATTCATGGATCAAGCTGTAAGGAACTTGGGCTCCAACCTCAAAACATTAATTGGAG
TACGAATGTAATAAAACCTGCATTCTCGCATTCTTAAGTCATTTAGTCTGGACTCTGCAGCA
TGTAGGTCGGCAGCTCCCACTTTCTCAAAGACCACTGATGGAGGAGTAGTAAAAATGGAGAC
CGATTGAGAACCAACCGGAGTGTGCGCAAGAACTGATGGAAATAATGCATGAATTGTG
TGGTGGACATTTTTTTTAAATACATAAACTACTTCAAATGAGGTCCGAGAAGGTCAGTGTTT
TATTAGCAGCCATAAAACAGGTGAGCGAGTACCATTTTTCTCTACAAGAAAAACGATTCTG
AGCTCTGCGTAAGTATAAGTTCTCCATAGCGGCTGAAGCTCCCCCTGGCTGCCTGCCATCT
CAGCTGGAGTGCAGTGCCATTTCTTGGGGTTTTCTCTCACAGCAGTAATGGGACAATACTTC
ACAAAATCTTTCTTTTCTGTATGTGGGATCCCTACTGTGCCCTCCTGGTTTTACGTTA
CCCCCTGACTGTTCCATTACAGCGGTTTGAAAGAGAAAAGAATTTGGAATAAAACATGTC
TACGTTATCACCTCCTCCAGCATTTTGGTTTTTAAATTATGTCAATAACTGGCTTAGATTTGG
AAATGAGAGGGGGTTGGGTGTATTACCGAGGAACAAAGGAAGGCTTATATAAACTCAAGTCT
TTTATTTAGAGAACTGGCAAGCTGTCAAAAACAAAAAGGCCTTACCACCAAATTAAGTGAAT
AGCCGCTATAGCCAGCAGGGCCAGCACGAGGGATGGTGCACTGCTGGCACTATGCCACGGCC
TGCTTGTGACTCTGAGAGCAACTGCTTTGGAAATGACAGCACCTGGTGCAATTTCTTTTGT
TCAGAATGCGTAGAGCGTGTGCTTGGCGACAGTTTTTCTAGTTAGGCCACTTCTTTTTCTCT
TCTCTCCTCATTCTCCTAAGCATGTCTCCATGCTGGTAATCCCAGTCAAGTGAACGTTCAAA
CAATGAATCCATCACTGTAGGATTCTCGTGGTGATCAAATCTTTGTGTGAGGTCTATAAAAT
ATGGAAGCTTATTTATTTTTCTGTTCTTCCATATCAGTCTTCTCTATGACAATTCACATCCAC
CACAGCAAATTAAGGTGAAGGAGGCTGGTGGGATGAAGAGGGTCTTCTAGCTTTACGTTCT
TCCTTGCAAGGCCACAGGAAAATGCTGAGAGCTGTAGAATACAGCCTGGGGTAAGAAGTTCA
GTCTCCTGCTGGGACAGCTAACCGCATCTTATAACCCCTTCTGAGACTCATCTTAGGACCAA
ATAGGGTCTATCTGGGGTTTTTGTTCCTGCTGTTCCCTCCTGGAAGGCTATCTCACTATTTCA
CTGCTCCACGGTTACAAACCAAGATACAGCCTGAATTTTTTCTAGGCCACATTACATAAA
TTTGACCTGGTACCAATATTGTTCTCTATATAGTTATTTCTTCCCACTGTGTTTTAACCC
TTAAGGCATTGAGAACAACTAGAATCATAGAATGGTTTGGATTGGAAGGGGCCTTAAACATC

ATCCATTTCCAACCCCTCTGCCATGGGCTGCTTGCCACCCACTGGCTCAGGCTGCCCAGGGCC
CCATCCAGCCTGGCCTTGAGCACCTCCAGGGATGGGGCACCCACAGCTTCTCTGGGCAGCCT
GTGCCAACACCTCACCCTCTCTGGGTAAAGAATTCTCTTTTAACATCTAATCTAAATCTCT
TCTCTTTTAGTTTTAAAGCCATTCTCTTTTTCCCGTTGCTATCTGTCCAAGAAATGTGTATT
GGTCTCCCTCCTGCTTATAAGCAGGAAGTACTGGAAGGCTGCAGTGAGGTCTCCCCACAGCC
TTCTCTTCTCCAGGCTGAACAAGCCCAGCTCCTTCAGCCTGTCTTCGTAGGAGATCATCTTA
GTGGCCCTCCTCTGGACCCATTCCAACAGTTCCACGGCTTTCTTGTGGAGCCCCAGGTCTGG
ATGCAGTACTTCAGATGGGGCCTTACAAAGGCAGAGCAGATGGGGACAATCGCTTACCCCTC
CCTGCTGGCTGCCCCCTGTTTTGATGCAGCCCAGGGTACTGTTGGCCTTTCAGGCTCCCAGAC
CCCTTGCTGATTTGTGTCAAGCTTTTCATCCACAGAACCCACGCTTCCTGGTTAATACTTC
TGCCCTCACTTCTGTAAAGCTTGTTCAGGAGACTTCCATTCTTTAGGACAGACTGTGTTACA
CCTACCTGCCCTATTCTTGATATATACATTTTCAGTTCATGTTTCTGTAAACAGGACAGAAT
ATGTATTCTCTAACAATAATACATGCAGAATTCTTAGTGCCATCTCAGTAGGGTTTTTCATG
GCAGTATTAGCACATAGTCAATTTGCTGCAAGTACCTTCCAAGCTGCGGCCTCCATAAATC
CTGTATTTGGGATCAGTTACCTTTTGGGGTAAGCTTTTGTATCTGCAGAGACCCCTGGGGGT
CTGATGTGCTTCAGCTCTGCTCTGTTCTGACTGCACCATTTTCTAGATCACCCAGTTGTTCC
TGTACAACCTCCTTGTCTCCATCCTTTCCAGCTTGTATCTTTGACAAATACAGGCCTATT
TTTGTGTTTGCTTCAGCAGCCATTTAATTTCTTCAGTGTCTATCTTGTCTGTTGATGCCACTG
GAACAGGATTTTCAGCAGTCTTGCAAAGAATCTAGCTGAAAACCTTCTGCCATTCAATAT
TCTTACCAGTTCTTCTGTTTGAGGTGAGCCATAAATTACTAGAACTTCGTCACTGACAAGT
TTATGCATTTTATTACTTCTATTATGTACTTACTTTGACATAACACAGACACGCACATATTT
TGCTGGGATTTCCACAGTGTCTCTGTGTCTTCACATGGTTTTACTGTCACTTCCGTTAT
AACCTTGGAATCTGCCAGCTGCCCATCACAAGAAAAGAGATTCTTTTTTTATTACTTCTC
TTCAGCCAATAAACAATAATGTGAGAAGCCCAACAAGAACTTGTGGGGCAGGCTGCCATCAA
GGGAGAGACAGCTGAAGGGTGTGTAGCTCAATAGAAATTAAGAAATAATAAAGCTGTGTGAG
ACAGTTTTTGCTGATTTATACAGGCACGCCCCAAGCCAGAGAGGCTGTCTGCCAAGGCCACC
TTGCAGTCTTGGTTTGTAAAGATAAGTCATAGGTAACTTTCTGGTGAATTGCGTGGAGAA
CATGATGGCAGTTCTTGCTGTTTACTATGGTAAGATGCTAAAATAGGAGACAGCAAAGTAAC
ACTTGCTGCTGTAGGTGCTCTGCTATCCAGACAGCGATGGCACTCGCACACCAAGATGAGGG
ATGCTCCCAGCTGACGGATGCTGGGGCAGTAACAGTGGGTCCCATGCTGCCTGCTCATTAGC
ATCACCTCAGCCCTCACCAGCCCATCAGAAGGATCATCCCAAGCTGAGGAAAGTTGCTCATC
TTCTTCACATCATCAAACCTTTGGCCTGACTGATGCCCTCCCGGATGCTTAAATGTGGTCACT
GACATCTTTATTTTCTATGATTTCAAGTCAGAACCCTCCGATCAGGAGGGAACACATAGTG
GGAATGTACCCCTCAGCTCCAAGGCCAGTCTTCTCAATGATCATGCATGCTACTTAGGAA
GGTGTGTGTGTGTGAATGTAGAATTGCCTTTGTATTTTTTTCTTCTGCTGTGAGGAACATT
TTGAATACCAGAGAAAAAGAAAAGTGCTCTTCTTGGCATGGGAGGAGTTGTACACCTTGCAA
AATAAAGGATGCAGTCCCAATGTTTATAATCTCAGGGTCTGAAGGAGGATCAGAACTGTG
TATACAATTTAGGCTTCTCTGAATGCAGCTTTTGAAAGCTGTTTCTGGCCGAGGCAGTACT
AGTCAGAAACCTCGGAAACAGGAACAAATGTCTTCAAGGTGCAGCAGGAGGAAACACCTTGC
CCATCATGAAAGTGAATAACCACTGCCGCTGAAGGAATCCAGCTCCTGTTTGAGCAGGTGCT
GCACACTCCCACACTGAAACAACAGTTTCAATTTTATAGGACTTCCAGGAAGGATCTTCTTCT
TAAGCTTCTTAATTATGGTACATCTCCAGTTGGCAGATGACTATGACTACTGACAGGAGAAT
GAGGAACTAGCTGGGAATATTTCTGTTTGACCACCATGGAGTCACCCATTTCTTTACTGGTA
TTTGGAATAATAATTCTGAATTGCAAAGCAGGAGTTAGCGAAGATCTTCATTTCTTCCATG
TTGGTGACAGCACAGTTCTGGCTATGAAAGTCTGCTTACAAGGAAGAGGATAAAAATCATAG
GGATAATAAATCTAAGTTTGAAAGACAATGAGGTTTTAGCTGCATTTGACATGAAGAAATTGA
GACCTCTACTGGATAGCTATGGTATTTACGTGTCTTTTTGCTTAGTTACTTATTGACCCAG
CTGAGGTCAAGTATGAACTCAGGTCTCTCGGGCTACTGGCATGGATTGATTACATACAACTG
TAATTTTAGCAGTGATTTAGGGTTTATGAGTACTTTTGAGTAAATCATAGGGTTAGTAATG
TTAATCTCAGGGAAAAAAGCCAAACCCTGACAGACATCCCAGCTCAGGTGGAAATC
AAGGATCACAGCTCAGTGCGGTCCAGAGAACACAGGGACTCTTCTCTTAGGACCTTTATGT
ACAGGGCCTCAAGATAACTGATGTTAGTCAGAAGACTTTCCATTCTGGCCACAGTTCAGCTG
AGGCAATCCTGGAAATTTCTCTCCGCTGCACAGTTCCAGTCATCCCAGTTTGTACAGTTCTG
GCACTTTTTTGGGTGAGGCCGTGATCCAAGGAGCAGAAGTTCCAGCTATGGTCAGGGAGTGCC

TGACCGTCCCAACTCACTGCACTCAAACAAAGGCGAAACCACAAGAGTGGCTTTTGTGAAA
TTGCAGTGTGGCCCAGAGGGGCTGCACCAGTACTGGATTGACCACGAGGCAACATTAATCCT
CAGCAAGTGCAATTTGCAGCCATTAATTTGAACCTAAGTACTACAAATGCAATCAGTATCA
ACAAGTGGTTTGGCTTGGGAAGATGGAGTCTAGGGGCTCTACAGGAGTAGCTACTCTTAATG
GAGTTGCATTTTGAAGCAGGACACTGTGAAAAGCTGGCCTCCTAAAGAGGCTGCTAAACAT
AGGGTCAATTTTCCAGTGCCTTTCTGAAGTGTCTGCAGTTCCCATGCAAAGCTGCCAAA
CATAGCACTTCCAATTGAATACAATTATATGCAGGCGTACTGCTTCTTGCCAGCACTGTCTT
TCTCAAATGAACTCAACAAACAATTTCAAAGTCTAGTAGAAAAGTAAACAAGCTTTGAATGTCA
TTAAAAAGTATATCTGCTTTTCACTAGTTTCACTTATTTATGCCCACTAGAAACATCTTGTA
AAGCTGAACACTGGGGCTCCAGATTAGTGGTAAACCTACTTTATACAATCATAGAATCATA
GAATGGCCTGGGTTGGGAAGGGACCCCAAGGATCATGAAGATCCAACACCCCGCCACAGGCA
GGGCCACCAACCTCCAGATCTGCTACTAGACCAGGCAGCCAGGGCTCCATCCAACCTGGCC
ATGAACACCTCCAGGGATGGAGCATCCACAACCTCTCTGGGCAGCCTGTGCCAGCACCTCAC
CACCTCTCTGTGAAGAACTTTTCCCTGACATCCAATCTAAGCCTTCCCTCCTTGAGGTTAG
ATCCACTCCCCCTTGTGCTATCACTGTCTACTCTTGTAAGGTTGATTCTCCTCCTTTTG
GAAGGTTGCAATGAGGTCTCCTTGAGCCTTCTTCTCTTGAGGATGAACAAGCCAGCT
CCCTCAGCCTGTCTTTATAGGAGAGGTGCTCCAGCCCTCTGATCATCTTTGTGGCCCTCCTC
TGGACCCGCTCCAAGAGCTCCACATCTTCTGTACTGGGGGCCCCAGGCCTGAATGCAGTA
CTCCAGATGGGGCTCAAAGAGCAGAGTAAAGAGGGACAATCACCTTCTCACCCTGCTGG
CCAGCCCTCTTCTGATGGAGCCCTGGATACAACCTGGCTTTCTGAGCTGCAACTTCTCCTTAT
CAGTTCCACTATTAAACAGGAACAATACAACAGGTGCTGATGGCCAGTGCAGAGTTTTTCA
CACTTCTTCATTTCGGTAGATCTTAGATGAGGAACGTTGAAGTTGTGCTTCTGCGTGTGCTT
CTTCTCCTCAAATACTCCTGCTGATACCTCACCCACCTGCCACTGAATGGCTCCATGGC
CCCCTGAGCCAGGGCCCTGATGAACCCGGCACTGCTTCAGATGCTGTTTAATAGCACAGTA
TGACCAAGTTGCACCTATGAATACACAAACAATGTGTTGCATCCTTCAGCACTTGAGAAGAA
GAGCCAAATTTGCATTGTGAGGAAATGGTTTAGTAATTTCTGCCAATTAAACTTGTATCT
ACCATGGCTGTTTTATGGCTGTAGTAGTGGTACACTGATGATGAACAATGGCTATGCAGT
AAAATCAAGACTGTAGATATTGCAACAGACTATAAAATTCCTCTGTGGCTTAGCCAATGTGG
TACTTCCACATTGTATAAGAAATTTGGCAAGTTTAGAGCAATGTTTGAAGTGTGGGAAAT
TTCTGTATACTCAAGAGGGCGTTTTTGCAACTGTAGAACAGAGGAATCAAAGGGGGTGGG
AGGAAGTTAAAGAAGAGGCAGGTGCAAGAGAGCTTGCAGTCCCGCTGTGTGTACGACACTG
GCAACATTGAGGTCTTTGCTAATCTTGGTGCTTTGCTTCTGCCCCCTGGCTGCTTAGGGTGC
GATCTGCCTCAGACCCACAGCCTGGGCAGCAGGAGACCCTGATGCTGCTGGCTCAGATGAG
GAGAATCAGCCTGTTTAGCTGCTGAAGGATAGGCACGATTTTGGCTTCTCCTCAAGAGGAGT
TTGGCAACCAGTTTCAGAAGGCTGAGACCATCCTGTGCTGCACGAGATGATCCAGCAGATC
TTTAACCTGTTTAGCACCAAGGATAGCAGCGCTGCTTGGGATGAGACCCTGCTGGATAAGTT
TTACACCGAGCTGTACCAGCAGCTGAACGATCTGGAGGCTTGCCTGATCCAGGGCGTGGGCG
TGACCGAGACCCCTCTGATGAAGGAGGATAGCATCCTGGCTGTGAGGAAGTACTTTCAGAGG
ATCACCTGTACCTGAAGGAGAAGAAGTACAGCCCCCTGCGCTTGGGAAGTCGTGAGGGCTGA
GATCATGAGGAGCTTTAGCCTGAGCACCAACCTGCAAGAGAGCTTGAGGTCTAAGGAGTAAA
AAGTCTAGAGTCGGGGCGGCCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTT
GGACAAACCACAACCTAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTAT
TGCTTTATTTGTAACCATTTATAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTCAAT
TTATGTTTCAGGTTTCAAGGGGAGGTGTGGGAGGTTTTTTAAAGCAAGTAAACCTCTACAAA
TGTGGTAAAATCGATAAGGATCCGTGACCCGATGCCCTTGAGAGCCTTCAACCCAGTCAGCT
CCTTCCGGTGGGCGCGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTTATCATG
CAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCTCGCTCACTGACTCGCTGCGCT
CGGTGCTTCCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTATCCACA
GAATCAGGGGATAACGCAGGAAAGAACAATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCG
TAAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAA
ATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTTCC
CCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCCTGCCGCTTACCGGATACCTGTCCGC
CTTCTCCTTTCGGGAAGCGTGGCGCTTTCTCAATGCTCACGCTGTAGGTATCTCAGTTCGG
TGTAGGTCGTTGCTCCAAGCTGGGCTGTGTGCACGAACCCCCGTTACAGCCGACCGCTGC

GCCTTATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGC
AGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGA
AGTGGTGGCCTAACTACGGCTACACTAGAAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAG
CCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGGTAG
CGGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGATC
CTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGGATTTTG
GTCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTTTAA
ATCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGG
CACCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATAGTTGCCTGACTCCCCGTCGTGTAG
ATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCC
ACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCAGAA
GTGGTCCCTGCAACTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAGTA
AGTAGTTCCGCCAGTTAATAGTTTGCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTC
ACGCTCGTCTTTTGGTATGGCTTCATTACGCTCCGGTTCCCAACGATCAAGGCGAGTTACAT
GATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCCCTCCGATCGTTGTGTCAGAA
AAGTTGGCCGCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCTAT
GCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGT
GTATGCGGCGACCGAGTTGCTCTTGCCCCGGCGTCAATACGGGATAATACCGCGCCACATAGC
AGAACTTTAAAAGTGCTCATCATTTGGAACCGTTCTTCGGGGCGAAAACTCTCAAGGATCTT
ACCGCTGTTGAGATCCAGTTTCGATGTAAACCACTCGTGCAACCAACTGATCTTCAGCATCTT
TTACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAAGGGA
ATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTTCAATATTATTGAAGCAT
TTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAACAAA
TAGGGGTTCCGCGCACATTTCCCGAAAAGTGCCACCTGACGCGCCCTGTAGCGGCGCATTA
AGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCGCC
CGCTCCTTTTCGCTTTCTTCCCTTCCTTTCTCGCCACGTTTCGCCGGCTTTCCCGTCAAGCTC
TAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCCAAAAA
CTTGATTAGGGTGATGGTTACAGTAGTGGGCCATCGCCCTGATAGACGGTTTTTCGCCCTTT
GACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAACTGGAACAACACTCAACC
CTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAAAA
AATGAGCTGATTTAACAAAAATTTAACGCGAATTTTAACAAAAATATTAACGTTTACAATTT
CCATTGCGCATTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGCCTCTTCGCTAT
TACGCCAGCCCAAGCTACCATGATAAGTAAGTAATATTAAGGTACGGGAGGTACTTGGAGCG
GCCGCTCTAGAACTAGTGGATCCCCCGGCCGCAATAAAATATCTTTATTTTCATTACATCTG
TGTTGTTGGTTTTTTGTGTGAATCGATAGTACTAACATACGCTCTCCATCAAAACAAAACGAA
ACAAAACAAACTAGCAAAATAGGCTGTCCCAAGTGCAAGTGCAAGTGCCAGGATCTATACATTGAATCAA
ATCGATAGGTACCGAGCTCTTACGCGTGCTAGCCCTCGAGCAGGATCTATACATTGAATCAA
TATTGGCAATTAGCCATATTAGTCATTGGTTATATAGCATAAATCAATATTGGCTATTGGCC
ATTGCATACGTTGTATCTATATCATAATATGTACATTTATATTGGCTCATGTCCAATATGAC
CGCCATGTTGACATTGATTATTGACTAGTTATTAATAGTAATCAATTACGGGGTCATTAGTT
CATAGCCCATATATGGAGTTCCGCGTTACATAAATTACGGTAAATGGCCCGCCTGGCTGACC
GCCCCAACGACCCCCCGCCCATTTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAG
GGACTTTCCATTGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACAT
CAAGTGTATCATATGCCAAGTCCGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTG
GCATTATGCCAGTACATGACCTTACGGGACTTTTCTTACTTGGCAGTACATCTACGTATTAG
TCATCGCTATTACCATGGTGATGCGGTTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTT
GACTCACGGGGATTTCCAAGTCTCCACCCCATTGACGTCAATGGGAGTTTGTTTTGGCACCA
AAATCAACGGGACTTTTCAAATGTCTGTAACAACTCCGCCCATTTGACGCAAAATGGGCGGTA
GGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCGTTTAGTGAACCGTCAGATCGCCTGG
AGACGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCCCTC
GAAGCTCGACTCTAGGGGCTCGAGATCTGCGATCTAAGTAAGCTTGCATGCCTGCAGGTCCG
CCGCCACGACCGGTGCCGCCACCATCCCCTGACCCACGCCCCCTGACCCCTCACAAGGAGACG
ACCTTCCATGACCGAGTACAAGCCCACGGTGCGCCTCGCCACCCGCGACGACGTCCCCCGGG
CCGTACGCACCTCGCCGCCCGGTTTCGCCGACTACCCCGCCACGCGCCACACCGTCGACCCG

GACCGCCACATCGAGCGGGTCACCGAGCTGCAAGAACTCTTCCTCACGCGCGTCGGGGCTCGA
CATCGGCAAGGTGTGGGTGCGCGACGACGCGCCGCGGTGGCGGTCTGGACCACGCCGGAGA
GCGTCGAAGCGGGGGCGGTGTTGCGCCGAGATCGGCCCGCGCATGGCCGAGTTGAGCGGTTCC
CGGCTGGCCGCGCAGCAACAGATGGAAGGCCTCCTGGCGCCGCACCGGCCCAAGGAGCCCGC
GTGGTTCCTGGCCACCGTCTCGGCGTCTCGCCCGACACCAGGGCAAGGGTCTGGGCAGCGCCG
TCGTGCTCCCCGGAGTGGAGGCGGCCGAGCGCGCCGGGGTGCCCGCTTCCTGGAGACCTCC
GCGCCCCGCAACCTCCCCTTCTACGAGCGGCTCGGCTTCACCGTCACCGCCGACGTCGAGGT
GCCCCAAGGACCGCGCACCTGGTGCATGACCCGCAAGCCCGGTGCCTGACGCCCCGCCCCACG
ACCCGCAGCGCCCGACCGAAAGGAGCGCACGACCCCATGGCTCCGACCGAAGCCGACCCGGG
CGGCCCCGCGGACCCCGCACCCGCCCCCGAGGCCCCACCGACTCTAGAGTCGGGGCGGCCGGC
CGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGACAAACCACAACCTAGAATGCAG
TGAAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCTTTATTTGTAACCATTATAAG
CTGCAATAAAACAAGTTAACAACAACAATTCATTTCATTTTATGTTTCAGGTTTCAGGGGGAGG
TGTGGGAGGTTTTTTTAAAGCAAGTAAACCTCTACAAATGTGGTAAAATCGATAAGGATCAA
TTCGGCTTCAGGTACCGTTCGACGATGTAGGTACCGTCTCGAAGCCGCGGTGCGGGTGCCAG
GGCGTGCCCTTGGGGTCCCCGGGCGCGTACTCCACCTCACCCATCTGGTCCATCATGATGAA
CGGGTCGAGGTGGCGGTAGTTGATCCCGGCGAACGCGCGGCGCACCGGGAAGCCCTCGCCCT
CGAAACCGCTGGGCGCGGTGGTCACGGTGAGCACGGGACGTGCGACGGCGTTCGGCGGGTGCG
GATACGCGGGGCAGCGTCAGCGGGTTCTCGACGGTCACGGCGGGCATGTGACAGCCGAATT
GATCCGTTCGACCGATGCCCTTGAGAGCCTTCAACCCAGTCAGCTCCTTCCGGTGGGCGCGGG
GCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTTATCATGCAACTCGTAGGACAGGTG
CCGGCAGCGCTCTTCCGCTTCCTCGCTCACTGACTCGCTGCGCTCGGTGCTTCGGCTGCGGC
GAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTATCCACAGAATCAGGGGATAACGCA
GGAAAGAACATG

Fig. 15

pOM IFN-Ins-CMV-pur-attB (SEQ ID NO: 8)

GGCCGCCACCGCGGTGGAGCTCCAATTCGCCCTATAGTGAGTCGTATTACAATTCAGTGGCC
GTCGTTTTTACAACGTCGTGACTGGGAAAACCCCTGGCGTTACCCAACTTAATCGCCTTGCAGC
ACATCCCCCTTTCCGAGCTGGCGTAATAGCGAAGAGGCCCGCACCGATCGCCCTTCCCAAC
AGTTGCGCAGCCTGAATGGCGAATGGGACGCGCCCTGTAGCGGCGCATTAAGCGCGGCGGGT
GTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTTCGC
TTTCTTCCCTTCCCTTCTCGCCACGTTGCGCCGGCTTTCCCGTCAAGCTCTAAATCGGGGGC
TCCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAACTTGATTAGGGT
GATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTTCGCCCTTTGACGTTGGAGTC
CACGTTCTTTAATAGTGGAATCTTGTTCCAACTGGAACAACACTCAACCCTATCTCGGTCT
ATTCTTTTGATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTTAAAAAATGAGCTGATT
TAACAAAAATTTAACGCGAATTTTAACAAAATATTAACGCTTACAATTTAGGTGGCACTTTT
CGGGGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCC
GCTCATGAGACAATAACCCCTGATAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTA
TTCAACATTTCCGTGTCGCCCTTATTCCCTTTTTTGCGGCATTTTGCCCTTCTGTTTTTGCT
CACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTA
CATCGAACTGGATCTCAACAGCGGTAAGATCCTTGAGAGTTTTTCGCCCGAAGAAGCGTTTTTC
CAATGATGAGCACTTTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGG
CAAGAGCAATCTGGTCCGCCCATACACTATTCTCAGAATGACTTGTTGAGTACTCACCAGT
CACAGAAAAGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATAACCA
TGAGTGATAACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAAC
GCTTTTTTGCACAACATGGGGGATCATGTAACCTCGCCTTGATCGTTGGGAACCGGAGCTGAA
TGAAGCCATACCAAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGC
GCAAATATTAACCTGGCGAACTACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATG
GAGGCGGATAAAGTTGACGAGCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTTATTGC
TGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTCGACGACTGGGGCCAGATG
GTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGAGTCAGGCAACTATGGATGAACGA
AATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATTTGGTAACTGTCAGACCAAGT
TTACTCATATATACTTTAGATTGATTTAAAACCTTCATTTTTTAATTTAAAAGGATCTAGGTGA
AGATCCTTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTTCGTTCCACTGAGCG
TCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCGCGTAATCTG
CTGCTTGCAAACAAAAAAACCACCGCTACCAGCGGTGGTTTGTGTTGCCGGATCAAGAGCTAC
CAACTCTTTTCCGAAGGTAACCTGGCTTCAGCAGAGCGCAGATACCAATACTGTCTCTCTA
GTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCTCT
GCTAATCCTGTTACCAAGTGGCTGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGACT
CAAGACGATAGTTACCGGATAAGGCGCAGCGGTGGGCTGAACGGGGGGTTTCGTGCACACAG
CCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCTATGAGAAAG
CGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTTCGGAACAG
GAGAGCGCACGAGGGAGCTTCCAGGGGGAACGCCTGGTATCTTTATAGTCCTGTGCGGTTT
CGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCGGAGCCTATGGAA
AAACGCCAGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGT
TCTTTCCTGCGTTATCCCCTGATTCTGTGGATAACCGTATTACCGCCTTTGAGTGAGCTGAT
ACCGCTCGCCGAGCCGAACGACGAGCGCAGCTCAGTGAGCGAGGAAGCGGAAGAGCG
CCCAATACGCAAAACCGCCTCTCCCGCGCGTTGGCCGATTCAATTAATGCAGCTGGCAGCA
GGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCAATTAATGTGAGTTAGCTCACTCAT
TAGGCACCCAGGCTTTACACTTTATGCTTCCGGCTCGTATGTTGTGTGGAATTTGTGAGCGG
ATAACAATTTCAACAGGAAACAGCTATGACCATGATTACGCCAAGCTCGAAAATTAACCCCTC
ACTAAAGGGAACAAAAGCTGGGTACCGGGGCCCCCTCGACTAGAGGGACAGCCCCCCCCCA
AAGCCCCAGGGATGTAATTACGTCCCTCCCCCGTAGGGGGCAGCAGCGAGCCGCCCGGGG
CTCCGCTCCGGTCCGGCGCTCCCCCGCATCCCCGAGCCGGCAGCGTGCGGGGACAGCCCGG
GCACGGGGAAGGTGGCACGGGATCGCTTTCCTCTGAACGCTTCTCGCTGCTCTTTGAGCCTG
CAGACACCTGGGGGGATACGGGGAAAAAGCTTTAGGCTGAAAGAGAGATTTAGAATGACAGA
ATCATAGAACGGCCTGGGTTGCAAAGGAGCACAGTGCTCATCCAGATCCAACCCCTGCTAT
GTGCAGGGTCATCAACCAGCAGCCAGGCTGCCAGAGCCACATCCAGCCTGGCCTTGAATG

CCTGCAGGGATGGGGCATCCACAGCCTCCTTGGGCAACCTGTTTCAGTGCGTCACCACCCTCT
GGGGGAAAACTGCCTCCTCATATCCAACCCAAACCTCCCCTGTCTCAGTGTAAGCCATTC
CCCCTTGTCTATCAAGGGGGAGTTTGTCTGTGACATTGTTGGTCTGGGGTGACACATGTTTG
CCAAATTCAGTGCATCACGGAGAGGCAGATCTTGGGGATAAGGAAGTGCAGGACAGCATGGAC
GTGGGACATGCAGGTGTTGAGGGCTCTGGGACACTCTCCAAGTCACAGCGTTTCAAGACAGCC
TTAAGGATAAGAAGATAGGATAGAAGGACAAAGAGCAAGTTAAAACCCAGCATGGAGAGGAG
CACAAAAGGCCACAGACACTGCTGGTCCCTGTGTCTGAGCCTGCATGTTTGTATGGTGTCTG
GATGCAAGCAGAAGGGGTGGAAGAGCTTGCCCTGGAGAGATACAGCTGGGTGAGTAGGACTGG
GACAGGCAGCTGGAGAATTGCCATGTAGATGTTTATACAATCGTCAAATCATGAAGGCTGGA
AAAGCCCTCCAAGATCCCCAAGACCAACCCCAACCCACCCACCGTGCCCACTGGCCATGTCC
TTCAGTGCCACATCCCCACAGTTCTTTCATCACCTCCAGGGACGGTGACCCCCCACCTCCGT
GGGCAGCTGTGCCACTGCAGCACCGCTCTTTGGAGAAGGTAAATCTTGCTAAATCCAGCCCCG
ACCCCTCCCCCTGGCACAACGTAAGGCCATTATCTCTCATCCAACCTCCAGGACGGAGTCAGTGA
GGATGGGGCTCTAGTCGAGGTGACCGGTATCGATAAGCTTGATTAGGCAGAGCAATAGGACT
CTCAACCTCGTGAGTATGGCAGCATGTTAACTCTGCACTGGAGTCCAGCGTGGGAAACAATC
TGCCCTGCACATGAGTCTTCGTGGGCCAATATTCCCCAACGGTTTTCTTTCAGCTTGTCTTG
TCTCCTAAGCTCTCAAAACACCTTTTTTGGTGAATAAACTCACTTGGCAACGTTTATCTGTCT
TACCTTAGTGTACGTTTTATCCCTATTCCCCTTTCTCCTCCTCCGTGTGGTACACAGTGGT
GCACACTGGTCTTCTGTGTGATGTTCTGCTCTGACAGCCAATGTGGGTAAAGTTCTTCTGCT
CACGTGTCTGTGTTGTTTTCACTTCAAAAAGGGCCCTGGGCTCCCCTGGAGCTCTCAGGCA
TTTCTTAATCATCACAGTCACGCTGGCAGGATTAGTCCCTCCTAAACCTTAGAATGACCTG
AACGTGTGCTCCCTCTTTGTAGTCAGTGCAGGGAGACGTTTGCCCTCAAGATCAGGGTCCATC
TCACCCACAGGGCCATTCCAAGATGAGGTGGATGGTTTAACTCTCACAAAAGTTTTCTTAT
GTTTGGCTAGAAAGGAGAAGTCACTGCCTACCTGTGAATTCCCCTAGTCCCTGGTCTGCTGC
CACTGCTGCCTGTGCGAGCCTGTCCCATGGAGGGGGCAGCAACTGCTGTCAAAAGGTGATCC
CACCCTGTCTCCACTGAAATGACCTCAGTGCCACGTGTTGTATAGGGTATAAAGTACGGGAG
GGGGATGCCCCGGCTCCCTTCAGGGTTGCAGAGCAGAAGTGTCTGTGTATAGAGTGTGTCTTA
ATCTATTAATGTAACAGAACAACCTTCAGTCCTAGTGTTTTGTGGGCTGGAATTGCCCATGTG
GTAGGGACAGGCCTGCTAAATCACTGCAATCGCCTATGTTCTGAAGGTATTTGGGAAAGAAA
GGGATTTGGGGGATTGCTGTGATTGGCTTTAATTGAATGGCAAATCACAGGAAAGCAGTTC
TGCTCAACAGTTGGTTGTTTTCAGCCAATTCTTGCCAGCCAAAGAGCCGGGTGCCCAGCGATAT
AATAGTTGTCACTTGTGTCTGTATGGATGACAGGGAGGTAGGGTGACCTGAGGACCACCTC
CAGCTTCTGCTAGCGTAGGTACAGTCACCACCTCCAGCTCCACACGAGTCCCATCGTGGTTT
ACCAAGAGAACACAATTATTTGGACCAGTTTGGAAAGTCACCCGCTGAATTGTGAGGCTAGA
TTAATAGAGCTGAAGAGCAAATGTTCCCAACTTGGAGATACTAGTTGGTATTAGTATCAGAG
GAACAGGGCCATAGCACCTCCATGCTATTAGATTCCGGCTGGCATGTACTTTTCAAGATGAT
TTGTAACATAACAATGGCTTATTGTGCTTGTCTTAAAGTCTGTGTCCTAATGTAAATGTTCCCTT
TGGTTTATATAACCTTCTTGCCATTTGCTCTTCAGGTGTTCTTGCCAGAACACTGGCTGCTTT
AATCTAGTTTAACTGTTGCTTGATTATTCTTAGGGATAAGATCTGAATAAACTTTTTGTGGC
TTTGGCAGACTTTAGCTTGGGCTTAGCTCCACATTAGCTTTTGCTGCCTTTTCTGTGAAGC
TATCAAGATCCTACTCAATGACATTAGCTGGGTGCAGGTGTACCAAATCCTGCTCTGTGGAA
CACATTGTCTGATGATACCGAAGGCAAACGTGAACCTCAAAGAGGCACAGAGTTAAGAAGAAG
TCTGTGCAATTCAGAGGAAAAGCCAAAGTGGCCATTAGACACACTTTCATGCAGCATTTGC
CAGTAGGTTTCATATAAACTACAAAATGGAATAAACCACTACAAATGGGAAAAGCCTGATA
CTAGAATTTAAATATTCACCCAGGCTCAAGGGGTGTTTCATGGAGTAATATCACTCTATAAA
AGTAGGGCAGCCAATTATTCACAGACAAAGCTTTTTTTTTTCTGTGCTGCAGTGCTGTTTTT
CGGCTGATCCAGGGTTACTTATTGTGGGTCTGAGAGCTGAATGATTTCTCCTTGTGTGATGT
TGGTGAAGGAGATATGGCCAGGGGGAGATGAGCATGTTCAAGAGGAAACGTTGCATTTTGGT
GGCTTGGGAGAAAGGTAGAACGATATCAGGTCCATAGTGTCACTAAGAGATCTGAAGGATGG
TTTTACAGAACAGTTGACTTGGCTGGGTGCAGGCTTGGCTGTAAATGGATGGAAGGATGGAC
AGATGGGTGGACAGAGATTTCTGTGCGAGGATCATCTCCTGAGCTCGGTGCTTGACAGACT
GCAGATCCATCCCATAACTTCTCCAGCATGAGAGCGCGGGGAGCTTTGGTACTGTTTCAGTC
TGCTGCTTGTGTGCTTCCCTGGGTGCACAGTGGTGATTTTCTTACTCACACAGGGCAAAAACCT
GAGCAGCTTCAAAGTGAACAGGTTGCTCTCATAGGCCATTCAAGTTGTCAAGATGAGGTTTTT

GGTTTCTTGTTTTGTAAGGTGGGAAGAAGCACTGAAGGATCAGTTGCGAGGGCAGGGGTTTA
GCACTGTTTCAGAGAAGTCTTATTTTAACTCCTCTCATGAACAAAAAGAGATGCAGGTGCAGA
TTCTGGCAAGCATGCAGTGAAGGAGAAAGCCCTGAATTTCTGATATATGTGCAATGTTGGGC
ACCTAACATTTCCCGCTGAAGCACAGCAGCTCCAGCTCCATGCAGTACTCACAGCTGGTGCA
GCCCTCGGCTCCAGGGTCTGAGCAGTGCTGGGACTCACGAGGTTCCATGTCTTTCACACTGA
TAATGGTCCAATTTCTGGAATGGGTGCCCATCCTTGGAGGTCCCAGGCCAGGCTGGCTGC
GTCTCCGAGCAGCCGATCTGGTGGTGAGTAGCCAGCCCATGGCAGGAGTTAGAGCCTGATG
GTCTTTAAGGTCCCTTCCAACCTAAGCCATCCTACGATTCTAGGAATCATGACTTGTGAGTG
TGTATTGCAGAGGCAATATTTTAAAGTTATAAATGTTTTCTCCCCTCCTTGTGTTGTCAAAG
TTATCTTGATCGCCTTATCAATGCTTTTGGAGTCTCCAGTCATTTTTCTTACAMCAAAAAGA
GGAGGAAGAATGAAGAGAATCATTTAATTTCTTGATTGAATAGTAGGATTAGAAAGCTGTA
CGTAATGCCGTCTCTTTGTATCGAGCTGTAAGGTTTCTCATCATTTATCAGCGTGGTACATA
TCAGCACTTTTCCATCTGATGTGGAATAAATCCTTATCATCTACAGTCTCTGTACCTAA
ACATCGCTCAGACTCTTTACCAAAAAAGCTATAGGTTTTTAAACTACATCTGCTGATAATTT
GCCTTGTTTTAGCTCTTCTCCATATGCTGCGTTTGTGAGAGGTGCGTGGATGGGCCTAAAC
TCTCAGCTGCTGAGCTTGAAGGGTGCTTAAGAATGAAGCACTCACTGCTGAAACTGTTTTCA
TTTCACAGGAATGTTTTAGTGGCATTGTTTTTATACTACATATTCCTCAGATAAATGAAAT
CCAGAAATAATTATGCAAACTCACTGCATCCGTTGCACAGGTCTTTATCTGCTAGCAAAGGA
AATAATTTGGGGATGGCAAAAACATTCTTTCAGACATCTATATTTAAAGGAATATAATCCTG
GTACCCACCCACTTCATCCCTCATTATGTTTCACTCAGAGATACTCATTCTCTTGTGTTA
TCATTTGATAGCGTTTCTTTGGTTCTTTGCCACGCTCTGGGCTATGGCTGCACGCTCTGCA
CTGATCAGCAAGTAGATGCGAGGGAAGCAGCAGTGAGAGGGGCTGCCCTCAGCTGGCACCCA
GCCGCTCAGCCTAGGAGGGGACCTTGCTTTTCCACCAGCTGAGGTGCAGCCCTACAAGCTTA
CACGTGCTGCGAGCAGGTGAGCAAAGGGAGTCTTCATGGTGTGTTTCTTGCTGCCCGGAAGC
AAAACCTTTACTTTTCATTTCATTTCCCTTGAAGAATGAGGAATGTTTGGAACGGACTGCTTTA
CGTTCAATTTCTCTCTTCCCTTTAAGGCTCAGCCAGGGGCCATTGCTGAGGACGGCATCGGG
GCCCCCTGGACCAAATCTGTGGCACAGATGGTTTCACTTACATCAGTGGATGTGGGATCTGC
GCCTGTAATGTGTCCTTCTGAAGGAAGGAACGTGCCTTCCAAGTGCCAGCCCCACAGCCCC
AGCCCCCTCCCTGTGCTGCTCCAATTCATCTCCTCTTCTCCTTCTCCCTTTGCTGTTGTGC
TCGGGTAGAAATCATGAAGATTTAGAAGAGAAAACAAAATAACTGGAGTGGAACCCAGGTG
ATGCAGTTCATTTCAGCTGTCTAGGTTTGTGCTGCTATAGGTCTGTATCAGAGATGCTARC
ACCATTTTGCTGTGCTGCTTAACCTCGGTGAACCTCCTTCACTCGCATCATTTGCGGGCC
TTATTTTACATCCCCAGCATCCATCACCCCTGCGGAAAATGGGCGCACTGGATCTCTAATGGA
AGACTTTCCCTCTTTCAGAGCCTGTGGGATGTGCAGTGACAAGAAACGTGGAGGGGCTGAGC
AGCAGCACTGCCCCCAGGGAGCAGGAGCGGATGCCATCGGTGGCAGCATCCCAAATGATGTC
AGCGGATGCTGAGCAGGCAGCGGACGAACGGACAGAAGCGATGCGTACACCTTCTGTTGACA
TGGTATTTGGCAGCGATTTAACAACCTCGCTTCTAGTCTGCTATTCTCCACAGGCTGCATTC
AAATGAACGAAGGGAAGGGAGGCAAAAAGATGCAAAATCCGAGACAAGCAGCAGAAATATTT
CTTCGCTACGGAAGCGTGCGCAAACAACCTTCTCCAACAGCACCAGAAGAGCACAGCGTAAC
CTTTTTCAAGACCAGAAAAGGAAATTCACAAAGCCTCTGTGGATAACAGCGCGTTTCACTCT
CCTGATAGCAGATTTCTTGTGAGGTGCGAATGGGGTATGGTGCCAGGAGGTGCAGGGACCA
TATGATCATATACAGCACAGCAGTCATTGTGCATGTATTAATATATATTGAGTAGCAGTGTT
ACTTTGCCAAAGCAATAGTTCAGAGATGAGTCCTGCTGCATACCTCTATCTTAAACTAACT
TATAAATAGTAAACCTTCTCAGTTCAGCCACGTGCTCCTCTCTGTGTCAGCACCAATGGTGCT
TCGCCTGCACCCAGCTGCAAGGAATCAGCCCGTGATCTCATTAACACTCAGCTCTGCAGGAT
AAATTAGATTGTTTCACTCTCTTTTGTGTTAATTACGACGGAACAATTGTTTCACTGCTGAT
GGTCTAATTGTCAGCTACAGAAAACGTCTCCATGCAGTTCCTTCTGCGCCAGCAAACTGTC
CAGGCTATAGCACCGTGATGCATGCTACCTCTCACTCCATCCTTCTTCTCTTTCCACCAGG
GAGAGCTGTGTGTTTTCACTCTCAGCCACTCTGAACAATACCAAACTGCTACGCACTGCCTC
CCTCGGAAAGAGAATCCCCCTGTTGCTTTTTTATTTACAGGATCCTTCTTAAAAAGCAGACC
ATCATTCACTGCAAACCCAGAGCTTCATGCCTCTCCTTCCACAACCGAAAACAGCCGGCTTC
ATTTGTCTTTTTTAAATGCTGTTTTCCAGGTGAATTTTGGCCAGCGTGTGCTGAGATCCA
GGAGCACGTGTCAGCTTTCTGCTCTCATTGCTCCTGTTCTGCATTGCCTCTTCTGCGGTTT
CCAAGAGGGGGGAGACTTTGCGCGGGGATGAGATAATGCCCTTTTCTTAGGGTGGCTGCT

GGGCAGCAGAGTGGCTCTGGGTCACCTGTGGCACCAATGGGAGGCACCAGTGGGGGTGTGTTT
TGTGCAGGGGGGAAGCATTACAGAAATGGGGCTGATCCTGAAGCTTGCAGTCCAAGGCTTTG
TCTGTGTACCCAGTGAAATCCTTCCTCTGTACATAAAGCCCAGATAGGACTCAGAAATGTA
GTCATTCCAGCCCCCTCTTCCTCAGATCTGGAGCAGCACTTGTTCAGCCAGTCCCTCCCC
AAAATGCACAGACCTCGCCGAGTGGAGGGAGATGTAAACAGCGAAGGTTAATTACCTCCTTG
TCAAAAACACTTTGTGGTCCATAGATGTTTCTGTCAATCTTACAAAACAGAACCGAGAGGCA
GCGAGCACTGAAGAGCGTGTTCCTATGCTGAGTTAATGAGACTTGGCAGCTCGCTGTGCAGA
GATGATCCCTGTGCTTCATGGGAGGCTGTAACTGTCTCCCATCGCCTTCACACCGCAGTG
CTGTCCTGGACACCTCACCTCCATAAGCTGTAGGATGCAGCTGCCAGGGATCAAGAGACT
TTTCCTAAGGCTCTTAGGACTCATCTTTGCCGCTCAGTAGCGTGCAGCAATTACTCATCCCA
ACTATACTGAATGGGTTTCTGCCAGCTCTGCTTGTGTGTCAATAAGCATTCTTCATTTTGG
CTCTAAGTTTCTCTCAGCAGCACCGCTCTGGGTGACCTGAGTGGCCACCTGGAACCCGAGGG
GCACAGCCACCACCTCCCTGTTGCTGCTGCTCCAGGGACTCATGTGCTGCTGGATGGGGGGA
AGCATGAAGTTCCTCACCCAGACACCTGGGTGCAATGGCTGCAGCGTGTCTTCTTGGTAT
GCAGATTGTTTCCAGCCATTACTTGTAGAAATGTGCTGTGGAAGCCCTTTGTATCTCTTTCT
GTGGCCCTTCAGCAAAAGCTGTGGGAAAGCTCTGAGGCTGCTTTCTTGGGTGCTGGAGGAAT
TGTATGTTCTCTTTAACAATAATTATCCTTAGGAGAGAGCACTGTGCAAGCATTGTGCAC
ATAAAACAATTCAGGTTGAAAGGGCTCTCTGGAGGTTTCCAGCCTGACTACTGCTCGAAGCA
AGGCCAGGTTCAAAGATGGCTCAGGATGCTGTGTGCCTTCTGATTATCTGTGCCACCAATG
GAGGAGATTACAGCCACTCTGCTTCCCGTGCCACTCATGGAGAGGAATATTCCTTATATT
CAGATAGAATGTTATCCTTTAGCTCAGCCTTCCCTATAACCCATGAGGGAGCTGCAGATCC
CCATACTCTCCCTTCTCTGGGGTGAAGGCCGTGTCCCCAGCCCCCTTCCACCTGTGC
CCTAAGCAGCCCGCTGGCCTCTGCTGGATGTGTGCCTATATGTCAATGCCTGTCTTGCAGT
CCAGCCTGGGACATTTAATTCATCACCAGGGTAATGTGGAACCTGTGTATCTTCCCTGCAG
GGTACAAAGTCTGTGCACGGGGTCTTTTCGGTTCAGGAAAACCTTCACTGGTGTACCTGAAT
CAAGCTCTATTTAATAAGTTCATAAGCACATGGATGTGTTTTCTAGAGATACGTTTTAATG
GTATCAGTGAATTTTTATTGCTTTGTTGCTTACTTCAAACAGTGCCTTTGGGCAGGAGGTGA
GGGACGGGTCTGCCGTTGGCTCTGCAGTGATTTCTCCAGGCGTGTGGCTCAGGTCAGATAGT
GGTCACTCTGTGGCCAGAAGAAGACAAAGATGGAAATTGCAGATTGAGTCACGTTAAGCAG
GCATCTTGGAGTGATTTGAGGCAGTTTCATGAAAGAGCTACGACCACTTATTGTTGTTTTCC
CCTTTTACAACAGAAGTTTTTCATCAAAATAACGTGGCAAAGCCAGGAATGTTTGGGAAAAG
TGTAAGTTAAATGTTTTGTAATTCATTGTGTCGGAGTGCTACCAGCTAAGAAAAAAGTCTACC
TTTGGTATGGTAGTCCTGCGAGAGAATACAACATCAATATAGTTTGGAAGAAAAACACCACCA
CCACCAGAACTGTAATGGAAAATGTAAACCAAGAAATTCCTTGGGTAAAGAGAGAAAGGATG
TCGTATACTGGCCAAGTCTGCCCAGCTGTGAGCCTGCTGACCTCTGCAGTTGAGGACCAT
GAAACGTGGCACTGTAAGACGTGTCCCCTGCTTGTGCTGCCCACAGATCTTGCCTTGTG
CTGACTCTGTCACACAAGAGCATTTCCTGTAGCCAAACAGCGATTAGCCATAAGCTGCACC
TGACTTTGAGGATTAAGAGTTTGCAATTAAGTGGATTGCAGCAGGAGATCAGTGGCAGGGTT
GCAGATGAAATCCTTTCTAGGGGTAGCTAAGGGCTGAGCAACCTGTCTACAGCACAAGCC
AAACCAGCCAAGGGTTTTCTCTGTGCTGTTTACAGAGGCAGGGCCAGCTGGAGCTGGAGGAGG
TTGTGCTGGGACCTTCTCCCTGTGCTGAGAATGGAGTGATTTCTGGGTGCTGTTCTCTGTGG
CTTGCACTGAGCAGCTCAAGGGAGATCGGTGCTCCTCATGCAGTGCCAAAACCTCGTGTGGA
TGCAGAAAGATGGATGTGCACCTCCCTCCTGCTAATGCAGCCGTGAGCTTATGAAGGCAATG
AGCCCTCAGTGCAGCAGGAGCTGTAGTGCACTCCTGTAGGTGCTAGGGAAAATCTCTGGTTC
CCAGGGATGCATTACATAAGGGCAATATATCTTGAGGCTGCGCCAAATCTTTCTGAAATATTC
ATGCGTGTTCCTTAATTTATAGAAACAAACACAGCAGAATAATTATCCAATGCCTCCCCT
CGAAGGAAACCCATATTTCCATGTAGAAATGTAACTATATACACACAGCCATGCTGCATCC
TTCAGAACGTGCCAGTGCTCATCTCCCATGGCAAAATACTACAGGTATTCTCACTATGTTGG
ACCTGTGAAAGGAACCATGGTAAGAACTTCGGTTAAAGGTA TGGCTGCAAAACTACTCATA
CCAAAACAGCAGAGCTCCAGACCTCCTCTTAGGAAAGAGCCACTTGGAGAGGGATGGTGTGA
AGGCTGGAGGTGAGAGACAGAGCCTGTCCAGTTTTCTGTCTCTATTTTCTGAAACGTTTG
CAGGAGGAAAGGACAACTGTACTTTTCAGGCATAGCTGGTGGCCTCACGTAAATAAGTTCCCC
GAACCTCTGTGTCAATTTGTTCTTAAGATGCTTTGGCAGAACACTTTGAGTCAATTCGCTTAA
CTGTGACTAGGTCTGTAAATAAGTGCTCCCTGCTGATAAGGTTCAAGTGACATTTTGTAGTGG

TATTTGACAGCATTACCTTGCTTTCAAGTCTTCTACCAAGCTCTTCTATACTTAAGCAGTG
AAACCGCCAAGAAACCCTTCCTTTTATCAAGCTAGTGCTAAATACCATTAACCTTCATAGGTT
AGATACGGTGCTGCCAGCTTCACCTGGCAGTGGTTGGTCAGTTCTGCTGGTGACAAAGCCTC
CCTGGCCTGTGCTTTTACCTAGAGGTGAATATCCAAGAATGCAGAACTGCATGGAAAGCAGA
GCTGCAGGCACGATGGTGCTGAGCCTTAGCTGCTTCCTGCTGGGAGATGTGGATGCAGAGAC
GAATGAAGGACCTGTCCCTTACTCCCTCAGCATTCTGTGCTATTTAGGGTTCTACCAGAGT
CCTTAAGAGGTTTTTTTTTTTTTTGGTCCAAAAGTCTGTTTGTGGTTTGGTTTGGACTGAGA
GCATGTGACACTTGTCTCAAGCTATTAACCAAGTGTCAGCCAAAATCAATTGCCTGGGAGA
CGCAGACCATTAACCTGGAGGTCAGGACCTCAATAAATATTACCAGCCTCATTGTGCCGCTGA
CAGATTACAGCTGGCTGCTCCGTGTTCCAGTCCAACAGTTTCGGACGCCACGTTTGTATATATT
TGCAGGCAGCCTCGGGGGGACCATCTCAGGAGCAGACACCGGCAGCCGCTGCAGAGCCGG
GCAGTACCTCACCATTGGCTTTGACCTTTGCCTTACTGGTGGCTCTCCTGGTGCTGAGCTGCA
AGAGCAGCTGCTCTGTGGGCTGCGATCTGCCTCAGACCCACAGCCTGGGCAGCAGGAGGACC
CTGATGCTGCTGGCTCAGATGAGGAGAATCAGCCTGTTTAGCTGCCTGAAGGATAGGCACGA
TTTTGGCTTTCTCTCAAGAGGAGTTTGGCAACCAGTTTTCAGAAGGCTGAGACCATCCCTGTGC
TGCACGAGATGATCCAGCAGATCTTTAACCTGTTTAGCACCAGGATAGCAGCGCTGCTTGG
GATGAGACCCTGCTGGATAAGTTTTACACCGAGCTGTACCAGCAGCTGAACGATCTGGAGGC
TTGCGTGATCCAGGGCGTGGGCGTGACCGAGACCCCTCTGATGAAGGAGGATAGCATCCTGG
CTGTGAGGAAGTACTTTTACAGAGGATCACCTGTACCTGAAGGAGAAGAAGTACAGCCCTGC
GCTTGGGAAGTCGTGAGGGCTGAGATCATGAGGAGCTTTAGCCTGAGCACCACCTGCAAGA
GAGCTTGAGGTCTAAGGAGTAAAAGTCTAGAGTCGGGGCGGCCGCGCTTCGAGCAGACA
TGATAAGATACATTGATGAGTTTGGACAAACCACAACCTAGAATGCAGTGAAAAAATGCTTT
ATTTGTGAAATTTGTGATGCTATTGCTTTATTTGTAACCATTTATAAGCTGCAATAAACAAGT
TAACAACAACAATTGCATTCATTTTATGTTTTCAGGTTTCAGGGGGAGGTGTGGGAGGTTTTTT
AAAGCAAGTAAAACCTCTACAAATGTGGTAAAAATCGATACCGTCGACCTCGACTAGAGCGGC
CACTAACATACGCTCTCCATCAAAACAAAACGAAACAAAACAACTAGCAAAATAGGCTGTC
CCCAGTGCAAGTGCCAGGTGCCAGAACATTTCTCTATCGATAGGTACCGAGCTCTTACGCGTG
CTAGCCCTCGAGCAGGATCTATACATTGAATCAATATTGGCAATTAGCCATATTAGTCATTG
GTTATATAGCATAAATCAATATTGGCTATTGGCCATTGCATACGTTGTATCTATATCATAAT
ATGTACATTTATATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTATTGACTAG
TTATTAATAGTAATCAATTACGGGGTCATTAGTTTCATAGCCCATATATGGAGTTCCGCGTTA
CATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCCCGCCCCATTGACGTCA
ATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGTGGA
GTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTCCGCCCC
CTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTATGCCAGTACATGACCTTACGG
GACTTTCCCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGATGCGGTT
TTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGACTCACGGGGATTTCGAAGTCTCCACC
CCATTGACGTCAATGGGAGTTTGTTTTGGCACCAAAATCAACGGGACTTTCCAAAATGTGCT
AACAACTCCGCCCCATTGACGCAAAATGGGCGGTAGGCGTGTAACGGTGGGAGGTCTATATAAG
CAGAGCTCGTTTAGTGAAACCGTCAGATCGCCTGGAGACGCCATCCACGCTGTTTTGACCTCC
ATAGAAGACACCGGGACCGATCCAGCCTCCCTCGAAGCTCGACTCTAGGGGCTCGAGATCT
GCGATCTAAGTAAGCTTGCATGCCCTGCAGGTCCGCCGCCACGACCGGTGCCGCCACCATCCC
CTGACCCACGCCCCCTGACCCCTCACAAGGAGACGACCTTCCATGACCGAGTACAAGCCACG
GTGCGCCTCGCCACCCGCGACGACGTCCCCCGGGCGTACGCACCCTCGCCGCCCGGTTTCGC
CGACTACCCCGCCACGCGCCACACCGTCGACCCGGACCGCCACATCGAGCGGGTCACCGAGC
TGCAAGAACTCTTCCTCACGCGCGTCGGGCTCGACATCGGCAAGGTGTGGGTGCGCGACGAC
GGCGCCGCGGTGGCGGTCTGGACCACGCCGAGAGCGTCGAAGCGGGGGCGGTGTTCGCCGA
GATCGGCCCGCGCATGGCCGAGTTGAGCGGTTCCCGGCTGGCCGCGCAGCAACAGATGGAAG
GCCTCCTGGCGCCGCACCGGCCCAAGGAGCCCGCGTGGTTTCTGGCCACCGTCCGCGTCTCG
CCCGACCACAGGGCAAGGGTCTGGGCAGCGCCGTCTGTGCTCCCCGGAGTGGAGGCGGCCGA
GCGCGCCGGGGTGCCTCCCTTCTGGAGACCTCCGCGCCCCGCAACCTCCCTTCTACGAGC
GGCTCGGCTTACCGTCAACCGCGACGTGAGGTGCCCAGGACCGCGCACCTGGTGATG
ACCCGCAAGCCCGGTGCTGACGCCCCGCCACGACCCGCGAGCGCCGACCGAAAGGAGCGC
ACGACCCCATGGCTCCGACCGAAGCCGACCCGGGCGGCCCGCGCACCCCGCCCCC

GAGGCCACCGACTCTAGAGTCGGGGCGGCCGGCCGCTTCGAGCAGACATGATAAGATACAT
TGATGAGTTTGGACAAACCACAACCTAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTT
GTGATGCTATTGCTTTATTTGTAACCATTATAAGCTGCAATAAACAAGTTAACAACAACAAT
TGCATTCAATTTTATGTTTCAGGTTTCAAGGGGAGGTGTGGGAGGTTTTTTAAAGCAAGTAAAA
CCTCTACAAATGTGGTAAAAATCGATAAGGATCAATTCGGCTTCAGGTACCGTCGACGATGTA
GGTCACGGTCTCGAAGCCGCGGTGCGGGTGCCAGGGCGTGCCCTTGGGCTCCCCGGGCGCGT
ACTCCACCTCACCATCTGGTCCATCATGATGAACGGGTCGAGGTGGCGGTAGTTGATCCCG
GCGAACGCGCGGCGCACCGGGAAGCCCTCGCCCTCGAAACCGCTGGGCGCGGTGGTCACGGT
GAGCACGGGACGTGCGACGGCGTCGGCGGGTGCGGATACGCGGGGCAGCGTCAGCGGGTTCT
CGACGGTCACGGCGGGCATGTGACAGCCGAATTGATCCGTGACCGATGCCCTTGAGAGCC
TTCAACCCAGTCAGCTCCTTCCGGTGGGCGCGGGGCATGACTATCGTCGCCGCACTTATGAC
TGTCTTCTTTATCATGCAACTCGTAGGACAGGTGCCGGCAGC

Fig. 16

pRSV-C31int (SEQ ID NO: 9)

CTGCATTAAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGTATTGGGCGCTCTTCC
GCTTCCTCGCTCACTGACTCGCTGCGCTCGGTTCGTTTCGGCTGCGGCGAGCGGTATCAGCT
CACTCAAAGGCGGTAATACGGTTATCCACAGAATCAGGGGATAACGCAGGAAAGAACATG
TGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAGGCCGCGTTGCTGGCGTTTTTC
CATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGACGCTCAAGTCAGAGGTGGCGA
AACCCGACAGGACTATAAAGATACCAGGCGTTTCCCCCTGGAAGCTCCCTCGTGCCTCT
CCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCTTTCTCCCTTCGGGAAGCGTG
GCGCTTTCTCAATGCTCACGCTGTAGGTATCTCAGTTCGGTGTAGGTCGTTCCGCTCCAAG
CTGGGCTGTGTGCACGAACCCCCCGTTTCAGCCCGACCGCTGCGCTTATCCGGTAACATAT
CGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCAGCAGCCACTGGTAAC
AGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTAAC
TACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACCTTC
GGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAAACAAACCCGCTGGTAGCGGTGGTTTTT
TTTTGTTTGCAAGCAGAGATTACGCGCAGAAAAAAGGATCTCAAGAAGATCCTTTGATC
TTTTCTACGGGCTCTGACGCTCAGTGGAAACGAAAACTCAGTTAAGGGATTTTGGTCATG
AGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTTAAATCA
ATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGGCA
CCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATAGTTGCTGACTCCCCGTCGTGTAG
ATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGAC
CCACGCTCACCGGCTCCAGATTTATCAGCAATAAACAGCCAGCCGGAAGGGCCGAGCGC
AGAAGTGGTCCTGCAACTTTATCCGCTCCATCCAGTCTATTAATTGTTGCCGGAAGCT
AGAGTAAGTAGTTGCCAGTTAATAGTTTGGCAACGTTGTTGCCATTGCTACAGGCATC
GTGGTGTACGCTCGTCTTTGGTATGGCTTCATTACGCTCCGGTTCCCAACGATCAAGG
CGAGTTACATGATCCCCATGTTGTGCAAAAAGCGGTTAGCTCCTTCGGTCCCTCCGATC
GTTGTGCAAGTAAGTTGGCCGAGTGTATCACTCATGGTTATGGCAGCACTGCATAAT
TCTCTTACTGTCTATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAG
TCATTCTGAGAATAGTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGAT
AATACCGCGCCACATAGCAGAACTTTAAAAGTGCTCATCATTTGAAAACGTTCTTCGGGG
CGAAAACTCTCAAGGATCTTACCGCTGTTGAGATCCAGTTCGATGTAAACCACTCGTGCA
CCCAACTGATCTTCAGCATCTTTTACTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGA
AGGCAAAATGCCGCAAAAAGGGAATAAGGGCGACACGGAAATGTTGAATACTCATACTC
TTCTCTTTTCAATATTATTGAAGCATTTATCAGGGTTATTGTCTCATGAGCGGATACATA
TTTGAATGTATTTAGAAAAATAAACAAATAGGGGTTCCGCGCACATTTCCCGAAAGTG
CCACCTGACGTCGACGGATCGGGAGATCTCCCGATCCCTATGGTCACTCTCAGTACAA
TCTGCTCTGATGCCGCATAGTTAAGCCAGTATCTGCTCCCTGCTTGTGTGTTGGAGGTG
CTGAGTAGTGCGCGAGCAAAATTTAAGCTACAACAAGGCAAGGCTTGACCGACAATTGCA
TGAAGAATCTGCTTAGGGTTAGGCGTTTTCGCGTCTGCTTCGCGATGTACGGGCCAGATATA
CGCGTGCTAGGGGTCTAGGATCGATTCTAGGAATTCTCTAGCCGCGGTCTAGGGATCCCG
GCGCGTATGGTGCATCTCTAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGTATCT
GCTCCCTGCTTGTGTGTTGGAGGTGCTGAGTAGTGCGCGAGCAAAATTTAAGCTACAAC
AAGGCAAGGCTTGACCGACAATTGCATGAAGAATCTGCTTAGGGTTAGGCGTTTTCGCGT
GCTTCGCGATGTACGGGCCAGATATACGCGTATCTGAGGGGACTAGGGTGTGTTTAGGCG
AAAAGCGGGGCTTCGGTTGTACGCGGTTAGGAGTCCCCCTCAGGATATAGTAGTTTCGCTT
TTGCATAGGGAGGGGGAAATGTAGTCTTATGCAATACACTTGTAGTCTTGCAACATGGTA
ACGATGAGTTAGCAACATGCCTTACAAGGAGAGAAAAAGCACCGTGATGCCGATTGGTG
GAAGTAAGGTGGTACGATCGTGCCTTATTAGGAAGGCAACAGACAGGTCTGACATGGATT
GGACGAACCACTGAATTCGCGATTGCAGAGATAATTGTATTTAAGTGCCTAGCTCGATAC
AATAAACGCCATTTGACCATTACACCATTTGGTGTGCACCTCCAAGCTTGATGCCCTGCA
GGTACCGGTCCGGAATTTCCGGGTGACAGAGCTCACTAGTCTAGGGTCCGCGACATGAC
ACAAGGGGTTTGTGACCGGGGTGACACGTACGCGGGTGCTTACGACCGTCAGTCGCGCGA
CGCGGAGAATTTCGAGCGCAGCAAGCCAGCAGCACAGCGTAGCGCCAACGAAGCAAGGC
GGCCGACCTTCAGCGCGAAGTCGAGCGCAGCGGGGCGGTTTCAGGTTTCGTCGGCATTT
CAGCGAAGCGCCGGGCACGTCCGCGTTCCGGACGGCGGAGCGCCCGAGTTTGAACGCAT

CCTGAACGAATGCCGCGCCGGGCGGCTCAACATGATCATTTGTCTATGACGTGTCGCGCTT
CTCGCGCCTGAAGGTCATGGACGCGATTCCGATTGTCTCGGAATTGCTCGCCCTGGGCGT
GACGATTGTTTTCCACTCAGGAAGGCGTCTTCCGGCAGGGAACGTCATGGACCTGATTCA
CCTGATTATGCGGCTCGACGCGTCGCACAAAGAATCTTCGCTGAAGTCGGCGAAGATTCT
CGACACGAAGAACCTTCAGCGCGAATTGGGCGGGTACGTCGGCGGGGAAGGCGCCTTACGG
CTTCGAGCTTGTTTCGAGACGAAGGAGATCACGCGCAACGGCCGAATGGTCAATGTCGT
CATCAACAAGCTTGCGCACTCGACCACTCCCCTTACCGGACCCTTCGAGTTCGAGCCCGA
CGTAATCCGGTGGTGGTGGCGTGAGATCAAGACGCACAAACACCTTCCCTTCAAGCCGGG
CAGTCAAGCCGCCATTCACCCGGGCAGCATCACGGGGCTTTGTAAGCGCATGGACGCTGA
CGCCGTGCCGACCCGGGGCGAGACGATTGGGAAGAAGACCGCTTCAAGCGCTGGGACCC
GGCAACCGTTATGCGAATCCTTCGGGACCCGCGTATTGCGGGCTTCGCCGCTGAGGTGAT
CTACAAGAAGAAGCCGGAACGGCACGCCGACCACGAAGATTGAGGGTTACCGCATTCAGCG
CGACCCGATCACGCTCCGGCCGGTCGAGCTTGATTGCGGACCGATCATCGAGCCCGCTGA
GTGGTATGAGCTTCAGGCGTGGTTGGACGGCAGGGGGCGCGGCAAGGGGCTTTCCCGGG
GCAAGCCATTCTGTCCGCCATGGACAAGCTGTACTGCGAGTGTGGCGCCGTCATGACTTC
GAAGCGCGGGGAAGAATCGATCAAGGACTCTTACCGCTGCCGTCGCCGGAAGGTGGTGA
CCCGTCCGCACCTGGGCAGCACGAAGGCACGTGCAACGTCAGCATGGCGGCACTCGACAA
GTTTCGTTGCGGAACGCATCTTCAACAAGATCAGGCACGCCGAAGGCGACGAAGAGACGTT
GGCGCTTCTGTGGGAAGCCGCCGACGCTTCGGCAAGCTCACTGAGGCGCCTGAGAAGAG
CGGCGAACGGGCGAACCTTGTTGCGGAGCGCGCCGACGCCCTGAACGCCCTTGAAAGAGCT
GTACGAAGACCGCGCGGCAGGCGCGTACGACGGACCCGTTGGCAGGAAGCACTTCCCGAA
GCAACAGGCAGCGCTGACGCTCCGGCAGCAAGGGGCGGAAGAGCGGCTTGCCGAACCTGA
AGCCGCCGAAGCCCCGAAGCTTCCCCTTGACCAATGGTTCCCCGAAGACGCCGACGCTGA
CCCGACCGGCCCTAAGTCGTGGTGGGGGCGCGCGTCAGTAGACGACAAGCGCGTGTTTCGT
CGGGCTCTTCGTAGACAAGATCGTTGTACGAAGTCGACTACGGGCAGGGGGCAGGGAAC
GCCCATCGAGAAGCGCGCTTCGATCACGTGGGCGAAGCCGCCGACCGACGACGACGAAGA
CGACGCCCAGGACGGCACGGAAGACGTAGCGGCGTAGCGAGACACCCGGATCCCTCGAGG
GGCCCTATTCTATAGTGTACCTAAATGCTAGAGCTCGCTGATCAGCCTCGACTGTGCCT
TCTAGTTGCCAGCCATCTGTTGTTTGCCCCCTCCCCCGTGCCTTCCCTTGACCCTGGAAGGT
GCCACTCCCCTGTCTTTTCTAATAAAATGAGGAAATTGCATCGCATTTGTCTGAGTAGG
TGTCAATCTATTCTGGGGGTGGGGTGGGGCAGGACAGCAAGGGGGAGGATTGGGAAGAC
AATAGCAGGCATGCTGGGGATGCGGTGGGCTCTATGGCTTCTGAGGCGGAAAGAACCAGG
TGCCCAAGTCATAGCCGAATAGCCTCTCCACCCAAGCGGCCGAGAACCTGCGTGCAATCC
ACTGGGGGCGCG

Fig. 17

pCR-XL-TOPO-CMV-PUR-attB (SEQ ID NO: 10)

AGCGCCCAATACGCAAAACCGCCTCTCCCGCGCGTTGGCCGATTTCATTAATGCAGCTGGC
ACGACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCAATTAATGTGAGTTAGC
TCACTCATTAGGCACCCAGGCTTTACACTTTATGCTTCCGGCTCGTATGTTGTGTGGAA
TTGTGAGCGGATAACAATTTACACAGGAAACAGCTATGACCATGATTACGCCAAGCTAT
TTAGGTGACGCGTTAGAATACTCAAGCTATGCATCAAGCTTGGTACCGAGCTCGGATCCA
CTAGTAACGGCCCGCAGTGTGCTGGAATTCGCCCTTGGCCGCAATAAAATATCTTTATTT
TCATTACATCTGTGTGTTGGTTTTTTGTGTGAATCGATAGTACTAACATACGCTCTCCAT
CAAAACAAAACGAAACAAAACAACTAGCAAAATAGGCTGTCCCGAGTGCAAGTGCAGGT
GCCAGAACATTTCTCTATCGATAGGTACCGAGCTCTTACGCGTGCTAGCCCTCGAGCAGG
ATCTATACATTGAATCAATATTGGCAATTAGCCATATTAGTCATTGGTTATATAGCATAA
ATCAATATTGGCTATTGGCCATTGCATACGTTGTATCTATATCATAATATGTACATTTAT
ATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTATTGACTAGTTATTAATAG
TAATCAATTACGGGGTCATTAGTTTCATAGCCCCATATATGGAGTTCCGCGTTACATACTT
ACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCCGCCATTGACGTCAATAATG
ACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGTGGAGTAT
TTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTCCGCCCCCT
ATTGACGTCAATGACGGTAAATGGCCCCGCTGGCATTATGCCAGTACATGACCTTACGG
GACTTTCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTGATGCGG
TTTTGGCAGTACATCAATGGGCGTGATAGCGGTTTGACTCACGGGGATTTCCAAGTCTC
CACCCCATTGACGTCAATGGGAGTTTGTTTTGGCACCAAAATCAACGGGACTTTCCAAAA
TGTCTGAACAACTCCGCCCCATTGACGCAATGGGCGGTAGGCGTGTACGGTGGGAGGCTC
TATATAAGCAGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGACGCCATCCACGCTGT
TTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCCTCGAAGCTCGACTCTAGG
GGCTCGAGATCTGCGATCTAAGTAAGCTTGCATGCCTGCAGGTGGCCCGCCACGACCGGT
GCCGCCACCATCCCTGACCCACGCCCCTGACCCCTCACAAGGAGACGACCTTCCATGAC
CGAGTACAAGCCACGGTGCCTCGCCACCCGCGACGACGTCCCCCGGGCCGTACGCAC
CCTCGCCGCCGCGTTTCGCCGACTACCCCGCCACGCGCCACACCGTCGACCCGGACCGCCA
CATCGAGCGGGTCACCGAGCTGCAAGAACTCTTCCTCACGCGCGTCGGGCTCGACATCGG
CAAGGTGTGGGTGCGCGACGACGGCGCCGCGGTGGCGGTCTGGACCACGCCGGAGAGCGT
CGAAGCGGGGGCGGTGTTCCGCGAGATCGGCCCGCGCATGGCCGAGTTGAGCGGTTCCCG
GCTGGCCGCGCAGCAACAGATGGAAGGCCTCCCTGGCGCCGACCGGCCCAAGGAGCCCGC
GTGGTTCTTGGCCACCGTCGGCGTCTCGCCCGACCAACAGGGCAAGGGTCTGGGCAGCGC
CGTCGTGCTCCCCGGAGTGGAGGCGGCGGAGCGCGCCGGGTGCCCGCTTCTTGAGAC
CTCCGCGCCCCGCAACCTCCCTTCTACGAGCGGCTCGGCTTCACCGTCACCGCCGACGT
CGAGGTGCCCCAAGGACCGCGCACCTGGTGCATGACCCGCAAGCCCGGTGCCTGACGCCC
GCCCCACGACCCGCGAGCGCCGACCGAAAGGAGCGCACGACCCCATGGCTCCGACCGAAG
CCGACCCGGGCGGCCCCGCGGACCCCGCACCCGCCCGGAGGCCACCGACTCTAGAGTC
GGGGCGGCGGCGCTTCGAGCAGACATGATAAGATACATTGATGAGTTTGGACAAACCA
CAACTAGAAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTGCTTTAT
TTGTAACCAATTATAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTATCTTTATGT
TTCAGGTTTCAGGGGAGGTGTGGGAGGTTTTTTAAAGCAAGTAAAACCTCTACAAATGTG
GTAAAATCGATAAGGATCAATTCGGCTTCAGGTACCGTCGACGATGTAGGTACGGTCTC
GAAGCCGCGGTGCGGGTGCCAGGGCGTGCCCTTGGGCTCCCCGGGCGCGTACTCCACCTC
ACCCATCTGGTCCATCATGATGAACGGGTGAGGTGGCGGTAGTTGATCCCGGCGAACGC
GCGGCGCACCGGGAAGCCCTCGCCCTCGAAACCGCTGGGCGCGGTGGTCACGGTGAGCAC
GGGACGTGCGACGGCGTTCGGCGGTGCGGATACGCGGGGCGAGCGTCAGCGGGTTCTCGAC
GGTCACGGCGGGCATGTGACAGCCGAATTGATCCGTGACCGATGCCCTTGAGAGCCTT
CAACCAGTCAGTCTTCCGGTGGGCGCGGGCATGACTATCGTCGCCGCACTTATGAC
TGTCTTCTTTATCATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTTCCGCTTCTCGC
TCACTGACTCGCTGCGCTCGGTGTTTCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGG
CGGTAATACGGTTATCCACAGAATCAGGGGATAACGCGAGGAAGAACATGAAGGGCGAAT
TCTGCAGATATCCATCACACTGGCGGCGCTCGAGCATGCATCTAGAGGGCCCAATTCGC
CCTATAGTGAGTCGTATTACAATTCAGTGGCCGTGTTTTTCAACGTCGTGACTGGGAAA
ACCCTGGCGTTACCCAATTAAATCGCCTTGACGACATCCCCCTTTCGCCAGCTGGCGTA
ATAGCGAAGAGGCGCCGACCGATCGCCCTTCCCAACAGTTGCGCAGCCTATACGTACGGC
AGTTTAAAGGTTTACACCTATAAAAGAGAGACCGTTATCGTCTGTTTGTGGATGTACAGA
GTGATATTATTGACACGCCGGGGCGACGGATGGTGATCCCCCTGGCCAGTGCACGTCTGC

TGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATCGGGGATGAAAGCTGGC
GCATGATGACCAACCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAAGTGGCTG
ATCTCAGCCACCGCGAAAAATGACATCAAAAACGCCATTAACCTGATGTTCTGGGGAATAT
AAATGT CAGGCATGAGATTATCAAAAAGGATCTTACCTAGATCCTTTTACGCTAGAAAG
CCAGTCCGCAGAAAAGGTGCTGACCCCGGATGAATGTCAGCTACTGGGCTATCTGGACAA
GGGAAAACGCAAGCGCAAAGAGAAAGCAGGTAGCTTGAGTGGGCTTACATGGCGATAGC
TAGACTGGGCGGTTTTATGGACAGCAAGCGAACCAGGAATTGCCAGCTGGGGCGCCCTCTG
GTAAGGTTGGGAAGCCCTGCAAAGTAACTGGATGGCTTTCTCGCCGCCAAGGATCTGAT
GGCGCAGGGGATCAAGCTCTGATCAAGAGACAGGATGAGGATCGTTTCGCATGATTGAAC
AAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGAGGCTATTCCGCTATGACT
GGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGTGTTCCGGCTGTTCAGCGCAGGGGC
GCCCGGTTCTTTTTGTCAAGACCGACCTGTCCGGTGCCCTGAATGAACTGCAAGACGAGG
CAGCGCGGCTATCGTGGCTGGCCACGACGGGCGTTCTTGCGCAGCTGTGCTCGACGTTG
TCACTGAAGCGGGAAGGGACTGGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGT
CATCTCACCTTGCTCCTGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGC
ATACGCTTGATCCGGCTACCTGCCCATTCGACCACCAAGCGAAACATCGCATCGAGCGAG
CACGTACTCGGATGGAAGCCGGTCTTGTGATCAGGATGATCTGGACGAAGAGCATCAGG
GGCTCGCGCCAGCCGAACCTGTTCCGCGAGGCTCAAGGCGAGCATGCCGACGGCGAGGATC
TCGTCTGTGACCCATGGCGATGCCCTGCTTGCCGAATATCATGGTGGAAAATGGCCGCTTTT
CTGGATTTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTATCAGGACATAGCGTTGG
CTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGGGCTGACCGCTTCTCGTGCTTT
ACGGTATCGCCGCTCCCGATTGCGAGCGCATCGCCTTCTATCGCCTTCTTGACGAGTTCT
TCTGAATTATTAAACGCTTACAATTTCTGATGCGGTATTTTCTCCTTACGCATCTGTGCG
GTATTTTACACCGCATACAGGTGGCACTTTTTCGGGGAAATGTGCGCGGAACCCCTATTTG
TTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCTGATAAAT
GCTTCAATAATAGCACGTGAGGAGGGCCACCATTGGCCAAGTTGACCAAGTCCGCTCCGGT
GCTCACCGCGCGACGTGCGCGGAGCGGTCGAGTTCTGGACCGACCGGCTCGGGTTCTC
CCGGGACTTCTGTGGAGGACGACTTCCCGGCTGTGGTCCGGGACGACGTGACCTGTTTCAT
CAGCGCGGTCCAGGACCAGGTGGTGCAGGACAACACCCTGGCCTGGGTGTGGGTGCGCGG
CCTGGACGAGCTGTACGCCGAGTGGTCCGAGGTCGTGTCCACGAACTTCCGGGACGCCTC
CGGGCCGGCCATGACCGAGATCGGCGAGCAGCCGTGGGGGCGGGAGTTCCGCTGCGCGA
CCCGGCCGGCAACTGCGTGCACTTCTGTGGCCGAGGAGCAGGACTGACACGTGCTAAAAC
TCATTTTAAATTTAAAGGATCTAGGTGAAGATCCTTTTGTATAATCTCATGACCAAAAT
CCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATC
TTCTTGAGATCCTTTTTTCTGCGCGTAATCTGCTGCTTGCAAACAAAAAACACCGCT
ACCAGCGGTGGTTTGTGTTGCGGATCAAGAGCTACCAACTCTTTTCCGAAGGTAACCTGG
CTTCAGCAGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCA
CTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAAGTGGC
TGCTGCCAGTGGCGATAAGTCTGTCTTACCGGTTGGACTCAAGACGATAGTTACCGGA
TAAGGCGCAGCGGTCCGGCTGAACGGGGGGTTCGTGCACACAGCCAGCTTGGAGCGAAC
GACCTACACCGAACTGAGATACCTACAGCGTGAGCTATGAGAAAGCGCCACGCTTCCCGA
AGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCCGGAACAGGAGAGCGCACGAG
GGAGCTTCCAGGGGAAACGCCCTGGTATCTTTATAGTCTGTGCGGTTTCCGACCTCTG
ACTTGAGCGTCTGATTTTTGTGATGCTCGTCAGGGGGGCGGAGCCTATGGAACAAACGCCAG
CAACGCGGCCTTTTTACGTTTCTGGGCTTTTGTGCTGGCCTTTTGTCTCACATGTTCTTTTC
TGCGTTATCCCCTGATTCTGTGGATAACCGTATTACCGCCTTTGAGTGAGCTGATAACCGC
TCGCCGACCGCAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAG

FIG. 18

SEQ ID NO: 11

GACTAGTACTGACGGACACACCGAAGCCCCGGCGGCAACCCTCAGCGGATGCCCCGGGGCTT
CACGTTTTCCAGGTCAGAAGCGGTTTTCGGGAGTAGTGCCCCAACTGGGGTAACCTTTGAG
TTCTCTCAGTTGGGGGCGTAGGGTCGCCGACATGACACAAGGGGTTGTGACCGGGGTGGACA
CGTACGCGGGTGCTTACGACCGTCAGTCGCGCGAGCGCGACTAGTACA

Fig. 19





Fig. 20

**Fig. 21**




Fig. 22




Fig. 23




Fig. 24

025CIP SEQ List.txt
SEQUENCE LISTING

<110> AviGenics, Inc

<120> Avian Integrase-mediated Transformation

<130> A181 1080.1

<160> 12

<170> PatentIn version 3.2

<210> 1

<211> 6230

<212> DNA

<213> Plasmid pCMV-31int

<400> 1

cattcgccat tcaggctgcg caactgttgg gaagggcgat cgggtgcgggc ctcttcgcta	60
ttacgccagc caatacgcaa accgcctctc cccgcgcgtt ggccgattca ttaatgcagg	120
atcgatccag acatgataag atacattgat gagtttggac aaaccacaac tagaatgcag	180
tgaaaaaaat gctttatttg tgaaatttgg gatgctattg ctttatttgg aaccattata	240
agctgcaata aacaagttaa caacaacaat tgcattcatt ttatgtttca gggtcagggg	300
gaggtgtggg aggtttttta aagcaagtaa aacctctaca aatgtgggtat ggctgattat	360
gatcatgaac agactgtgag gactgagggg cctgaaatga gccttgaggac tgtgaatcta	420
aaatacacia acaattagaa tcactagctc ctgtgtataa tattttcata aatcatactc	480
agtaagcaaa actctcaagc agcaagcata tgcagctagt ttaacacatt atacacttaa	540
aaattttata ttaccttag agctttaaat ctctgtaggt agtttgtcca attatgtcac	600
accacagaag taagggttcct tcacaaagat cccaagctag cttataatac gactcactat	660
agggagagag ctatgacgtc gcatgcacgc gtaagcttgg gcccctcgag ggatccgggt	720
gtctcgctac gccgctacgt cttccgtgcc gtcttgggcg tcgtcttcgt cgtcgtcggg	780
cggcggcttc gccacgtga tcgaagcgcg cttctcgatg ggcgttcctt gccccctgcc	840
cgtagtcgac ttcgtgacaa cgatcttgtc tacgaagagc ccgacgaaca cgcgcttgtc	900
gtctactgac ggcgcgcccc accacgactt agggccgggtc gggtcagcgt cggcgtcttc	960
ggggaaccat tgggtcaaggg gaagcttcgg ggcttcggcg gcttcaagtt cggcaagccg	1020
ctcttcgcc ccttgctgcc ggagcgtcag cgctgcctgt tgcttcggga agtgcttcct	1080
gccaacgggt ccgctgtacg cgcctgccgc gcggtcttcg tacagctctt caagggcggt	1140
cagggcgctc ggcgcgtccg caacaagggt cgcccgttcg ccgctcttct cagggcgctc	1200
agtgaagctt ccgaagcgtc gggcggcttc ccacagaagc gccaacgtct cttcgtcgcc	1260
ttcggcgtgc ctgatcttgt tgaagatgcg ttccgcaacg aacttgtcga gtgccgccat	1320
gctgacgttg cacgtgcctt cgtgctgccc aggtgcggac gggtcgacca ccttcggcg	1380

025CIP SEQ List.txt

acggcagcgg taagagtcct tgatcgattc ttccccgcgc ttcgaagtca tgacggcgcc	1440
acactcgcag tacagcttgt ccatggcgga cagaatggct tgccccggg aaagcccett	1500
gccgcgcccc ctgccgtcca accacgcctg aagctcatac cactcagcgg gctcgatgat	1560
cgggtccgcaa tcaagctcga ccggccggag cgtgatcggg tcgcgctgaa tgcggttaacc	1620
ctcaatcttc gtggtcggcg tgccgtccgg cttcttcttg tagatcacct cagcggcgaa	1680
gcccgcgaata cgcggtccc gaaggattcg cataacgggt gccgggtccc aggcgcttga	1740
agcggctctt ttcccaatcg tctcgcccc ggctcggcacg gcgtcagcgt ccatgcgctt	1800
acaaagcccc gtgatgctgc ccgggtgaat ggcggttga ctgcccggct tgaagggaag	1860
gtgtttgtgc gtcttgatct cacgccacca ccaccggatt acgtcgggct cgaactcgaa	1920
gggtccggta aggggagtg tcgagtgcgc aagcttggtg atgacgacat tgaccattcg	1980
gccgttgccg gtgatctcct tcgtctccga aacaagctcg aagccgtaag gcgccttccc	2040
gccgacgtac ccgccaatt cgcgctgaag gttcttcgtg tcgagaatct tcgccgactt	2100
cagcgaagat tctttgtgcg acgcgtcgag ccgcataatc aggtgaatca ggtccatgac	2160
gtttccctgc cggaagacgc cttcctgagt ggaaacaatc gtcacgcca gggcgagcaa	2220
ttccgagaca atcggaatcg cgtccatgac cttcaggcgc gagaagcgcg acacgtcata	2280
gacaatgata atgttgagcc gcccggcgcg gcattcgctt aggatgcgtt cgaactccgg	2340
gcgctccgcc gtcccgaacg ccgacgtgcc cggcgcttcg ctgaaatgcc cgacgaacct	2400
gaaccggccc ccgtcgcgct cgacttcgcg ctgaaggctg gccgccttgt cttcgttggc	2460
gctacgctgt gtcgctgggc ttgctgcgct cgaattctcg cgctcgcgcg actgacggtc	2520
gtaagcaccg gcgtacgtgt ccaccccggt cacaaccctt tgtgtcatgt cggcgacctt	2580
acgactagtg agctcgtcga cccgggaatt ccggaccggt acctgcaggc gtaccttcta	2640
tagtgtcacc taaatagctt tttgcaaaag cctaggctag agtccggagg ctggatcggg	2700
cccgggtgtc tctatggagg tcaaaacagc gtggatggcg tctccaggcg atctgacggg	2760
tcactaaacg agctctgctt atatagacct cccaccgtac acgcctaccg cccatttgcg	2820
tcaatggggc ggagttgtta cgacattttg gaaagtcccg ttgattttgg tgccaaaaca	2880
aactcccatt gacgtcaatg ggggtggagac ttggaaatcc ccgtgagtca aaccgctatc	2940
cacgcccatt gatgtactgc caaaaccgca tcaccatggg aatagcgatg actaatacgt	3000
agatgtactg ccaagtagga aagtcccata aggtcatgta ctgggcataa tgccaggcgg	3060
gccatttacc gtcattgacg tcaatagggg gcgtacttgg catatgatac acttgatgta	3120
ctgccaagtg ggcagtttac cgtaaatact ccaccatttg acgtcaatgg aaagtcctta	3180
ttggcggttac tatgggaaca tacgtcatta ttgacgtcaa tgggcggggg tcgttgggcg	3240

025CIP SEQ List.txt

gtcagccagg cgggccattt accgtaagtt atgtaacgac ctgcacgatg ctgtttcctg	3300
tgtgaaattg ttatccgctc acaattccac acattatacg agccggaagc tataaagtgt	3360
aaagcctggg gtgcctaattg agtgaaaggg cctcgtatac gcctatTTTT atagggtaat	3420
gtcatgataa taatggtttc ttagacgtca ggtggcactt ttcggggaaa tgtgcgcgga	3480
accctatTTT gtttatTTTT ctaaatacat tcaaatatgt atccgctcat gagacaataa	3540
ccctgataaa tgcttcaata atattgaaaa acgcgcgaat tgcaagctct gcattaatga	3600
atcggccaac gcgcggggag aggcggtttg cgtattgggc gctcttccgc ttcctcgctc	3660
actgactcgc tgcgctcggg cgttcggctg cggcgagcgg tatcagctca ctcaaaggcg	3720
gtaatacggg tatccacaga atcaggggat aacgcaggaa agaacatgtg agcaaaaggc	3780
cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc	3840
ccccctgacg agcatcaca aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga	3900
ctataaagat accaggcggt tccccctgga agctccctcg tgcgctctcc tgttccgacc	3960
ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcaa	4020
tgctcacgct gtaggtatct cagttcgggt taggtcgttc gctccaagct gggctgtgtg	4080
cacgaacccc ccgttcagcc cgaccgctgc gccttatccg gtaactatcg tcttgagtcc	4140
aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag gattagcaga	4200
gcgaggtatg taggcgggtgc tacagagttc ttgaagtggg ggcctaacta cggctacact	4260
agaaggacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt	4320
ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtgggtTTTT tgtttgcaag	4380
cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg	4440
tctgacgctc agtggaacga aaactcacgt taagggattt tggatcatgcc ataacttcgt	4500
atagcataca ttatacgaag ttatggcatg agattatcaa aaaggatctt cacctagatc	4560
cttttaaatT aaaaatgaag ttttaaatca atctaaagta tatatgagta aacttggtct	4620
gacagttacc aatgcttaat cagtgaggca cctatctcag cgatctgtct atttcgttca	4680
tccatagttg cctgactccc cgtcgtgtag ataactacga tacgggaggg cttaccatct	4740
ggccccagtg ctgcaatgat accgcgagac ccacgctcac cggctccaga tttatcagca	4800
ataaaccagc cagccggaag ggccgagcgc agaagtgggc ctgcaacttt atccgcctcc	4860
atccagtcta ttaattgttg ccgggaagct agagtaagta gtccgccagt taatagtttg	4920
cgcaacggtg ttgccattgc tacaggcatc gtggtgtcac gctcgtcgtt tggatggct	4980
tcattcagct ccggttccca acgatcaagg cgagttacat gatcccccatt gttgtgcaaa	5040
aaagcggtta gctccttcgg tcctccgatc gttgtcagaa gtaagtggc cgcagtgtta	5100
tcactcatgg ttatggcagc actgcataat tctcttactg tcatgccatc cgtaagatgc	5160

025CIP SEQ List.txt

ttttctgtga	ctggtgagta	ctcaaccaag	tcattctgag	aatagtgtat	gcggcgaccg	5220
agttgctctt	gccccggcgtc	aatacgggat	aataccgcgc	cacatagcag	aactttaaaa	5280
gtgctcatca	ttggaaaacg	ttcttcgggg	cgaaaactct	caaggatctt	accgctgttg	5340
agatccagtt	cgatgtaacc	cactcgtgca	cccaactgat	cttcagcatc	ttttactttc	5400
accagcgttt	ctgggtgagc	aaaaacagga	aggcaaatg	ccgcaaaaaa	gggaataagg	5460
gcgacacgga	aatgttgaat	actcatactc	ttcctttttc	aatattattg	aagcatttat	5520
cagggttatt	gtctcatgcc	aggggtgggc	acacatattt	gataccagcg	atccctacac	5580
agcacataat	tcaatgcgac	ttccctctat	cgcacatctt	agacctttat	tctccctcca	5640
gcacacatcg	aagctgccga	gcaagccgtt	ctcaccagtc	caagacctgg	catgagcgga	5700
tacatatattg	aatgtattta	gaaaaataaa	caaatagggg	ttccgcgcac	atttccccga	5760
aaagtgccac	ctgaaattgt	aaacgttaat	attttgtaa	aattcgcgtt	aaatttttgt	5820
taaatcagct	cattttttta	ccaataggcc	gaaatcggca	aaatccctta	taaatcaaaa	5880
gaatagaccg	agataggggt	gagtgttggt	ccagtttgga	acaagagtcc	actattaaag	5940
aacgtggact	ccaacgtcaa	agggcgaaaa	accgtctatc	agggcgatgg	cccactacgt	6000
gaaccatcac	cctaatacaag	ttttttgggg	tcgaggtgcc	gtaaagcact	aaatcggaac	6060
cctaaaggga	gccccgatt	tagagcttga	cggggaaagc	cggcgaacgt	ggcgagaaag	6120
gaaggggaaga	aagcgaaagg	agcgggcgct	agggcgctgg	caagtgtagc	ggtcacgctg	6180
cgcgtaacca	ccacaccgcg	cgcgcttaat	gcgccgctac	agggcgcgtc		6230

<210> 2
 <211> 5982
 <212> DNA
 <213> Plasmid pCMV-luc-attB

<400> 2	
ctctatcgat	aggtaccgag
ctcttacgcg	tgctagccct
cgagcaggat	ctatacattg
	60
aatcaatatt	ggcaattagc
catattagtc	attggttata
tagcataaat	caatattggc
	120
tattggccat	tgcatacgtt
gtatctatat	cataatatgt
acatttatat	tggctcatgt
	180
ccaatatgac	cgccatgttg
acattgatta	ttgactagtt
attaatagta	atcaattacg
	240
gggtcattag	ttcatagccc
atatatggag	ttccgcgtta
cataacttac	ggtaaatggc
	300
ccgcctggct	gaccgcccac
cgacccccgc	ccattgacgt
caataatgac	gtatgttccc
	360
atagtaacgc	caatagggac
tttccattga	cgtcaatggg
tggagtattt	acggtaaact
	420
gcccacttgg	cagtacatca
agtgatcat	atgccaaagtc
cgccccctat	tgacgtcaat
	480
gacggtaaat	ggcccgcttg
gcattatgcc	cagtacatga
ccttacggga	ctttcctact
	540
tggcagtaca	tctacgtatt
agtcacgcgt	attaccatgg
tgatgcgggt	ttggcagtac
	600

025CIP SEQ List.txt

atcaatgggc	gtggatagcg	gtttgactca	cggggatttc	caagtctcca	ccccattgac	660
gtcaatggga	gtttgttttg	gcacaaaaat	caacgggact	ttccaaaatg	tcgtaacaac	720
tccgccccat	tgacgcaa	gggcggtagg	cgtgtacggt	gggagggtcta	tataagcaga	780
gctcgtttag	tgaaccgtca	gatcgcttg	agacgccatc	cacgctgttt	tgacctccat	840
agaagacacc	gggaccgatc	cagcctcccc	tcgaagctcg	actctagggg	ctcgagatct	900
gcgatctaag	taagcttggc	attccggtac	tgttggtaaa	gccaccatgg	aagacgccaa	960
aaacataaag	aaaggcccgg	cgccattcta	tccgctggaa	gatggaaccg	ctggagagca	1020
actgcataag	gctatgaaga	gatacgccct	ggttcctgga	acaattgctt	ttacagatgc	1080
acatatcgag	gtggacatca	cttacgctga	gtacttcgaa	atgtccgttc	ggttggcaga	1140
agctatgaaa	cgatatgggc	tgaatacaaa	tcacagaatc	gtcgtatgca	gtgaaaactc	1200
tcttcaattc	tttatgccgg	tgttgggagc	gttattttatc	ggagttgcag	ttgcgcccgc	1260
gaacgacatt	tataatgaac	gtgaattgct	caacagtatg	ggcatttcgc	agcctaccgt	1320
ggtgttcgtt	tccaaaaagg	ggttgcaaaa	aattttgaac	gtgcaaaaaa	agctcccaat	1380
catccaaaaa	attattatca	tggattctaa	aacggattac	cagggatttc	agtcgatgta	1440
cacgttcgtc	acatctcatc	tacctcccgg	ttttaatgaa	tacgattttg	tgccagagtc	1500
cttcgatagg	gacaagacaa	ttgcaactgat	catgaactcc	tctggatcta	ctggtctgcc	1560
taaagggtgtc	gctctgcctc	atagaactgc	ctgcgtgaga	ttctcgcag	ccagagatcc	1620
tatttttggc	aatcaaatca	ttccggatac	tgcgatttta	agtgttggtc	cattccatca	1680
cggttttgga	atgtttacta	cactcggata	tttgatatgt	ggatttcgag	tcgtcttaat	1740
gtatagattt	gaagaagagc	tgtttctgag	gagccttcag	gattacaaga	ttcaaagtgc	1800
gctgctggtg	ccaaccctat	tctccttctt	cgccaaaagc	actctgattg	acaataacga	1860
tttatcta	ttacacgaaa	ttgcttctgg	tggcgctccc	ctctctaagg	aagtcgggga	1920
agcggttgcc	aagagggtcc	atctgccagg	tatcaggcaa	ggatatgggc	tactgagac	1980
tacatcagct	attctgatta	cacccgaggg	ggatgataaa	ccgggcgcgg	tcggtaaagt	2040
tgttccattt	tttgaagcga	aggttgtgga	tctggatacc	gggaaaacgc	tgggcgttaa	2100
tcaaagaggc	gaactgtgtg	tgagagggtcc	tatgattatg	tccggttatg	taaacaatcc	2160
ggaagcgacc	aacgccttga	ttgacaagga	tggatggcta	cattctggag	acatagctta	2220
ctgggacgaa	gacgaacact	tcttcatcgt	tgaccgcctg	aagtctctga	ttaagtacaa	2280
aggctatcag	gtggctcccg	ctgaattgga	atccatcttg	ctccaacacc	ccaacatctt	2340
cgacgcaggt	gtcgcaggtc	ttcccacga	tgacgccggt	gaacttcccg	ccgccgttgt	2400
tgttttggag	cacggaaaga	cgatgacgga	aaaagagatc	gtggattacg	tcgccagtca	2460

025CIP SEQ List.txt

agtaacaacc gcgaaaaagt tgcgcggagg agttgtgttt gtggacgaag taccgaaagg	2520
tcttaccgga aaactcgacg caagaaaaat cagagagatc ctcataaagg ccaagaaggg	2580
cggaaagatc gccgtgtaat tctagagtcg gggcggccgg ccgcttcgag cagacatgat	2640
aagatacatt gatgagtttg gacaaaccac aactagaatg cagtgaaaaa aatgctttat	2700
ttgtgaaatt tgtgatgcta ttgctttatt tgtaaccatt ataagctgca ataaacaagt	2760
taacaacaac aattgcattc attttatgtt tcagggttcag ggggaggtgt gggaggtttt	2820
ttaaagcaag taaaacctct acaaatgtgg taaaatcgat aaggatcaat tcggcttcag	2880
gtaccgtcga cgatgtaggt cacgggtctcg aagccgcggt gcgggtgccca gggcgtgccc	2940
ttgggctccc cgggcgcgta ctccacctca cccatctggt ccatcatgat gaacgggtcg	3000
aggtggcggg agttgatccc ggcgaacgcg cggcgcaccg ggaagccctc gccctcgaaa	3060
ccgctgggcg cgggtggtcac ggtgagcacg ggacgtgcga cggcgtcggc ggggtgcggat	3120
acgcggggca gcgtcagcgg gttctcgacg gtcacggcgg gcatgtcgac agccgaattg	3180
atccgtcgac cgatgccctt gagagccttc aaccagtcga gctccttcg gtgggcgcgg	3240
ggcatgacta tcgtcgccgc acttatgact gtcttcttta tcatgcaact cgtaggacag	3300
gtgccggcag cgctcttcg cttcctcgct cactgactcg ctgcgctcg tcgttcggct	3360
gcggcgagcg gtatcagctc actcaaaggc ggtaatacgg ttatccacag aatcagggga	3420
taacgcagga aagaacatgt gagcaaaagg ccagcaaaag gccaggaacc gtaaaaaggc	3480
cgcgttgctg gcgtttttcc ataggctccg cccccctgac gagcatcaca aaaatcgacg	3540
ctcaagtcag aggtggcgaa acccgacagg actataaaga taccaggcgt tccccctgg	3600
aagctccctc gtgcgtcttc ctgttcgac cctgccgctt accggatacc tgtccgcctt	3660
tctcccttcg ggaagcgtgg cgctttctca atgctcacgc tgtaggtatc tcagttcggg	3720
gtaggtcggt cgctccaagc tgggctgtgt gcacgaacct cccgttcagc ccgaccgctg	3780
cgccttatcc ggtaactatc gtcttgagtc caacccggta agacacgact tatcgccact	3840
ggcagcagcc actggtaaca ggattagcag agcgaggatg tagggcgggtg ctacagagtt	3900
cttgaagtgg tggcctaact acggctacac tagaaggaca gtatttggtg tctgcgctct	3960
gctgaagcca gttaccttcg gaaaaagagt tggtagctct tgatccggca aacaaaccac	4020
cgtggtagc ggtggttttt ttgtttgcaa gcagcagatt acgcgcagaa aaaaaggatc	4080
tcaagaagat ctttgatct tttctacggg gtctgacgct cagtggaacg aaaactcacg	4140
ttaagggatt ttggtcatga gattatcaaa aaggatcttc acctagatcc ttttaaatta	4200
aaaatgaagt tttaaatcaa tctaaagtat atatgagtaa acttggtctg acagttacca	4260
atgcttaatc agtgaggcac ctatctcagc gatctgtcta tttcgttcat ccatagttgc	4320
ctgactcccc gtcgtgtaga taactacgat acgggagggc ttaccatctg gcccagtg	4380

025CIP SEQ List.txt

tgcaatgata	ccgcgagacc	cacgctcacc	ggctccagat	ttatcagcaa	taaaccagcc	4440
agccggaagg	gccgagcgca	gaagtgggtcc	tgcaacttta	tccgcctcca	tccagtctat	4500
taattgttgc	cgggaagcta	gagtaagtag	ttcgccagtt	aatagtttgc	gcaacgttgt	4560
tgccattgct	acaggcatcg	tggtgtcacg	ctcgtcgttt	ggtatggctt	cattcagctc	4620
cggttcccaa	cgatcaaggc	gagttacatg	atcccccacg	ttgtgcaaaa	aagcgggttag	4680
ctccttcggt	cctccgatcg	ttgtcagaag	taagttggcc	gcagtgttat	cactcatggt	4740
tatggcagca	ctgcataatt	ctcttactgt	catgccatcc	gtaagatgct	tttctgtgac	4800
tggtgagtac	tcaaccaagt	cattctgaga	atagtgtatg	cggcgaccga	gttgctcttg	4860
cccggtcgta	atacgggata	ataccgcgcc	acatagcaga	actttaaaag	tgctcatcat	4920
tggaaaacgt	tcttcggggc	gaaaactctc	aaggatctta	ccgctgttga	gatccagttc	4980
gatgtaaccc	actcgtgcac	ccaactgatc	ttcagcatct	tttactttca	ccagcgtttc	5040
tggttgagca	aaaacaggaa	ggcaaaatgc	cgcaaaaaag	ggaataaggg	cgacacggaa	5100
atgttgaata	ctcatactct	tcctttttca	atattattga	agcatttatc	agggttattg	5160
tctcatgagc	ggatacatat	ttgaatgtat	ttagaaaaat	aaacaaatag	gggttccgcg	5220
cacatttccc	cgaaaagtgc	cacctgacgc	gccctgtagc	ggcgcattaa	gcgcggcggg	5280
tgtggtggtt	acgcgcagcg	tgaccgctac	acttgccagc	gccctagcgc	ccgctccttt	5340
cgctttcttc	ccttcctttc	tcgccacggt	cgccggcttt	ccccgtcaag	ctctaaatcg	5400
ggggctccct	ttaggggtcc	gatttagtgc	tttacggcac	ctcgaccca	aaaaacttga	5460
ttaggggtgat	ggttcacgta	gtgggccatc	gccctgatag	acggtttttc	gccctttgac	5520
gttgaggtcc	acgttcttta	atagtggact	cttggttcaa	actggaacaa	cactcaaccc	5580
tatctcggtc	tattcttttg	atttataagg	gattttgccg	atttcggcct	attggttaaa	5640
aatgagctg	atttaacaaa	aatttaacgc	gaattttaac	aaaatattaa	cgttttacaat	5700
ttcccatctg	ccattcaggc	tgcgcaactg	ttgggaaggg	cgatcgggtg	gggcctcttc	5760
gctattacgc	cagcccaagc	taccatgata	agtaagtaat	attaagggtac	gggagggtact	5820
tggagcggcc	gcaataaaat	atctttatct	tcattacatc	tgtgtgttgg	ttttttgtgt	5880
gaatcgatag	tactaacata	cgctctccat	caaaacaaaa	cgaacaaaaa	caaactagca	5940
aaataggctg	tccccagtgc	aagtgcaggt	gccagaacat	tt		5982

<210> 3
 <211> 5924
 <212> DNA
 <213> Plasmid pCMV-luc-attP

<400> 3	ctctatcgat	aggtaccgag	ctcttacgcg	tgctagccct	cgagcaggat	ctatacattg	60
---------	------------	------------	------------	------------	------------	------------	----

025CIP SEQ List.txt

aatcaatatt ggcaattagc catattagtc attgggttata tagcataaat caatattggc	120
tattggccat tgcatacggt gtatctatat cataatatgt acatttatat tggctcatgt	180
ccaatatgac cgccatgttg acattgatta ttgactagtt attaatagta atcaattacg	240
gggtcattag ttcatagccc atatatggag ttccgcgtta cataacttac ggtaaattggc	300
ccgcctggct gaccgccccaa cgacccccgc ccattgacgt caataatgac gtatgttccc	360
atagtaacgc caatagggac tttccattga cgtcaatggg tggagtattt acggtaaact	420
gcccacttgg cagtacatca agtgtatcat atgccaaagtc cgccccctat tgacgtcaat	480
gacggtaaat ggcccgctg gcattatgcc cagtacatga ctttacggga ctttcctact	540
tggcagtaca tctacgtatt agtcatcgct attaccatgg tgatgcgggt ttggcagtac	600
atcaatgggc gtggatagcg gtttgactca cggggatttc caagtctcca cccattgac	660
gtcaatggga gtttggtttg gcaccaaaat caacgggact ttccaaaatg tcgtaacaac	720
tccgccccat tgacgcaaat gggcggtagg cgtgtacggg gggaggtcta tataagcaga	780
gctcgtttag tgaaccgtca gatcgctgg agacgccatc cacgctgttt tgacctccat	840
agaagacacc gggaccgatc cagcctcccc tcgaagctcg actctagggg ctcgagatct	900
gcgatctaag taagcttggc attccggtac tgttggtaaa gccaccatgg aagacgccaa	960
aaacataaag aaaggccccg cgccattcta tccgctggaa gatggaaccg ctggagagca	1020
actgcataag gctatgaaga gatacgccct gggttcctgga acaattgctt ttacagatgc	1080
acatatcgag gtggacatca cttacgctga gtacttcgaa atgtccgttc gggtggcaga	1140
agctatgaaa cgatatgggc tgaatacaaa tcacagaatc gtcgtatgca gtgaaaactc	1200
tcttcaattc tttatgccgg tgttgggcgc gttatttata ggagttgcag ttgcgccccg	1260
gaacgacatt tataatgaac gtgaattgct caacagtatg ggcatttcgc agcctaccgt	1320
ggtgttcggt tccaaaaagg ggttgcaaaa aattttgaac gtgcaaaaaa agctcccaat	1380
catccaaaaa attattatca tggattctaa aacggattac cagggatttc agtcgatgta	1440
cacgttcgtc acatctcatc tacctcccgg ttttaatgaa tacgattttg tgccagagtc	1500
cttcgatagg gacaagacaa ttgcactgat catgaactcc tctggatcta ctggtctgcc	1560
taaagggtgc gctctgcctc atagaactgc ctgcgtgaga ttctcgcag ccagagatcc	1620
tatttttggc aatcaaatca ttccggatac tgcgatttta agtggtgttc cattccatca	1680
cggttttgga atgtttacta cactcggata tttgatatgt ggatttcgag tcgtcttaat	1740
gtatagattt gaagaagagc tgtttctgag gagccttcag gattacaaga ttcaaagtgc	1800
gctgctggtg ccaaccctat tctccttctt cgccaaaagc actctgattg acaaatacga	1860
tttatctaatt ttacacgaaa ttgcttctgg tggcgctccc ctctctaagg aagtcgggga	1920

025CIP SEQ List.txt

agcggttgcc	aagaggttcc	atctgccagg	tatcaggcaa	ggatatgggc	tcactgagac	1980
tacatcagct	attctgatta	cacccgaggg	ggatgataaa	ccgggcgcgg	tcggtaaagt	2040
tgttccattt	tttgaagcga	aggttggtga	tctggatacc	gggaaaacgc	tgggcgtaa	2100
tcaaagaggc	gaactgtgtg	tgagagggtcc	tatgattatg	tccggttatg	taaacaatcc	2160
ggaagcgacc	aacgccttga	ttgacaagga	tggatggcta	cattctggag	acatagctta	2220
ctgggacgaa	gacgaacact	tcttcacatcgt	tgaccgcctg	aagtctctga	ttaagtacaa	2280
aggctatcag	gtggctccccg	ctgaattgga	atccatcttg	ctccaacacc	ccaacatctt	2340
cgacgcaggt	gtcgcaggtc	ttcccagcga	tgacgccggt	gaacttccccg	ccgccgttgt	2400
tgttttggag	cacggaaaga	cgatgacgga	aaaagagatc	gtggattacg	tcgccagtca	2460
agtaacaacc	gcgaaaaagt	tgcgcgagg	agttgtgttt	gtggacgaag	taccgaaagg	2520
tcttaccgga	aaactcgacg	caagaaaaat	cagagagatc	ctcataaagg	ccaagaagg	2580
cggaagatc	gccgtgtaat	tctagagtcg	ggcgggccgg	ccgcttcgag	cagacatgat	2640
aagatacatt	gatgagtttg	gacaaaccac	aactagaatg	cagtgaaaaa	aatgctttat	2700
ttgtgaaatt	tgtgatgcta	ttgctttatt	tgtaaccatt	ataagctgca	ataaacaagt	2760
taacaacaac	aattgcattc	attttatgtt	tcaggttcag	ggggagggtgt	gggaggtttt	2820
ttaaagcaag	taaaacctct	acaaatgtgg	taaaatcgat	aaggatcaat	tcggcttcga	2880
ctagtactga	cggacacacc	gaagccccgg	cggcaaccct	cagcggatgc	cccggggctt	2940
cacgttttcc	caggtcagaa	gcggttttcg	ggagtagtgc	cccaactggg	gtaacctttg	3000
agttctctca	gttggggggcg	tagggtcgcc	gacatgacac	aaggggttgt	gaccgggggtg	3060
gacacgtacg	cgggtgctta	cgaccgtcag	tcgcgcgagc	gcgactagta	caagccgaat	3120
tgatccgtcg	accgatgccc	ttgagagcct	tcaaccaggt	cagctccttc	cggtgggcgc	3180
ggggcatgac	tatcgtcgcc	gcacttatga	ctgtcttctt	tatcatgcaa	ctcgtaggac	3240
aggtgccggc	agcgtctctc	cgcttcctcg	ctcactgact	cgctgcgctc	ggtcgttcgg	3300
ctgcggcgag	cggtatcagc	tcactcaaag	gcggtataac	ggttatccac	agaatcaggg	3360
gataacgcag	gaaagaacat	gtgagcaaaa	ggccagcaaa	aggccaggaa	ccgtaaaaag	3420
gccgcgttgc	tggcgttttt	ccataggctc	cgccccctg	acgagcatca	caaaaatcga	3480
cgctcaagtc	agagggtggcg	aaacccgaca	ggactataaa	gataccaggc	gtttccccct	3540
ggaagctccc	tcgtgcgctc	tcctgttccg	accctgccgc	ttaccggata	cctgtccgcc	3600
tttctccctt	cgggaagcgt	ggcgctttct	caatgctcac	gctgtaggta	tctcagttcg	3660
gtgtaggtcg	ttcgctccaa	gctgggctgt	gtgcacgaac	ccccgttca	gcccgaccgc	3720
tgcgcttat	ccggtaaacta	tcgtcttgag	tccaacccgg	taagacacga	cttatcgcca	3780
ctggcagcag	ccactggtaa	caggattagc	agagcgaggt	atgtaggcgg	tgctacagag	3840

025CIP SEQ List.txt

ttcttgaagt ggtggcctaa ctacggctac actagaagga cagtatttgg tatctgcgct	3900
ctgctgaagc cagttacctt cggaataaga gttggtagct cttgatccgg caaacaacc	3960
accgctggta gcggtggttt ttttgtttgc aagcagcaga ttacgcgcag aaaaaagga	4020
tctcaagaag atcctttgat cttttctacg gggctctgacg ctcagtggaa cgaaaactca	4080
cgtaagggga ttttgggtcat gagattatca aaaaggatct tcacctagat ctttttaaat	4140
taaaaatgaa gtttttaaatc aatctaaagt atatatgagt aaacttggtc tgacagttac	4200
caatgcttaa tcagtgaaggc acctatctca gcgatctgtc ttttctgttc atccatagtt	4260
gcctgactcc ccgctcgtgta gataactacg atacgggagg gcttaccatc tggccccagt	4320
gctgcaatga taccgcgaga cccacgctca ccggctccag atttatcagc aataaaccag	4380
ccagccggaa gggccgagcg cagaagtggc cctgcaactt tatccgcctc catccagtct	4440
attaattggt gccgggaagc tagagtaagt agttcgccag ttaatagttt gcgcaacggt	4500
gttgccattg ctacaggtcat cgtggtgtca cgctcgtcgt ttggtatggc ttcattcagc	4560
tccggttccc aacgatcaag gcgagttaca tgatcccca tgttggtgcaa aaaagcgggt	4620
agctccttcg gtcctccgat cgttgtcaga agtaagtgg ccgcagtgtt atcactcatg	4680
gttatggcag cactgcataa ttctcttact gtcatgccat ccgtaagatg cttttctgtg	4740
actggtgagt actcaaccaa gtcattctga gaatagtgtg tgccggcgacc gagttgctct	4800
tgccggcggt caatacggga taataccgcg ccacatagca gaactttaaa agtgctcatc	4860
attggaaaac gttcttcggg gcgaaaactc tcaaggatct taccgctgtt gagatccagt	4920
tcgatgtaac ccactcgtgc acccaactga tcttcagcat cttttacttt caccagcgtt	4980
tctgggtgag caaaaacagg aaggcaaaat gccgcaaaa aggaataag ggcgacacgg	5040
aaatgttgaa tactcatact ctctcttttt caatattatt gaagcattta tcagggttat	5100
tgtctcatga gcggatacat atttgaatgt atttagaaaa ataaacaaat aggggttccg	5160
cgcacatttc cccgaaaagt gccacctgac gcgccctgta gcggcgcat aagcgcggcg	5220
ggtgtggtgg ttacgcgcag cgtgaccgct acacttgcca gcgccctagc gcccgctcct	5280
ttcgctttct tcccttcctt tctcgccacg ttcgccggct ttccccgtca agctctaaat	5340
cgggggctcc ctttaggggt ccgatttagt gctttacggc acctcgacct caaaaaactt	5400
gattaggggt atggttcacg tagtgggcca tcgccctgat agacggtttt tcgccctttg	5460
acgttggagt ccacgttctt taatagtggc ctcttggtcc aaactggaac aacactcaac	5520
cctatctcgg tctattcttt tgatttataa gggattttgc cgatttcggc ctattgggtta	5580
aaaaatgagc tgatttaaca aaaatttaac gcgaatttta acaaaatatt aacgtttaca	5640
atttcccatc cgccattcag gctgcgcaac tgttggggaag ggcgatcggg gcgggcctct	5700

025CIP SEQ List.txt

tcgctattac gccagcccaa gctaccatga taagtaagta atattaaggt acgggaggta	5760
cttggagcgg ccgcaataaa atatctttat tttcattaca tctgtgtgtt gggtttttgt	5820
gtgaatcgat agtactaaca tacgctctcc atcaaaaaca aacgaaaca aacaaactag	5880
caaaataggc tgtccccagt gcaagtgcag gtgccagaac attt	5924

<210> 4
 <211> 5101
 <212> DNA
 <213> Plasmid pCMV-pur-attB

<400> 4	
ctagagtcgg ggcggccggc cgcttcgagc agacatgata agatacattg atgagtttgg	60
acaaaccaca actagaatgc agtgaaaaaa atgctttatt tgtgaaattt gtgatgctat	120
tgctttatatt gtaaccatta taagctgcaa taaacaagtt aacaacaaca attgcattca	180
ttttatgttt cagggttcagg gggagggtgtg ggagggtttt taaagcaagt aaaacctcta	240
caaatgtggt aaaatcgata aggatcaatt cggcttcagg taccgtcgac gatgtaggtc	300
acggtctcga agccgcggtg cgggtgccag ggcgtgccct tgggctcccc gggcgcgtac	360
tccacctcac ccatctggtc catcatgatg aacgggtcga ggtggcggtg gttgatccccg	420
gcgaacgcgc ggcgcaccgg gaagccctcg ccctcgaaac cgctgggcgc ggtggtcacg	480
gtgagcacgg gacgtgcgac ggcgtcggcg ggtgcggata cgcggggcag cgtcagcggg	540
ttctcgacgg tcacggcggg catgtcgaca gccgaattga tccgtcgacc gatgcccttg	600
agagccttca acccagtcag ctcttccgg tgggcgcggg gcatgactat cgtcgccgca	660
cttatgactg tcttctttat catgcaactc gtaggacagg tgccggcagc gctcttccgc	720
ttcctcgctc actgactcgc tgcgctcggc cgcttcggctg cggcgagcgg tatcagctca	780
ctcaaaggcg gtaatacggg tatccacaga atcaggggat aacgcaggaa agaacatgtg	840
agcaaaaggc cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca	900
taggctccgc cccctgacg agcatcaca aaatcgacgc tcaagtcaga ggtggcgaaa	960
cccgacagga ctataaagat accaggcgtt tccccctgga agctccctcg tgcgctctcc	1020
tgttccgacc ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc	1080
gctttctcaa tgctcacgct gtaggtatct cagttcgggtg taggtcggtc gctccaagct	1140
gggctgtgtg cacgaacccc ccgttcagcc cgaccgtgc gccttatccg gtaactatcg	1200
tcttgagtcc aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag	1260
gattagcaga gcgaggatag taggcggtgc tacagagttc ttgaagtggg ggcctaacta	1320
cggctacact agaaggacag tattttggtat ctgcgctctg ctgaagccag ttaccttcgg	1380
aaaaagagtt ggtagctctt gatccggcaa acaaacacc gctggtagcg gtgggttttt	1440

025CIP SEQ List.txt

tgtttgcaag cagcagatta cgcgagaaa	aaaaggatct caagaagatc ctttgatctt	1500
ttctacgggg tctgacgctc agtggaaacga	aaactcacgt taagggaattt tggatcatgag	1560
attatcaaaa aggatcttca cctagatcct	tttaaattaa aaatgaagtt ttaaataaat	1620
ctaaagtata tatgagtaaa cttgggtctga	cagttaccaa tgcttaataca gtgaggcacc	1680
tatctcagcg atctgtctat ttcgttcac	catagttgcc tgactccccg tcgtgtagat	1740
aactacgata cgggagggct taccatctgg	ccccagtgc gcaatgatac cgcgagaccc	1800
acgctcaccg gctccagatt tatcagcaat	aaaccagcca gccggaaggg ccgagcgag	1860
aagtggctct gcaactttat ccgcctccat	ccagtctatt aattggtgcc gggaagctag	1920
agtaagtagt tcgccagtta atagtttgcg	caacgttggt gccattgcta caggcatcgt	1980
ggtgtcacgc tcgtcgtttg gtatggcttc	attcagctcc gggtcccaac gatcaaggcg	2040
agttacatga tccccatgt tgtgcaaaaa	agcgggttagc tccttcgggtc ctccgatcgt	2100
tgtcagaagt aagttggccg cagtgttatc	actcatgggt atggcagcac tgcataattc	2160
tcttactgtc atgccatccg taagatgctt	ttctgtgact ggtgagtact caaccaagtc	2220
attctgagaa tagtgatgc ggcgaccgag	ttgctcttgc ccggcgtaaa tacgggataa	2280
taccgcgcca catagcagaa ctttaaaagt	gctcatcatt ggaaaacgtt cttcggggcg	2340
aaaactctca aggatcttac cgctgttgag	atccagttcg atgtaaccca ctcgtgcacc	2400
caactgatct tcagcatctt ttactttcac	cagcgtttct gggtagagcaa aaacaggaag	2460
gcaaaatgcc gcaaaaaagg gaataagggc	gacacggaaa tgttgaatac tcatactctt	2520
cctttttcaa tattattgaa gcatttatca	gggttattgt ctcatgagcg gatacatatt	2580
tgaatgtatt tagaaaaata aacaaatagg	gggtccgcgc acatttcccc gaaaagtgcc	2640
acctgacgcg ccctgtagcg gcgcattaag	cgcgggcgggt gtgggtggtta cgcgagcgt	2700
gaccgtaca cttgccagcg ccctagcgcc	cgctcctttc gctttcttcc cttcctttct	2760
cgccacgttc gccggctttc ccgtcaagc	tctaaatcgg gggctccctt taggggtccg	2820
atttagtgct ttacggcacc tcgaccccaa	aaaacttgat taggggtgat gttcacgtag	2880
tgggccatcg ccctgataga cgggttttcg	ccctttgacg ttggagtcca cgttctttaa	2940
tagtggactc ttgttccaaa ctggaacaac	actcaaccct atctcgggtc attcttttga	3000
tttataaggg attttgccga tttcggccta	ttgggttaaaa aatgagctga ttttaacaaa	3060
atttaacgcg aattttaaca aaatattaac	gtttacaatt tccattcgc cattcaggct	3120
gcgcaactgt tgggaagggc gatcggtgcg	ggcctcttcg ctattacgcc agcccaagct	3180
accatgataa gtaagtaata ttaaggtagc	ggaggtagct ggagcggccg caataaaata	3240
tctttatatt cattacatct gtgtgttggt	ttttgtgtg aatcgatagt actaacatac	3300
gctctccatc aaaacaaaac gaaacaaaac	aaactagcaa aataggctgt cccagtgca	3360

025CIP SEQ List.txt

```

agtgcagggtg ccagaacatt tctctatcga taggtaccga gctcttacgc gtgctagccc 3420
tcgagcagga tctatacatt gaatcaatat tggcaattag ccatattagt cattgggttat 3480
atagcataaa tcaatattgg ctattggcca ttgcatacgt tgtatctata tcataatatg 3540
tacatttata ttggctcatg tccaatatga ccgccatggt gacattgatt attgactagt 3600
tattaatagt aatcaattac ggggtcatta gttcatagcc catatatgga gttccgcgtt 3660
acataactta cggtaaatgg cccgcctggc tgaccgcca acgacccccg cccattgacg 3720
tcaataatga cgtatgttcc catagtaacg ccaataggga ctttccattg acgtcaatgg 3780
gtggagtatt tacggtaaac tgcccacttg gcagtacatc aagtgtatca tatgccaagt 3840
ccgcccccta ttgacgtcaa tgacggtaaa tggcccgccg ggcattatgc ccagtacatg 3900
accttacggg actttcctac ttggcagtag atctacgtat tagtcatcgc tattaccatg 3960
gtgatgcggt tttggcagta catcaatggg cgtggatagc ggtttgactc acggggattt 4020
ccaagtctcc accccattga cgtcaatggg agtttgttt ggcacaaaaa tcaacgggac 4080
tttccaaaat gtcgtaacaa ctccgcccc ttgacgcaa tgggcggtag gcggtgtacgg 4140
tgggaggtct atataagcag agctcgttta gtgaaccgtc agatcgctg gagacgccat 4200
ccacgctgtt ttgacctcca tagaagacac cgggaccgat ccagcctccc ctggaagctc 4260
gactctaggg gctcgagatc tgcgatctaa gtaagcttgc atgcctgcag gtcggccgcc 4320
acgaccggtg ccgccaccat cccctgacct acgcccctga cccctcaca ggagacgacc 4380
ttccatgacc gagtacaagc ccacggtgcg cctcgccacc cgcgacgacg tccccgggc 4440
cgtacgcacc ctgcccgcg cgttcgcca ctacccgcc acgcgccaca ccgtcgacct 4500
ggaccgccac atcgagcggg tcaccgagct gcaagaactc ttcttcacgc gcgtcgggct 4560
cgacatcggc aaggtgtggg tcgcgacga cggcgccgc gtggcggtct ggaccacgcc 4620
ggagagcgtc gaagcggggg cgggtgtcgc cgagatcggc ccgcatgg ccgagttgag 4680
cggttcccg ctggccgcg agcaacagat ggaaggcctc ctggcgccgc accggcccaa 4740
ggagcccgcg tggttcctgg ccaccgtcgc cgtctcgccc gaccaccagg gcaagggtct 4800
ggcagcgcc gtcgtgctcc ccggagtgga ggcggccgag cgcgccgggg tgccgcctt 4860
ctggagacc tccgcgccc gcaacctccc cttctacgag cggctcggct tcaccgtcac 4920
gccgacgtc gaggtgccc aaggaccgcg cacctggtgc atgaccgca agcccggtgc 4980
tgacgccc cccacgacc cgcagcggc gaccgaaagg agcgcacgac cccatggctc 5040
gaccgaagc cgaccgggc ggccccgcg accccgcacc cgccccgag gccaccgac 5100
5101

```

025CIP SEQ List.txt

<211> 5043

<212> DNA

<213> Plasmid pCMV-pur-attP

<400> 5

ctagagtcgg	ggcggccggc	cgcttcgagc	agacatgata	agatacattg	atgagtttgg	60
acaaaccaca	actagaatgc	agtgaaaaaa	atgcttttatt	tgtgaaattt	gtgatgctat	120
tgctttatatt	gtaaccatta	taagctgcaa	taaacaagtt	aacaacaaca	attgcattca	180
ttttatgttt	caggttcagg	gggagggtgtg	ggagggttttt	taaagcaagt	aaaacctcta	240
caaattgtggt	aaaatcgata	aggatcaatt	cggttcgac	tagtactgac	ggacacaccg	300
aagccccggc	ggcaaccctc	agcggatgcc	ccggggcttc	acgttttccc	aggtcagaag	360
cggttttcgg	gagtagtgcc	ccaactgggg	taacctttga	gttctctcag	ttgggggcgt	420
agggtcgccg	acatgacaca	aggggttgtg	accgggggtg	acacgtacgc	gggtgcttac	480
gaccgtcagt	cgcgcgagcg	cgactagtac	aagccgaatt	gatccgtcga	ccgatgccct	540
tgagagcctt	caaccagtc	agctccttcc	ggtgggcgcg	gggcatgact	atcgtcgccg	600
cacttatgac	tgtcttcttt	atcatgcaac	tcgtaggaca	ggtgccggca	gcgctcttcc	660
gcttcctcgc	tcactgactc	gctgcgctcg	gtcgttcggc	tgcggcgagc	ggtatcagct	720
cactcaaagg	cggtaatagc	gttatccaca	gaatcagggg	ataacgcagg	aaagaacatg	780
tgagcaaaag	gccagcaaaa	ggccaggaac	cgtaaaaagg	ccgcgttgct	ggcgtttttc	840
cataggctcc	gccccctga	cgagcatcac	aaaaatcgac	gctcaagtca	gagggtggcga	900
aacccgacag	gactataaag	ataccaggcg	tttccccctg	gaagctccct	cgtgcgctct	960
cctgtttccga	ccctgccgct	taccggatac	ctgtccgcct	ttctcccttc	gggaagcgctg	1020
gcgctttctc	aatgctcacg	ctgtaggtat	ctcagttcgg	tgtaggtcgt	tcgctccaag	1080
ctgggctgtg	tgcacgaacc	ccccgttcag	cccgaccgct	gcgccttatc	cggttaactat	1140
cgtcttgagt	ccaaccgggt	aagacacgac	ttatcgccac	tggcagcagc	cactggtaac	1200
aggattagca	gagcgaggta	tgtaggcggt	gctacagagt	tcttgaagtg	gtggcctaac	1260
tacggctaca	ctagaaggac	agtatttgggt	atctgcgctc	tgctgaagcc	agttaccttc	1320
ggaaaaagag	ttggtagctc	ttgatccggc	aaacaaacca	ccgctggtag	cggtgggtttt	1380
tttgtttgca	agcagcagat	tacgcgcaga	aaaaaaggat	ctcaagaaga	tcctttgatc	1440
ttttctacgg	ggtctgacgc	tcagtggaac	gaaaactcac	gttaagggat	tttggtcatg	1500
agattatcaa	aaaggatctt	cacctagatc	cttttaaatt	aaaaatgaag	ttttaaatca	1560
atctaaagta	tatatgagta	aacttggtct	gacagttacc	aatgcttaat	cagtgaggca	1620
cctatctcag	cgatctgtct	atttcgttca	tccatagttg	cctgactccc	cgtcgtgtag	1680
ataactacga	tacgggaggg	cttaccatct	ggccccagtg	ctgcaatgat	accgcgagac	1740

025CIP SEQ List.txt

ccacgctcac	cggctccaga	tttatcagca	ataaaccagc	cagccggaag	ggccgagcgc	1800
agaagtgggtc	ctgcaacttt	atccgcctcc	atccagtcta	ttaattgttg	ccgggaagct	1860
agagtaagta	gttcgccagt	taatagtttg	cgcaacgttg	ttgccattgc	tacaggcatc	1920
gtggtgtcac	gctcgtcgtt	tggtatggct	tcattcagct	ccggttccca	acgatcaagg	1980
cgagttacat	gatccccc	gttgtgcaaa	aaagcgggta	gctccttcgg	tcctccgatac	2040
gttgtcagaa	gtaagttggc	cgcagtgtta	tcactcatgg	ttatggcagc	actgcataat	2100
tctcttactg	tcatgccatc	cgtaagatgc	ttttctgtga	ctggtgagta	ctcaaccaag	2160
tcattctgag	aatagtgtat	gcggcgaccg	agttgctctt	gcccggcgtc	aatacgggat	2220
aataccgcgc	cacatagcag	aacttttaaaa	gtgctcatca	ttggaaaacg	ttcttcgggg	2280
cgaaaactct	caaggatctt	accgctgttg	agatccagtt	cgatgtaacc	cactcgtgca	2340
cccaactgat	cttcagcatc	ttttactttc	accagcgttt	ctgggtgagc	aaaaacagga	2400
aggcaaaatg	ccgcaaaaaa	gggaataagg	gcgacacgga	aatgttgaat	actcatactc	2460
ttcctttttc	aatattattg	aagcatttat	caggggttatt	gtctcatgag	cggatacata	2520
tttgaatgta	tttagaaaaa	taaacaaata	gggggtccgc	gcacatttcc	ccgaaaagtg	2580
ccacctgacg	cgccctgtag	cggcgcatta	agcgcggcgg	gtgtgggtgg	tacgcgcagc	2640
gtgaccgcta	cacttgccag	cgccctagcg	cccgcctcct	tcgctttctt	cccttccttt	2700
ctcgccacgt	tcgccggctt	tccccgtcaa	gctctaaatc	gggggctccc	tttaggggtc	2760
cgatttagtg	ctttacggca	cctcgacccc	aaaaaacttg	attaggggtga	tggttcacgt	2820
agtgggcat	cgccctgata	gacgggtttt	cgccctttga	cgttggagtc	cacgttcttt	2880
aatagtggac	tcttgttcca	aactggaaca	acactcaacc	ctatctcggt	ctattctttt	2940
gatttataag	ggattttgcc	gatttcggcc	tattgggttaa	aaaatgagct	gattttaacaa	3000
aaatttaacg	cgaattttta	caaaatatta	acgtttacaa	tttcccattc	gccattcagg	3060
ctgcgcaact	gttgggaagg	gcgatcgggtg	cgggcctcct	cgctattacg	ccagcccaag	3120
ctaccatgat	aagtaagtaa	tattaaggta	cgggaggtac	ttggagcggc	cgcaataaaa	3180
tatctttatt	ttcattacat	ctgtgtgttg	gttttttgtg	tgaatcgata	gtactaacat	3240
acgctctcca	tcaaaacaaa	acgaaacaaa	acaaactagc	aaaataggct	gtccccagtg	3300
caagtgcagg	tgccagaaca	tttctctatc	gatagggtacc	gagctcttac	gcgtgctagc	3360
cctcgagcag	gatctataca	ttgaatcaat	attggcaatt	agccatatta	gtcattgggt	3420
atatagcata	aatcaatatt	ggctattggc	cattgcatac	gttgatctta	tatcataata	3480
tgtacattta	tattggctca	tgtccaatat	gaccgccatg	ttgacattga	ttattgacta	3540
gttattaata	gtaatcaatt	acgggggtcat	tagttcatag	cccatatatg	gagttccgcg	3600
ttacataact	tacggtaaat	ggcccgccctg	gctgaccgcc	caacgacccc	cgccatttga	3660

025CIP SEQ List.txt

cgtcaataat gacgtatgtt cccatagtaa cgccaatagg gactttccat tgacgtcaat	3720
gggtggagta ttacggtaa actgcccact tggcagtaca tcaagtgtat catatgccaa	3780
gtccgcccc tattgacgtc aatgacggta aatggcccg cttggcattat gccagtaga	3840
tgaccttacg ggactttcct acttggcagt acatctacgt attagtcac gctattacca	3900
tggtgatgcg gttttggcag tacatcaatg ggcgtggata gcggtttgac tcacggggat	3960
ttccaagtct ccacccatt gacgtcaatg ggagtttgtt ttggcaccaa aatcaacggg	4020
actttccaaa atgtcgtaac aactccgccc cattgacgca aatgggcggt aggcgtgtac	4080
gggtgggaggt ctatataagc agagctcgtt tagtgaaccg tcagatcgcc tggagacgcc	4140
atccacgctg ttttgacctc catagaagac accgggaccg atccagcctc ccctcgaagc	4200
tcgactctag gggctcgaga tctgcgatct aagtaagctt gcatgcctgc aggtcggccg	4260
ccacgaccgg tgccgccacc atcccctgac ccacgcccct gacccctcac aaggagacga	4320
ccttccatga ccgagtacaa gccacgggtg cgcctcgcca cccgcgacga cgtcccccg	4380
gccgtacgca ccctcgccgc cgcgttcgcc gactaccccg ccacgcgcca caccgtcgac	4440
ccggaccgcc acatcgagcg ggtcaccgag ctgcaagaac tcttcctcac gcgcgtcggg	4500
ctcgacatcg gcaagggtgtg ggtcgcggac gacggcgccg cgggtggcgggt ctggaccacg	4560
ccggagagcg tcgaagcggg ggcggtgttc gccgagatcg gcccgcgcat ggccgagttg	4620
agcggttccc ggctggccgc gcagcaacag atggaaggcc tcctggcgcc gcaccggccc	4680
aaggagccc cgtggttctt ggccaccgtc ggcgtctcgc ccgaccacca gggcaaggg	4740
ctgggcagcg ccgtcgtgct ccccgagtg gaggcggccg agcgcgcccg ggtgcccgc	4800
ttctggaga cctccgcgcc ccgcaacctc cccttctacg agcggctcgg cttcaccgtc	4860
accgccgacg tcgaggtgcc cgaaggaccg cgcacctggt gcatgaccg caagcccgg	4920
gcctgacgcc cgccccacga cccgcagcgc ccgaccgaaa ggagcgcacg accccatggc	4980
tccgaccgaa gccgaccgg gcggccccgc cgaccccgca cccgcccccg aggccaccg	5040
act	5043

<210> 6

<211> 5041

<212> DNA

<213> Plasmid pCMV-EGFP-attB

<400> 6

ctagagtcgg ggcggccggc cgcttcgagc agacatgata agatacattg atgagtttgg	60
acaaaccaca actagaatgc agtgaaaaaa atgcttttatt tgtgaaattt gtgatgctat	120
tgctttatatt gtaaccatta taagctgcaa taaacaagtt aacaacaaca attgcattca	180
ttttatgttt caggttcagg gggaggtgtg ggaggttttt taaagcaagt aaaacctcta	240

025CIP SEQ List.txt

caaattgtgg	aaaatcgata	aggatcaatt	cggcttcagg	taccgtcgac	gatgtaggtc	300
acgggtctcg	agccgcgggtg	cgggtgccag	ggcgtgccct	tgggctcccc	gggcgcgtac	360
tccacctcac	ccatctgggtc	catcatgatg	aacgggtcga	ggtggcggtg	gttgatcccc	420
gcgaacgcgc	ggcgacccgg	gaagccctcg	ccctcgaaac	cgctgggcgc	ggtggtcacg	480
gtgagcacgg	gacgtgcgac	ggcgtcggcg	ggtgcggata	cgcggggcag	cgtcagcggg	540
ttctcgacgg	tcacggcggg	catgtcgaca	gccgaattga	tccgtcgacc	gatgcccttg	600
agagccttca	acccagtcag	ctccttcggg	tgggcgcggg	gcatgactat	cgtcgccgca	660
cttatgactg	tcttctttat	catgcaactc	gtaggacagg	tgccggcagc	gctcttcggc	720
ttcctcgctc	actgactcgc	tgcgtcgggt	cgttcggctg	cggcgagcgg	tatcagctca	780
ctcaaaggcg	gtaatacggg	tatccacaga	atcaggggat	aacgcaggaa	agaacatgtg	840
agcaaaaggc	cagcaaaagg	ccaggaaccg	taaaaaggcc	gcgttgctgg	cgtttttcca	900
taggtccgc	ccccctgacg	agcatcaca	aaatcgacgc	tcaagtcaga	ggtggcgaaa	960
cccgacagga	ctataaagat	accaggcggt	tccccctgga	agctccctcg	tgcgtctctc	1020
tgttccgacc	ctgccgctta	ccggatacct	gtccgccttt	ctcccttcgg	gaagcgtggc	1080
gctttctcaa	tgctcacgct	gtaggtatct	cagttcgggtg	taggtcgttc	gctccaagct	1140
gggctgtgtg	cacgaacccc	ccgttcagcc	cgaccgctgc	gccttatccg	gtaactatcg	1200
tcttgagtcc	aaccgggtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	1260
gattagcaga	gcgaggtatg	taggcgggtg	tacagagttc	ttgaagtggg	ggcctaacta	1320
cggctacact	agaaggacag	tatttggtat	ctgcgtcttg	ctgaagccag	ttaccttcgg	1380
aaaaagagtt	ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtggtttttt	1440
tgtttgcaag	cagcagatta	cgcgagaaa	aaaaggatct	caagaagatc	ctttgatctt	1500
ttctacgggg	tctgacgctc	agtggaacga	aaactcacgt	taagggattt	tggtcatgag	1560
attatcaaaa	aggatcttca	cctagatcct	tttaaattaa	aaatgaagtt	ttaaatcaat	1620
ctaaagtata	tatgagtaaa	cttggtctga	cagttaccaa	tgcttaatca	gtgaggcacc	1680
tatctcagcg	atctgtctat	ttcgttcac	catagttgcc	tgactccccg	tcgtgtagat	1740
aactacgata	cgggagggtc	taccatctgg	ccccagtgct	gcaatgatac	cgcgagaccc	1800
acgctcaccg	gctccagatt	tatcagcaat	aaaccagcca	gccggaaggg	ccgagcgcag	1860
aagtggctct	gcaactttat	ccgcctccat	ccagtctatt	aattgttgcc	gggaagctag	1920
agtaagtagt	tcgccagtta	atagtttgcg	caacgttggt	gccattgcta	caggcatcgt	1980
ggtgtcacgc	tcgtcgtttg	gtatggcttc	attcagctcc	ggttcccaac	gatcaaggcg	2040
agttacatga	tcccccatgt	tgtgcaaaaa	agcggtttagc	tccttcgggtc	ctccgatcgt	2100

025CIP SEQ List.txt

tgtcagaagt aagttggccg cagtgttatc actcatgggtt atggcagcac tgcataattc	2160
tcttactgtc atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc	2220
attctgagaa tagtgtatgc ggcgaccgag ttgctcttgc ccggcgtcaa tacgggataa	2280
taccgcgcca catagcagaa ctttaaaagt gctcatcatt ggaaaacggt cttcggggcg	2340
aaaactctca aggatcttac cgctgttgag atccagttcg atgtaacca ctcgtgcacc	2400
caactgatct tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag	2460
gcaaaatgcc gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt	2520
cctttttcaa tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt	2580
tgaatgtatt tagaaaaata aacaaatagg ggttccgcgc acatttcccc gaaaagtgcc	2640
acctgacgcg ccctgtagcg gcgcattaag cgcggcgggt gtgggtggta cgcgcagcgt	2700
gaccgctaca cttgccagcg ccctagcgcc cgctccttc gctttcttcc cttcctttct	2760
cgccacgttc gccggctttc cccgtcaagc tctaaatcgg gggctccctt tagggttccg	2820
atttagtgct ttacggcacc tcgaccccaa aaaacttgat tagggtgatg gttcacgtag	2880
tgggccatcg ccctgataga cggtttttcg ccctttgacg ttggagtcca cgttctttaa	2940
tagtggactc ttgttccaaa ctggaacaac actcaaccct atctcgggtc attcttttga	3000
tttataaggg attttgccga tttcggccta ttgggttaaaa aatgagctga ttttaacaaa	3060
atttaacgcg aattttaaca aaatattaac gtttacaatt tccatttcgc cattcaggct	3120
gcgcaactgt tgggaagggc gatcgggtgcg ggcctcttcg ctattacgcc agcccaagct	3180
accatgataa gtaagtaata ttaagggtacg ggaggtactt ggagcggccg caataaaata	3240
tctttatttt cattacatct gtgtgttggt tttttgtgtg aatcgatagt actaacatac	3300
gctctccatc aaaacaaaac gaaacaaaac aaactagcaa aataggctgt cccagtgca	3360
agtgcagggtg ccagaacatt tctctatcga taggtaccga gctcttacgc gtgctagccc	3420
tcgagcagga tctatacatt gaatcaatat tggcaattag ccatattagt cattggttat	3480
atagcataaa tcaatattgg ctattggcca ttgcatacgt tgtatctata tcataatatg	3540
tacattttata ttggctcatg tccaatatga ccgcatgtt gacattgatt attgactagt	3600
tattaatagt aatcaattac ggggtcatta gttcatagcc catatatgga gttccgcgtt	3660
acataactta cggtaaatgg cccgcctggc tgaccgcca acgacccccg cccattgacg	3720
tcaataatga cgtatgttcc catagtaacg ccaataggga ctttccattg acgtcaatgg	3780
gtggagtatt tacggtaaac tgcccacttg gcagtacatc aagtgtatca tatgccaagt	3840
ccgcccccta ttgacgtcaa tgacggtaaa tggcccgctt ggcattatgc ccagtacatg	3900
accttacggg actttcctac ttggcagtac atctacgtat tagtcatcgc tattaccatg	3960
gtgatgcggt tttggcagta catcaatggg cgtggatagc ggtttgactc acggggattt	4020

025CIP SEQ List.txt

```

ccaagtctcc accccattga cgtcaatggg agtttgTTTT ggcacaaaa tcaacgggac 4080
tttccaaaat gtcgtaacaa ctccgcccc ttgacgcaaa tgggcggtag gcgtgtacgg 4140
tgggaggtct atataagcag agctcgttta gtgaaccgtc agatcgctg gagacgccat 4200
ccacgctgtt ttgacctcca tagaagacac cgggaccgat ccagcctccc ctcgaagctc 4260
gactctaggg gctcgagatc cccgggtacc ggtcgccacc atggtgagca agggcgagga 4320
gctgttcacc ggggtggtgc ccatcctggt cgagctggac ggcgacgtaa acggccacaa 4380
gttcagcgtg tccggcgagg gcgagggcga tgccacctac ggcaagctga ccctgaagtt 4440
catctgcacc accggaagc tgcccgtgcc ctggcccacc ctctgacga ccctgacct 4500
cggcgtgcag tgcttcagcc gctaccccga ccacatgaag cagcacgact tcttcaagtc 4560
cgccatgccc gaaggctacg tccaggagcg caccatcttc ttcaaggacg acggcaacta 4620
caagaccgc gccgaggtga agttcgaggg cgacaccctg gtgaaccgca tcgagctgaa 4680
gggcatcgac ttcaaggagg acggcaacat cctggggcac aagctggagt acaactacaa 4740
cagccacaac gtctatatca tggccgacaa gcagaagaac ggcattcaagg tgaacttcaa 4800
gatccgccac aacatcgagg acggcagcgt gcagctcgcc gaccactacc agcagaacac 4860
ccccatcggc gacggccccg tgctgctgcc cgacaaccac tacctgagca cccagtccgc 4920
cctgagcaaa gaccccaacg agaagcgga tcacatggct ctgctggagt tcgtgaccgc 4980
cgccgggatc actctcggca tggacgagct gtacaagtaa agcggccgct cgagcatgca 5040
t 5041

```

<210> 7
 <211> 18116
 <212> DNA
 <213> Plasmid p12.01ys-LSPIPMM-CMV-pur-attB

```

<400> 7
gggctgcagg aattcgattg ccgccttctt tgatattcac tctgttgat ttcatctctt 60
cttgccgatg aaaggatata acagtctgta taacagtctg tgaggaaata cttggtatTT 120
cttctgatca gtgtttttat aagtaatgtt gaatattgga taaggctgtg tgcctttgt 180
cttgggagac aaagcccaca gcaggtggtg gttgggggtg tggcagctca gtgacaggag 240
aggttttttt gcctgttttt tttttttttt ttttttttaa gtaagggtgtt cttttttctt 300
agtaaatttt ctactggact gtatgttttg acaggctcaga aacatttctt caaaagaaga 360
accttttgga aactgtacag cccttttctt tcattccctt tttgctttct gtgccaatgc 420
ctttggttct gattgcatta tggaaaacgt tgatcggaac ttgaggtttt tatttatagt 480
gtggcttgaa agcttgata gctgttgta cacgagatac cttattaagt ttaggccagc 540
ttgatgcttt attttttccc tttgaagtag tgagcgttct ctgggttttt tcctttgaaa 600

```


025CIP SEQ List.txt

ctggtgagggc ttagatTTTT ctaatgggat tttttacctg atgatctagt tgcataccca	660
aatgcttgta aatgttttcc tagttaacat gttgataact tcggatttac atgttggtata	720
tacttgtcat ctgtgtttct agtaaaaaata tatggcattt atagaaatac gtaattcctg	780
atttcctttt tttttatctc tatgctctgt gtgtacaggt caaacagact tcactcctat	840
ttttatttat agaattttat atgcagtctg tcgttggttc ttgtgttgta aggatacagc	900
cttaaatttc ctagagcgat gctcagtaag gcgggttgct acatgggttc aaatgtaaaa	960
cgggcacgtt tggctgctgc cttcccgaaga tccaggacac taaactgctt ctgcactgag	1020
gtataaatcg cttcagatcc caggggaagtg cagatccacg tgcataattct taaagaagaa	1080
tgaatacttt ctaaaatatt ttggcatagg aagcaagctg catggatttg tttgggactt	1140
aaattatttt ggtaacggag tgcataagggt taaacacag ttgcagcatg ctaacgagtc	1200
acagcgttta tgcagaagtg atgcctggat gcctgttgca gctgtttacg gactgcctt	1260
gcagtgaaca ttgcagatag ggggtgggtg ctttgtgtcg tgttcccaca cgctgccaca	1320
cagccacctc ccggaacaca tctcacctgc tgggtacttt tcaaaccatc ttagcagtag	1380
tagatgagtt actatgaaac agagaagttc ctcagttgga tattctcatg ggatgtcttt	1440
tttcccatgt tgggcaaagt atgataaagc atctctattt gtaaattatg cacttggttag	1500
ttcctgaatc ctttctatag caccacttat tgcagcaggt gtaggctctg gtgtggcctg	1560
tgtctgtgct tcaatctttt aaagcttctt tggaaataca ctgacttgat tgaagtctct	1620
tgaagatagt aaacagtact tacctttgat cccaatgaaa tcgagcattt cagttgtaaa	1680
agaattccgc ctattcatac catgtaatgt aattttacac cccagtgct gacactttgg	1740
aatatattca agtaatagac tttggcctca ccctcttggt tactgtattt tgtaatagaa	1800
aatattttaa actgtgcata tgattattac attatgaaag agacattctg ctgatcttca	1860
aatgtaagaa aatgaggagt gcgtgtgctt ttataaatac aagtgattgc aaattagtgc	1920
agggtgcctt aaaaaaaaaa aaaaaaagta atataaaaag gaccagggtg tttacaagtg	1980
aaatacatc ctatttggtt aacagttaca tttttatgaa gattaccagc gctgctgact	2040
ttctaacaat aaggctgtat tgtcttcctg taccattgca tttcctcatt cccaatttgc	2100
acaaggatgt ctgggtaaac tattcaagaa atggctttga aatacagcat gggagcttgt	2160
ctgagttgga atgcagagtt gactgcaaa atgtcaggaa atggatgtct ctcagaatgc	2220
ccaactcaa aggattttat atgtgtatat agtaagcagt ttcctgattc cagcaggcca	2280
aagagtctgc tgaatgttgt gttgccggag acctgtattt ctcaacaagg taagatggta	2340
tcctagcaac tgcggatttt aatacatttt cagcagaagt acttagttaa tctctacctt	2400
tagggatcgt ttcattcattt ttagatgtta tacttgaaat actgcataac ttttagcttt	2460

025CIP SEQ List.txt

catggggttcc	tttttttcag	cctttaggag	actgttaagc	aatttgctgt	ccaacttttg	2520
tgttggtctt	aaactgcaat	agtagtttac	cttgatttga	agaaataaag	accattttta	2580
tattaaaaaa	tacttttgtc	tgtcttcatt	ttgacttgtc	tgatatcctt	gcagtgccca	2640
ttatgtcagt	tctgtcagat	attcagacat	caaaacttaa	cgtgagctca	gtggaggttac	2700
agctgcgggt	ttgatgctgt	tattatttct	gaaactagaa	atgatgttgt	cttcatctgc	2760
tcacaaaca	cttcatgcag	agtgttaaggc	tagtgagaaa	tgcatacatt	tattgatact	2820
tttttaaagt	caacttttta	tcagattttt	ttttcatttg	gaaatatatt	gttttctaga	2880
ctgcatagct	tctgaatctg	aaatgcagtc	tgattggcat	gaagaagcac	agcactcttc	2940
atcttactta	aacttcattt	tggaaatgaag	gaagttaagc	aagggcacag	gtccatgaaa	3000
tagagacagt	gcgctcagga	gaaagtgaac	ctggatttct	ttggctagtg	ttctaaatct	3060
gtagttagga	aagtaacacc	cgattccttg	aaagggctcc	agctttaatg	cttccaaatt	3120
gaaggtggca	ggcaacttgg	ccactggtta	tttactgcat	tatgtctcag	tttcgcagct	3180
aacctggctt	ctccactatt	gagcatggac	tatagcctgg	cttcagaggc	caggtgaagg	3240
ttgggatggg	tggaaaggagt	gctgggctgt	ggctgggggg	actgtgggga	ctccaagctg	3300
agcttggggg	gggcagcaca	gggaaaagtg	tgggtaacta	tttttaagta	ctgtgttgca	3360
aacgtctcat	ctgcaaatac	gtagggtgtg	tactctcgaa	gattaacagt	gtgggttcag	3420
taatatatgg	atgaattcac	agtggaagca	ttcaagggtg	gatcatctaa	cgacaccaga	3480
tcacaaagt	atgattggaa	gcggtatcag	aagagcgagg	aaggtaagca	gtcttcatat	3540
gttttccctc	cacgtaaagc	agtctgggaa	agtagcacc	cttgagcaga	gacaaggaaa	3600
taattcagga	gcatgtgcta	ggagaacttt	cttgctgaat	tctacttgca	agagctttga	3660
tgcttggtt	ctggtgcctt	ctgcagcacc	tgcaaggccc	agagcctgtg	gtgagctgga	3720
gggaaagatt	ctgctcaagt	ccaagcttca	gcaggtcatt	gtctttgctt	cttccccag	3780
cactgtgcag	cagagtggaa	ctgatgtcga	agcctcctgt	ccactacctg	ttgctgcagg	3840
cagactgctc	tcagaaaaag	agagctaact	ctatgccata	gtctgaagg	aaaatgggtt	3900
ttaaaaaaga	aaacacaaag	gcaaaaccgg	ctgccccatg	agaagaaagc	agtggtaaac	3960
atggtagaaa	aggtgcagaa	gccccagggc	agtgtgacag	gccccctctg	ccacctagag	4020
gcgggaacaa	gcttccctgc	ctagggtctt	gcccgcgaag	tgctgttttc	tttggtgggt	4080
tttgtttggc	gttttggttt	gagattttaga	cacaaggga	gcctgaaagg	aggtgttggg	4140
cactattttg	gtttgtaaag	cctgtacttc	aaatatatat	tttgtagagg	agtgtagcga	4200
attggccaat	ttaaaataaa	gttgcaagag	attgaaggct	gagtagttga	gagggtaaca	4260
cgtttaatga	gatcttctga	aactactgct	tctaaacact	tgtttgagt	gtgagacctt	4320
ggataggtga	gtgctcttgt	tacatgtctg	atgcacttgc	ttgtcctttt	ccatccacat	4380

025CIP SEQ List.txt

ccatgcattc	cacatccacg	catttgtcac	ttatcccata	tctgtcatat	ctgacataacc	4440
tgtctcttcg	tcacttggtc	agaagaaaca	gatgtgataa	tccccagccg	ccccaagttt	4500
gagaagatgg	cagttgcttc	tttccctttt	tcctgctaag	taaggatttt	ctcctggctt	4560
tgacacctca	cgaaatagtc	ttcctgcctt	acattctggg	cattattttca	aatatctttg	4620
gagtgcgctg	ctctcaagtt	tgtgtcttcc	tactcttaga	gtgaatgctc	ttagagtga	4680
agagaaggaa	gagaagatgt	tggccgcagt	tctctgatga	acacacctct	gaataatggc	4740
caaagggtggg	tgggtttctc	tgaggaacgg	gcagcgtttg	cctctgaaag	caaggagctc	4800
tgcgagtggtg	cagttatttt	gcaactgatg	gtggaactgg	tgcttaaagc	agattcccta	4860
ggttcctgc	tacttctttt	ccttcttggc	agtcagttta	tttctgacag	acaaacagcc	4920
acccccactg	caggcttaga	aagtatgtgg	ctctgcctgg	gtgtgttaca	gctctgccct	4980
ggtgaaaggg	gattaaaacg	ggcaccattc	atcccaaaca	ggatcctcat	tcatggatca	5040
agctgtaagg	aacttgggct	ccaacctcaa	aacattaatt	ggagtacgaa	tgtaattaaa	5100
actgcattct	cgcattccta	agtcatttag	tctggactct	gcagcatgta	ggtcggcagc	5160
tcccactttc	tcaaagacca	ctgatggagg	agtagtaaaa	atggagaccg	attcagaaca	5220
accaacggag	tgttgccgaa	gaaactgatg	gaaataatgc	atgaattgtg	tggtggacat	5280
tttttttaaa	tacataaact	acttcaaagt	aggtcggaga	aggtcagtgt	tttattagca	5340
gccataaaac	caggtgagcg	agtaccattt	ttctctacaa	gaaaaacgat	tctgagctct	5400
gcgtaagtat	aagttctcca	tagcggctga	agctcccccc	tggctgcctg	ccatctcagc	5460
tggagtgcag	tgccatttcc	ttgggggttt	tctcacagca	gtaatgggac	aatacttcac	5520
aaaaattctt	tcttttctcg	tcatgtggga	tccctactgt	gccctcctgg	ttttacgtta	5580
ccccctgact	gttcatttca	gcggtttgga	aagagaaaaa	gaatttggaa	ataaaacatg	5640
tctacgttat	cacctcctcc	agcatttttg	tttttaatta	tgtcaataac	tggttagat	5700
ttggaaatga	gaggggggtg	ggtgtattac	cgaggaacaa	aggaaggctt	atataaactc	5760
aagtctttta	tttagagaac	tggcaagctg	tcaaaaacaa	aaaggcctta	ccaccaaatt	5820
aagtgaatag	ccgctatagc	cagcagggcc	agcacgaggg	atggtgcact	gctggcacta	5880
tgccacggcc	tgcttgtgac	tctgagagca	actgcttttg	aaatgacagc	acttgggtga	5940
atttcctttg	tttcagaatg	cgtagagcgt	gtgcttgggc	acagtttttc	tagttaggcc	6000
acttcttttt	tccttctctc	ctcattctcc	taagcatgtc	tccatgctgg	taatcccagt	6060
caagtgaacg	ttcaaacaat	gaatccatca	ctgtaggatt	ctcgtgggtga	tcaaattctt	6120
gtgtgaggtc	tataaaatat	ggaagcttat	ttatttttcg	ttcttccata	tcagtcttct	6180
ctatgacaat	tcacatccac	cacagcaaat	taaagggtga	ggaggctggg	gggatgaaga	6240

025CIP SEQ List.txt

gggtcttcta gctttacgtt cttccttgca aggccacagg aaaatgctga gagctgtaga	6300
atacagcctg gggtaagaag ttcagtctcc tgctgggaca gctaaccgca tcttataacc	6360
ccttctgaga ctcatcttag gaccaaataag ggtctatctg gggtttttgt tcctgctgtt	6420
cctcctggaa ggctatctca ctatttcact gctcccacgg ttacaaacca aagatacagc	6480
ctgaatTTTT tctaggccac attacataaa tttgacctgg taccaatatt gttctctata	6540
tagttatttc cttccccact gtgtttaacc ccttaaggca ttcagaacaa ctagaatcat	6600
agaatggttt ggattggaag gggccttaaa catcatccat ttccaaccct ctgccatggg	6660
ctgcttgcca cccactggct caggctgccc agggcccat ccagcctggc cttgagcacc	6720
tccagggatg gggcacccac agcttctctg ggcagcctgt gccaacacct caccactctc	6780
tgggtaaaga attctctttt aacatctaata ctaaatctct tctcttttag tttaaagcca	6840
ttcctctttt tcccgttgct atctgtccaa gaaatgtgta ttggtctccc tcctgcttat	6900
aagcaggaag tactggaagg ctgcagtga gtcctccac agccttctct tctccaggct	6960
gaacaagccc agctccttca gcctgtcttc gtaggagatc atcttagtgg cctcctctg	7020
gacccattcc aacagttcca cggctttctt gtggagcccc aggtctggat gcagtacttc	7080
agatggggcc ttacaaaggc agagcagatg gggacaatcg cttaccctc cctgctggct	7140
gcccctgttt tgatgcagcc cagggtactg ttggcctttc aggtctccag accccttgct	7200
gatttgtgtc aagcttttca tccaccagaa cccacgcttc ctggttaata cttctgcct	7260
cacttctgta agcttgtttc aggagacttc cattctttag gacagactgt gttacaccta	7320
cctgccctat tcttgcatat atacatttca gttcatgttt cctgtaacag gacagaatat	7380
gtattcctct aacaaaaata catgcagaat tcctagtgcc atctcagtag ggttttcatg	7440
gcagtattag cacatagtca atttgctgca agtaccttcc aagctgcggc ctcccataaa	7500
tcctgtattt gggatcagtt accttttggg gtaagctttt gtatctgcag agaccctggg	7560
ggttctgatg tgcttcagct ctgctctgtt ctgactgcac cattttctag atcaccagct	7620
tgttcctgta caacttcctt gtccctcatc ctttcccagc ttgtatcttt gacaaataca	7680
ggcctatttt tgtgtttgct tcagcagcca ttttaattctt cagtgtcatc ttgttctgtt	7740
gatgccactg gaacaggatt ttcagcagtc ttgcaaagaa catctagctg aaaactttct	7800
gccattcaat attcttacca gttcttcttg tttgaggtga gccataaatt actagaactt	7860
cgtcactgac aagtttatgc attttattac ttctattatg tacttacttt gacataacac	7920
agacacgcac atattttgct gggatttcca cagtgtctct gtgtccttca catgggttta	7980
ctgtcatact tccgttataa ctttggaat ctgcccagct gcccatcaca agaaaagaga	8040
ttcctttttt attacttctc ttcagccaat aaacaaaatg tgagaagccc aaacaagaac	8100
ttgtggggca ggctgccatc aaggagaga cagctgaagg gttgtgtagc tcaatagaat	8160

025CIP SEQ List.txt

taagaaataa	taaagctgtg	tcagacagtt	ttgcctgatt	tatacaggca	cgccccaagc	8220
cagagaggct	gtctgccaa	gccaccttgc	agtccttggt	ttgtaagata	agtcataagg	8280
aacttttctg	gtgaattgcg	tggagaatca	tgatggcagt	tcttgctgtt	tactatggta	8340
agatgctaaa	ataggagaca	gcaaagtaac	acttgctgct	gtagggtgctc	tgctatccag	8400
acagcgatgg	cactcgcaca	ccaagatgag	ggatgctccc	agctgacgga	tgctggggca	8460
gtaacagtgg	gtcccatgct	gcctgctcat	tagcatcacc	tcagccctca	ccagcccatc	8520
agaaggatca	tcccaagctg	aggaaagttg	ctcatcttct	tcacatcatc	aaacctttgg	8580
cctgactgat	gcctcccgga	tgcttaaatg	tggtcactga	catctttatt	tttctatgat	8640
ttcaagtcag	aacctccgga	tcaggaggga	acacatagtg	ggaatgtacc	ctcagctcca	8700
aggccagatc	ttccttcaat	gatcatgcat	gctacttagg	aagggtgtgtg	tgtgtgaatg	8760
tagaattgcc	tttgttattt	tttcttcctg	ctgtcaggaa	cattttgaat	accagagaaa	8820
aagaaaagtg	ctcttcttgg	catgggagga	gttgtcacac	ttgcaaata	aaggatgcag	8880
tcccaaagt	tcataatctc	aggggtctgaa	ggaggatcag	aaactgtgta	tacaatttca	8940
ggcttctctg	aatgcagctt	ttgaaagctg	ttcctggccg	aggcagtact	agtcagaacc	9000
ctcggaaaca	ggaacaaatg	tcttcaagg	gcagcaggag	gaaacacctt	gcccacatg	9060
aaagtgaata	accactgccg	ctgaagggaat	ccagctcctg	tttgagcagg	tgctgcacac	9120
tcccacactg	aaacaacagt	tcatttttat	aggacttcca	ggaaggatct	tcttcttaag	9180
cttcttaatt	atggtacatc	tccagttggc	agatgactat	gactactgac	aggagaatga	9240
ggaactagct	gggaatattt	ctgtttgacc	accatggagt	caccatttcc	tttactggta	9300
tttggaata	ataattctga	attgcaaagc	aggagttagc	gaagatcttc	atttcttcca	9360
tgttggtgac	agcacagttc	tggctatgaa	agtctgctta	caaggaagag	gataaaaatc	9420
atagggataa	taaatctaag	tttgaagaca	atgaggtttt	agctgcattt	gacatgaaga	9480
aattgagacc	tctactggat	agctatggta	tttacgtgtc	tttttgctta	gttacttatt	9540
gacccagct	gagggtcaagt	atgaactcag	gtctctcggg	ctactggcat	ggattgatta	9600
catacaactg	taatttttagc	agtgatttag	ggtttatgag	tacttttgca	gtaaatcata	9660
gggttagtaa	tgттаатctc	agggaaaaaa	aaaaaaagcc	aaccctgaca	gacatcccag	9720
ctcaggtgga	aatcaaggat	cacagctcag	tgcggtccca	gagaacacag	ggactcttct	9780
cttaggacct	ttatgtacag	ggcctcaaga	taactgatgt	tagtcagaag	actttccatt	9840
ctggccacag	ttcagctgag	gcaatcctgg	aattttctct	ccgctgcaca	gttccagtca	9900
tcccagtttg	tacagttctg	gcactttttg	ggtcaggccg	tgatccaagg	agcagaagtt	9960
ccagctatgg	tcagggagtg	cctgaccgtc	ccaactcact	gcactcaaac	aaaggcgaaa	10020

025CIP SEQ List.txt

ccacaagagt ggcttttgtt gaaattgcag tgtggcccag aggggctgca ccagtactgg 10080
 attgaccacg aggcaacatt aatcctcagc aagtgcatt tgcagccatt aaattgaact 10140
 aactgatact acaatgcaat cagtatcaac aagtggtttg gcttggaaga tggagtctag 10200
 gggctctaca ggagtagcta ctctctaatt gagttgcatt ttgaagcagg acactgtgaa 10260
 aagctggcct cctaaagagg ctgctaaaca ttaggggtcaa ttttccagtg cactttctga 10320
 agtgtctgca gttcccatg caaagctgcc caacatagc acttccaatt gaatacaatt 10380
 atatgcaggc gtactgcttc ttgccagcac tgtccttctc aaatgaactc aacaaacaat 10440
 ttcaaagtct agtagaaagt aacaagcttt gaatgtcatt aaaaagtata tctgctttca 10500
 gtagttcagc ttatttatgc ccactagaaa catcttgtag aagctgaaca ctggggctcc 10560
 agattagtgg taaaacctac ttataacaat catagaatca tagaatggcc tgggttgga 10620
 gggaccccaa ggatcatgaa gatccaacac cccgccaca ggcagggccca ccaacctcca 10680
 gatctggtac tagaccaggc agcccagggc tccatccaac ctggccatga acacctccag 10740
 ggatggagca tccacaacct ctctgggcag cctgtgccag cacctacca ccctctctgt 10800
 gaagaacttt tccctgacat ccaatctaag ccttccctcc ttgaggtag atccactccc 10860
 ccttgtgcta tcaactgtcta ctcttgtaaa aagttgattc tcctcctttt tggaaggttg 10920
 caatgaggtc tccttgtagc cttcttctct tctgcaggat gaacaagccc agctccctca 10980
 gcctgtcttt ataggagagg tgctccagcc ctctgatcat ctttgtggcc ctctctgga 11040
 cccgctccaa gagctccaca tctttctgt actgggggcc ccaggcctga atgcagtact 11100
 ccagatgggg cctcaaaaga gcagagtaaa gagggacaat caccttctc accctgctgg 11160
 ccagccctct tctgatggag ccctggatac aactggcttt ctgagctgca acttctcctt 11220
 atcagttcca ctattaaaac aggaacaata caacaggtgc tgatggccag tgcagagttt 11280
 ttcacacttc ttcatttcgg tagatcttag atgaggaacg ttgaagtgt gcttctgcgt 11340
 gtgcttcttc ctctcaaat actcctgcct gatactcac cccacctgcc actgaatggc 11400
 tccatggccc cctgcagcca gggccctgat gaaccggca ctgcttcaga tgctgtttaa 11460
 tagcacagta tgaccaagt gcacctatga atacacaaac aatgtgttg atccttcagc 11520
 acttgagaag aagagccaaa ttgcatgtg caggaaatgg tttagtaatt ctgccaatta 11580
 aaacttgttt atctaccatg gctgttttta tggctgttag tagtggtaca ctgatgatga 11640
 acaatggcta tgcagtaaaa tcaagactgt agatattgca acagactata aaattcctct 11700
 gtggcttagc caatgtggta ctcccatat tgtataagaa atttggaag tttagagcaa 11760
 tgtttgaagt gttgggaaat ttctgtatac tcaagagggc gtttttgaca actgtagaac 11820
 agaggaatca aaagggggtg ggaggaagt aaaagaagag gcagggtgcaa gagagcttgc 11880
 agtcccgtg tgtgtacgac actggcaaca tgaggtcttt gctaactctg gtgctttgct 11940

025CIP SEQ List.txt

tcctgcccct	ggctgcctta	gggtgcgatc	tgcctcagac	ccacagcctg	ggcagcagga	12000
ggaccctgat	gctgctggct	cagatgagga	gaatcagcct	gttttagctgc	ctgaaggata	12060
ggcacgattt	tggctttcct	caagaggagt	ttggcaacca	gtttcagaag	gctgagacca	12120
tccctgtgct	gcacgagatg	atccagcaga	tctttaacct	gttttagcacc	aaggatagca	12180
gcgctgcttg	ggatgagacc	ctgctggata	agtttttacac	cgagctgtac	cagcagctga	12240
acgatctgga	ggcttgctg	atccagggcg	tgggcgtgac	cgagaccct	ctgatgaagg	12300
aggatagcat	cctggctgtg	aggaagtact	ttcagaggat	caccctgtac	ctgaaggaga	12360
agaagtacag	cccctgcgct	tgggaagtcg	tgaggggctga	gatcatgagg	agcttttagcc	12420
tgagcaccaa	cctgcaagag	agcttgaggt	ctaaggagta	aaaagtctag	agtcggggcg	12480
gccggccgct	tcgagcagac	atgataagat	acattgatga	gtttggacaa	accacaacta	12540
gaatgcagtg	aaaaaaatgc	tttatttgtg	aaatttgtga	tgctattgct	ttatttgtaa	12600
ccattataag	ctgcaataaa	caagttaaca	acaacaattg	cattcatttt	atgtttcagg	12660
ttcaggggga	ggtgtgggag	gttttttaaa	gcaagtaaaa	cctctacaaa	tgtggtaaaa	12720
tcgataagga	tccgtcgacc	gatgcccttg	agagccttca	accagtcag	ctccttccgg	12780
tgggcgcggg	gcatgactat	cgtcgccgca	cttatgactg	tcttctttat	catgcaactc	12840
gtaggacagg	tgccggcagc	gctcttccgc	ttcctcgctc	actgactcgc	tgcgctcggt	12900
cgttcggctg	cggcgagcgg	tatcagctca	ctcaaaggcg	gtaatacggg	tatccacaga	12960
atcaggggat	aacgcaggaa	agaacatgtg	agcaaaaggc	cagcaaaagg	ccaggaaccg	13020
taaaaaggcc	gcgttgctgg	cgtttttcca	taggctccgc	ccccctgacg	agcatcacia	13080
aaatcgacgc	tcaagtcaga	ggtggcgaaa	cccgacagga	ctataaagat	accaggcggt	13140
tccccctgga	agctccctcg	tgcgctctcc	tgttccgacc	ctgccgctta	ccggatacct	13200
gtccgccttt	ctcccttcgg	gaagcgtggc	gcttttctaa	tgctcacgct	gtaggtatct	13260
cagttcgggtg	taggtcgttc	gctccaagct	gggctgtgtg	cacgaacccc	ccgttcagcc	13320
cgaccgctgc	gccttatccg	gtaactatcg	tcttgagtcc	aaccgggtaa	gacacgactt	13380
atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	gcgaggatat	taggcgggtgc	13440
tacagagttc	ttgaagtggg	ggcctaacta	cggctacact	agaaggacag	tatttggtat	13500
ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	ggtagctctt	gatccggcaa	13560
acaaaccacc	gctggtagcg	gtggtttttt	tgtttgcaag	cagcagatta	cgcgagaaaa	13620
aaaaggatct	caagaagatc	ctttgatctt	ttctacgggg	tctgacgctc	agtggaacga	13680
aaactcacgt	taagggattt	tggatcatgag	attatcaaaa	aggatcttca	cctagatcct	13740
tttaaattaa	aatgaagtt	ttaaataaat	ctaaagtata	tatgagtaaa	cttgggtctga	13800

025CIP SEQ List.txt

cagttaccaa tgcttaatca gtgaggcacc tatctcagcg atctgtctat ttcgttcatc 13860
 catagttgcc tgactccccg tcgtgtagat aactacgata cgggagggct taccatctgg 13920
 ccccatgtgct gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat 13980
 aaaccagcca gccggaaggg ccgagcgagc aagtggctct gcaactttat ccgcctccat 14040
 ccagtctatt aattgttgcc gggaagctag agtaagtagt tcgccagtta atagtttgcg 14100
 caacgttggt gccattgcta caggcatcgt ggtgtcacgc tcgtcgtttg gtatggcttc 14160
 attcagctcc ggttcccaac gatcaaggcg agttacatga tccccatgt tgtgcaaaaa 14220
 agcggtagc tccttcggtc ctccgatcgt tgtcagaagt aagttggccg cagtgttatc 14280
 actcatgggt atggcagcac tgcataattc tcttactgtc atgccatccg taagatgctt 14340
 ttctgtgact ggtgagtact caaccaagtc attctgagaa tagtgtatgc ggcgaccgag 14400
 ttgctcttgc ccggcgtaaa tacgggataa taccgcgcca catagcagaa ctttaaaagt 14460
 gctcatcatt ggaaaacgtt cttcggggcg aaaactctca aggatcttac cgctgttgag 14520
 atccagttcg atgtaacca ctctgcacc caactgatct tcagcatctt ttactttcac 14580
 cagcgtttct gggtagcaa aaacaggaag gcaaaatgcc gcaaaaagg gaataagggc 14640
 gacacggaaa tgttgaatac tcatactctt cttttttcaa tattattgaa gcatttatca 14700
 gggttattgt ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg 14760
 ggttccgcgc acatttcccc gaaaagtgcc acctgacgcg ccctgtagcg gcgcattaag 14820
 cgcggcgggt gtggtggtta cgcgcagcgt gaccgctaca cttgccagcg ccctagcgcc 14880
 cgctcctttc gtttcttcc cttcctttct cgccacgttc gccggctttc cccgtcaagc 14940
 tctaaatcgg gggctccctt taggggtccg atttagtgct ttacggcacc tcgaccccaa 15000
 aaaacttgat tagggtgatg gttcacgtag tgggccatcg ccctgataga cggtttttcg 15060
 ccctttgacg ttggagtcca cgttctttta tagtggactc ttgttccaaa ctggaacaac 15120
 actcaaccct atctcggctt attcttttga ttataaaggg attttgccga tttcggccta 15180
 ttggttaaaa aatgagctga ttttaaaaaa atttaacgcg aattttaaca aaatattaac 15240
 gtttacaatt tcccatcgc cattcaggct gcgcaactgt tgggaagggc gatcgggtcg 15300
 ggcctcttcg ctattacgcc agccaagct accatgataa gtaagtaata ttaagggtacg 15360
 ggaggtactt ggagcggccg ctctagaact agtggatccc ccggccgcaa taaaatatct 15420
 ttattttcat tacatctgtg tgttggtttt ttgtgtgaat cgatagtact aacatacgct 15480
 ctccatcaaa acaaaacgaa acaaaacaaa ctagcaaaat aggctgtccc cagtgaagt 15540
 gcaggtgcca gaacatttct ctatcgatag gtaccgagct cttacgcgtg ctagccctcg 15600
 agcaggatct atacattgaa tcaatattgg caattagcca tattagtcac tgggtatata 15660
 gcataaatca atattggcta ttggccattg catacgttgt atctatatca taatatgtac 15720

025CIP SEQ List.txt

atttatattg gctcatgtcc aatatgaccg ccatgttgac attgattatt gactagttat 15780
 taatagtaat caattacggg gtcattagtt catagcccat atatggagtt ccgcgttaca 15840
 taacttacgg taaatggccc gcctggctga ccgccaacg acccccggcc attgacgtca 15900
 ataatgacgt atgttcccat agtaacgcca atagggactt tccattgacg tcaatgggtg 15960
 gagtattttac ggtaaactgc ccacttggca gtacatcaag tgtatcatat gccaaagtccg 16020
 cccctattg acgtcaatga cggtaaatgg cccgcctggc attatgcca gtacatgacc 16080
 ttacgggact ttcctacttg gcagtacatc tacgtattag tcatcgctat taccatgggtg 16140
 atgcggttttt ggcagtacat caatgggagt ggatagcggg ttgactcacg gggattttcca 16200
 agtctccacc ccattgacgt caatgggagt ttgttttggc accaaaatca acgggacttt 16260
 ccaaaatgtc gtaacaactc cgccccattg acgcaaatgg gcggtaggcg tgtacgggtg 16320
 gaggtctata taagcagagc tcgttttagtg aaccgtcaga tcgcctggag acgccatcca 16380
 cgctgttttg acctccatag aagacaccgg gaccgatcca gcctcccctc gaagctcgac 16440
 tctaggggct cgagatctgc gatctaagta agcttgcatg cctgcaggtc ggccgccacg 16500
 accggtgccg ccaccatccc ctgaccacg cccctgacc ctcacaagga gacgacctt 16560
 catgaccgag tacaagcca cgggtgcgct cgccaccgc gacgacgtcc cccgggcccgt 16620
 acgcaccctc gccgccgct tcgccgacta cccgccacg cgccacaccg tcgaccggga 16680
 ccgccacatc gagcgggtca ccgagctgca agaactctt ctcacgcgcg tcgggctcga 16740
 catcggcaag gtgtgggtcg cggacgacgg cgccgcggtg gcggtctgga ccacgccgga 16800
 gagcgtcgaa gcggggggcg tggtcgccga gatcggcccc cgcatggccg agttgagcgg 16860
 ttcccggctg gccgcgcagc aacagatgga aggcctcctg gcgccgcacc ggcccaagga 16920
 gcccgcggtg ttcctggcca ccgtcggcgt ctcgcccgc caccaggga agggctctggg 16980
 cagcgccgtc gtgtccccg gagtggaggc ggccgagcgc gccggggtgc ccgccttct 17040
 ggagacctcc gcgccccgca acctcccctt ctacgagcgg ctcggcttca ccgtcaccgc 17100
 cgacgtcgag gtgcccgaag gaccgcgcac ctggtgcatg acccgcaagc ccggtgcctg 17160
 acgcccggcc cagcaccgc agcggccgac cgaaaggagc gcacgacccc atggctccga 17220
 ccgaagccga cccgggcggc cccgccgacc ccgcaccgc ccccgaggcc caccgactct 17280
 agagtcgggg cgccgggccg cttcgagcag acatgataag atacattgat gagtttggac 17340
 aaaccacaac tagaatgcag tgaaaaaat gctttatttg tgaaatttgt gatgctattg 17400
 ctttatttgt aaccattata agctgcaata aacaagttaa caacaacaat tgcatctatt 17460
 ttatgtttca ggttcagggg gaggtgtggg aggtttttta aagcaagtaa aacctctaca 17520
 aatgtggtaa aatcgataag gatcaattcg gcttcaggta ccgtcgacga tgtaggtcac 17580

025CIP SEQ List.txt

ggtctcgaag ccgcggtgcg ggtgccaggg cgtgcccttg ggctccccgg gcgcgtactc 17640
 cacctcaccc atctggtcca tcatgatgaa cgggtcgagg tggcggtagt tgatcccggc 17700
 gaacgcgcgg cgacccggga agccctcgcc ctcgaaaccg ctgggcgcgg tggtcacggt 17760
 gagcacggga cgtgcgacgg cgtcggcggg tgcggatacg cggggcagcg tcagcgggtt 17820
 ctgcacggtc acggcgggca tgtcgacagc cgaattgatc cgtcgaccga tgcccttgag 17880
 agccctcaac ccagtcagct cttccgggtg ggcgcggggc atgactatcg tcgccgcact 17940
 tatgactgtc ttctttatca tgcaactcgt aggacagggt ccggcagcgc tcttccgctt 18000
 cctcgctcac tgactcgctg cgctcggtcg ttcggctgcg gcgagcggta tcagctcact 18060
 caaaggcggg aatacgggta tccacagaat caggggataa cgcaggaaag aacatg 18116

<210> 8

<211> 17402

<212> DNA

<213> Plasmid pOMIFN-Ins-CMV-pur-attB

<400> 8

ggccgccacc gcggtggagc tccaattcgc cctatagtga gtcgtattac aattcactgg 60
 ccgtcgtttt acaacgtcgt gactgggaaa accctggcgt tacccaactt aatcgccttg 120
 cagcacatcc ccctttcgcc agctggcgta atagcgaaga ggcccgacc gatcgccctt 180
 cccaacagtt gcgcagcctg aatggcgaat gggacgcgcc ctgtagcggc gcattaagcg 240
 cggcgggtgt ggtggttacg cgcagcgtga ccgctacact tgccagcgcc ctagcgcccg 300
 ctccctttcg tttcttcctt tcctttctcg ccacggttcg cggctttccc cgtcaagctc 360
 taaatcgggg gtcctcttta gggttccgat ttagtgcttt acggcacctc gaccccaaaa 420
 aacttgatta gggatgatgg tcacgtagtg ggccatcgcc ctgatagacg gtttttcgcc 480
 ctttgacggt ggagtccacg ttctttaata gtggactctt gttccaaact ggaacaacac 540
 tcaaccctat ctcggtctat tcttttgatt tataagggat tttgccgatt tcggcctatt 600
 ggttaaaaaa tgagctgatt taacaaaaat ttaacgcgaa ttttaacaaa atattaacgc 660
 ttacaattta ggtggcactt ttcggggaaa tgtgcgcgga acccctatct gtttattttt 720
 ctaaatacat tcaaataatg atccgctcat gagacaataa ccctgataaa tgcttcaata 780
 atattgaaaa aggaagagta tgagtattca acatttccgt gtcgccctta ttcccttttt 840
 tgcggcatct tgccttcctg tttttgctca ccagaaacg ctggtgaaag taaaagatgc 900
 tgaagatcag ttgggtgcac gagtgggtta catcgaactg gatctcaaca gcggtgaagat 960
 ccttgagagt tttcgccccg aagaacgttt tccaatgatg agcactttta aagttctgct 1020
 atgtggcgcg gtattatccc gtattgacgc cgggcaagag caactcggtc gccgcataca 1080
 ctattctcag aatgacttgg ttgagtactc accagtcaca gaaaagcatc ttacgggatg 1140

025CIP SEQ List.txt

catgacagta agagaattat g	cagtgctgc cataaccatg agtgataaca	ctgcggccaa	1200
cttacttctg acaacgatcg g	aggaccgaa ggagctaacc gcttttttgc	acaacatggg	1260
ggatcatgta actcgccttg atc	gttggga accggagctg aatgaagcca	taccaaacga	1320
cgagcgtgac accacgatgc ct	gtagcaat ggcaacaacg ttgcgcaa	ac tattaaactgg	1380
cgaactactt actctagctt c	cccggaaca attaatagac tggatggagg	cggataaagt	1440
tgcaggacca cttctgcgct c	ggcccttcc ggctggctgg tttattgctg	ataaatctgg	1500
agccggtgag cgtgggtctc g	cgggtatcat tgcagcactg gggccagatg	gtaagccctc	1560
ccgtatcgta gttatctaca c	gcagggggag tcaggcaact atggatgaac	gaaatagaca	1620
gatcgctgag atagggtgcct c	actgattaa gcattggtaa ctgtcagacc	aagtttactc	1680
atatatactt tagattgatt t	aaaaacttca tttttaattt aaaaggatct	aggatgaagat	1740
cctttttgat aatctcatga c	caaaaatccc ttaacgtgag ttttcgttcc	actgagcgtc	1800
agaccccgta gaaaagatca a	aggatcttc ttgagatcct ttttttctgc	gcgtaatctg	1860
ctgcttgcaa acaaaaaaac c	accgctacc agcgggtggtt tgtttgccgg	atcaagagct	1920
accaactctt tttccgaagg t	aactggctt cagcagagcg cagataccaa	atactgtcct	1980
tctagtgtag ccgtagttag g	ccaccactt caagaactct gtagcaccgc	ctacatacct	2040
cgctctgcta atcctgttac c	agtggtgc tgccagtggc gataagtcgt	gtcttaccgg	2100
gttggactca agacgatagt t	accggataa ggcgcagcgg tcgggctgaa	cgggggggttc	2160
gtgcacacag cccagcttgg a	gcgaacgac ctacaccgaa ctgagatacc	tacagcgtga	2220
gctatgagaa agcgccacgc t	tcccgaagg gagaaaggcg gacaggatc	cggtaagcgg	2280
cagggtcggg acaggagagc g	cacgagggga gcttccaggg ggaaacgcct	ggtatcttta	2340
tagtcctgtc gggtttcgcc a	cctctgact tgagcgtcga tttttgtgat	gctcgtcagg	2400
ggggcggagc ctatggaaaa a	cgcagcaa cgcgcccttt ttacggttcc	tggccttttg	2460
ctggcctttt gctcacatgt t	ctttcctgc gttatcccct gattctgtgg	ataaccgtat	2520
taccgccttt gagtgagctg a	taccgctcg ccgcagccga acgaccgagc	gcagcagatc	2580
agtgagcgag gaagcggaag a	gcgccaat acgcaaaccg cctctccccg	cgcgttggcc	2640
gattcattaa tgcagctggc a	cgacaggtt tcccgactgg aaagcgggca	gtgagcgcaa	2700
cgcaattaat gtgagttagc t	actcatta ggcaccccag gctttacact	ttatgcttcc	2760
ggctcgtatg ttgtgtggaa t	gtgagcgg ataacaattt cacacaggaa	acagctatga	2820
ccatgattac gccaaagctcg a	aattaaccc tactaaagg gaacaaaagc	tgggtaccgg	2880
gccccccctc gactagaggg a	cagcccccc ccaaagccc ccagggatgt	aattacgtcc	2940
ctcccccgct agggggcagc a	gcgagccgc ccggggctcc gctccggtcc	ggcgtcccc	3000
ccgcatcccc gagccggcag c	gtgcgggga cagcccgggc acggggaagg	tggcacggga	3060

025CIP SEQ List.txt

tcgcttttct	ctgaacgctt	ctcgtgctc	tttgagcctg	cagacacctg	gggggatacg	3120
gggaaaaagc	tttaggctga	aagagagatt	tagaatgaca	gaatcataga	acggcctggg	3180
ttgcaaagga	gcacagtgt	catccagatc	caacccccctg	ctatgtgcag	ggtcataaac	3240
cagcagccca	ggctgcccag	agccacatcc	agcctggcct	tgaatgcctg	cagggatggg	3300
gcatccacag	cctccttggg	caacctgttc	agtgcgtcac	caccctctgg	gggaaaaaact	3360
gcctcctcat	atccaaccca	aacctcccct	gtctcagtgt	aaagccattc	ccccttgtcc	3420
tatcaagggg	gagtttgctg	tgacattgtt	ggctctgggg	gacacatgtt	tgccaattca	3480
gtgcatcacg	gagaggcaga	tcttggggat	aaggaagtgc	aggacagcat	ggacgtggga	3540
catgcaggtg	ttgagggtc	tgggacactc	tccaagtcac	agcgttcaga	acagccttaa	3600
ggataagaag	ataggataga	aggacaaaga	gcaagttaaa	accagcatg	gagaggagca	3660
caaaaaggcc	acagacactg	ctggtcccctg	tgtctgagcc	tgcatgtttg	atggtgtctg	3720
gatgcaagca	gaaggggtg	aagagcttgc	ctggagagat	acagctgggt	cagtaggact	3780
gggacaggca	gctggagaat	tgccatgtag	atgttcatac	aatcgtcaaa	tcatgaaggc	3840
tggaaaagcc	ctccaagatc	cccaagacca	accccaaccc	accacccgtg	cccactggcc	3900
atgtccctca	gtgccacatc	cccacagttc	ttcatcacct	ccagggacgg	tgaccccccc	3960
acctccgtgg	gcagctgtgc	cactgcagca	ccgctctttg	gagaaggtaa	atcttgctaa	4020
atccagcccc	accctcccct	ggcacaacgt	aaagccatta	tctctcatcc	aactccagga	4080
cggagtcagt	gaggatgggg	ctctagtcga	ggtcgacgg	atcgataagc	ttgattaggc	4140
agagcaatag	gactctcaac	ctcgtgagta	tggcagcatg	ttaactctgc	actggagtcc	4200
agcgtgggaa	acaatctgcc	ttgcacatga	gtcttcgtgg	gccaatattc	ccaacgggtt	4260
ttccttcagc	ttgtcttgtc	tcctaagctc	tcaaaacacc	tttttggtga	ataaactcac	4320
ttggcaacgt	ttatctgtct	taccttagtg	tcacgtttca	tccctattcc	cctttctcct	4380
cctccgtgtg	gtacacagt	gtgcacactg	gttcttctgt	tgatgttctg	ctctgacagc	4440
caatgtgggt	aaagtcttc	ctgccacgtg	tctgtgttgt	tttacttca	aaaagggcc	4500
tgggctcccc	ttggagctct	caggcatttc	cttaatcatc	acagtcacgc	tggcaggatt	4560
agtcctctct	aaaccttaga	atgacctgaa	cgtgtgtctc	ctctttgtag	tcagtgcagg	4620
gagacgtttg	cctcaagatc	agggtccatc	tcacccacag	ggccattccc	aagatgagg	4680
ggatggttta	ctctcaciaa	aagttttctt	atgtttggct	agaaaggaga	actcactgcc	4740
tacctgtgaa	ttcccctagt	cctggttctg	ctgccactgc	tgccctgtgca	gcctgtccca	4800
tggagggggc	agcaactgct	gtcaciaaagg	tgatcccacc	ctgtctccac	tgaaatgacc	4860
tcagtgccac	gtgtttgtata	gggtataaag	tacgggaggg	ggatgcccgg	ctcccttcag	4920

025CIP SEQ List.txt

ggttgcagag cagaagtgtc tgtgtataga gtgtgtctta atctattaat gtaacagaac	4980
aacttcagtc ctagtgtttt gtgggctgga attgcccattg tggtagggac aggcctgcta	5040
aatcactgca atcgccatg ttctgaagggt atttgggaaa gaaagggatt tgggggattg	5100
cctgtgattg gctttaattg aatggcaaatt cacaggaaag cagtcttgct caacagttgg	5160
ttgtttcagc caattcttgc agccaaagag ccgggtgccc agcgatataa tagttgtcac	5220
ttgtgtctgt atggatgaca gggaggtagg gtgacctgag gaccaccctc cagcttctgc	5280
tagcgtagggt acagtcacca cctccagctc cacacgagtc ccatcgtgggt ttaccaaaga	5340
aacacaatta tttggaccag tttggaaagt caccgctga attgtgaggc tagattaata	5400
gagctgaaga gcaaattgtc ccaacttggg gatactagtt ggtattagta tcagagggaac	5460
agggccatag cacctccatg ctattagatt ccggctggca tgtacttttc aagatgattt	5520
gtaactaaca atggcttatt gtgcttgtct taagtctgtg tcctaattga aatgttcctt	5580
tggtttatat aaccttcttg ccatttgctc ttcagggtgtt cttgcagaac actggctgct	5640
ttaatctagt ttaactgttg cttgattatt cttagggata agatctgaat aaactttttg	5700
tggctttggc agacttttagc ttgggcttag ctccacatt agcttttgct gccttttctg	5760
tgaagctatc aagatcctac tcaatgacat tagctgggtg cagggtgtacc aaatcctgct	5820
ctgtggaaca cattgtctga tgataccgaa ggcaaactg aactcaaaga ggcacagagt	5880
taagaagaag tctgtgcaat tcagaggaaa agccaaagtg gccattagac acactttcca	5940
tgcagcattt gccagtaggt ttcataataa actacaaaat ggaataaacc actacaaatg	6000
ggaaaagcct gatactagaa tttaaattatt caccagggct caaggggtgt ttcattggagt	6060
aatatcactc tataaaaagta gggcagccaa ttattcacag acaaagcttt ttttttctg	6120
tgctgcagtg ctgtttttcg gctgatccag ggttacttat tgtgggtctg agagctgaat	6180
gattttctct tgtgtcatgt tgggtgaagga gatattggcca gggggagatg agcatgttca	6240
agaggaaacg ttgcattttg gtggcttggg agaaaggtag aacgatatac ggtccatagt	6300
gtcactaaga gatctgaagg atggttttac agaacagttg acttggtctg gtgcaggctt	6360
ggctgtaaatt ggatggaagg atggacagat ggggtggacag agatttctgt gcaggagatc	6420
atctcctgag ctcggtgctt gacagactgc agatccatcc cataaccttc tccagcatga	6480
gagcgcgggg agctttggta ctgttcagtc tgctgcttgt tgcttcctgg gtgcacagtg	6540
gtgattttct tactcacaca gggcaaaaac ctgagcagct tcaaagtga caggttgctc	6600
tcataaggcca ttcagttgtc aagatgagggt ttttggtttc ttgttttgta aggtgggaag	6660
agcactgaa ggatcagttg cgagggcagg ggtttagcac tgttcagaga agtcttattt	6720
aaactcctct catgaacaaa aagagatgca ggtgcagatt ctggcaagca tgcagtgaag	6780
jagaaagccc tgaatttctg atatatgtgc aatgttgggc acctaactt ccccgctgaa	6840

025CIP SEQ List.txt

gcacagcagc tccagctcca tgcagtactc acagctggtg cagccctcgg ctccagggtc	6900
tgagcagtgc tgggactcac gaggttccat gtctttcaca ctgataatgg tccaatttct	6960
ggaatgggtg cccatccttg gaggtcccca aggccaggct ggctgcgtct ccgagcagcc	7020
cgatctggtg gtgagtagcc agcccatggc aggagttaga gcctgatggt ctttaaggct	7080
ccttccaacc taagccatcc tacgattcta ggaatcatga cttgtgagtg tgtattgcag	7140
aggcaatatt ttaaagttat aaatgttttc tccccctcct tgtttgtcaa agttatcttg	7200
atgccttat caatgctttt ggagtctcca gtcatttttc ttacamcaaa aagaggagga	7260
agaatgaaga gaatcattta atttcttgat tgaatagtag gattcagaaa gctgtacgta	7320
atgccgtctc tttgtatcga gctgtaagggt ttctcatcat ttatcagcgt ggtacatatc	7380
agcacttttc catctgatgt ggaaaaaaaa atccttatca tctacagtct ctgtacctaa	7440
acatcgctca gactctttac caaaaaagct ataggtttta aaactacatc tgctgataat	7500
ttgccttggt ttagctcttc ttccatatgc tgcgtttgtg agagggtcgt ggatgggcct	7560
aaactctcag ctgctgagct tgatgggtgc ttaagaatga agcactcact gctgaaactg	7620
ttttcatttc acaggaatgt tttagtggca ttgtttttat aactacatat tcctcagata	7680
aatgaaatcc agaaataatt atgcaaactc actgcatccg ttgcacaggt ctttatctgc	7740
tagcaaagga aataatttgg ggatggcaaa aacattcctt cagacatcta tatttaaagg	7800
aatataatcc tgggtaccac ccacttcac ctcattatg ttcacactca gagatactca	7860
ttctcttggt gttatcattt gatagcgtt tctttggttc tttgccacgc tctgggctat	7920
ggctgcacgc tctgcactga tcagcaagta gatgcgaggg aagcagcagt gagaggggct	7980
gccctcagct ggcaccacgc cgctcagcct aggaggggac cttgcctttc caccagctga	8040
ggtgcagccc tacaagctta cacgtgctgc gagcagggtga gcaaaggag tcttcatggt	8100
gtgtttcttg ctgcccggaa gcaaaacttt actttcattc attccccttg aagaatgagg	8160
aatgtttgga aacggactgc tttacgttca atttctctct tccctttaag gctcagccag	8220
gggccattgc tgaggacggc atcggggccc cctggaccaa atctgtggca cagatgggtt	8280
cacttacatc agtggatgtg ggatctgcgc ctgtaatgtg tccttctgaa ggaaggaacg	8340
tgccttccaa gtgccagccc cacagcccc agccccctcc tgtgctgctc caattcatct	8400
cctcttcctc cttctccctt tgctgtttgt gctcgggtag aaatcatgaa gatttagaag	8460
agaaaacaaa ataactggag tggaaaccca ggtgatgcag ttcattcagc tgtcataggt	8520
ttgtcgttgc tataggctctg tatcagagat gctarcacca ctttgctgtc ggtgcttaac	8580
tcgggtgaac tctccttcac tcgcatcatt tgcgggcctt atttacatcc ccagcatcca	8640
tcaccctctg ggaaaatggg cgcactggat ctctaattgga agactttccc tctttcagag	8700

025CIP SEQ List.txt

cctgtgggat	gtgcagtgac	aagaaacgtg	gaggggctga	gcagcagcac	tgcccccagg	8760
gagcaggagc	ggatgccatc	ggtggcagca	tcccaaata	tgtcagcgga	tgctgagcag	8820
gcagcggacg	aacggacaga	agcgatgcgt	acaccttctg	ttgacatggt	atgtggcagc	8880
gatttaacac	tcgcttccta	gtcctgctat	tctccacagg	ctgcattcaa	atgaacgaag	8940
ggaagggagg	caaaaagatg	caaaatccga	gacaagcagc	agaaatattt	cttcgctacg	9000
gaagcgtgcg	caaacaacct	tctccaacag	caccagaaga	gcacagcgta	acctttttca	9060
agaccagaaa	aggaaattca	caaagcctct	gtggatacca	gcgcgttcag	ctctcctgat	9120
agcagatttc	ttgtcagggt	gcgaatgggg	tatggtgcca	ggaggtgcag	ggaccatatg	9180
atcatataca	gcacagcagt	cattgtgcat	gtattaatat	atattgagta	gcagtgttac	9240
tttgccaaag	caatagttca	gagatgagtc	ctgctgcata	cctctatctt	aaaactaact	9300
tataaatagt	aaaaccttct	cagttcagcc	acgtgctcct	ctctgtcagc	accaatgggtg	9360
cttcgcctgc	accagctgc	aaggaatcag	cccgtgatct	cattaacact	cagctctgca	9420
ggataaatta	gattgttcca	ctctcttttg	ttgttaatta	cgacggaaca	attgttcagt	9480
gctgatggtc	ctaattgtca	gctacagaaa	acgtctccat	gcagttcctt	ctgcgccagc	9540
aaactgtcca	ggctatagca	ccgtgatgca	tgctacctct	cactccatcc	ttcttctctt	9600
tcccaccagg	gagagctgtg	tgttttcact	ctcagccact	ctgaacaata	ccaaactgct	9660
acgcactgcc	tccctcgga	agagaatccc	cttggtgctt	ttttatttac	aggatccttc	9720
ttaaaaagca	gaccatcatt	cactgcaaac	ccagagcttc	atgcctctcc	ttccacaacc	9780
gaaaacagcc	ggcttcattt	gtctttttta	aatgctgttt	tccagggtgaa	ttttggccag	9840
cgtgttggct	gagatccagg	agcacgtgtc	agctttctgc	tctcattgct	cctgttctgc	9900
attgcctctt	tctgggggtt	ccaagagggg	gggagacttt	gcgcggggat	gagataatgc	9960
cccttttctt	aggggtggctg	ctgggcagca	gagtggctct	gggtcactgt	ggcaccaatg	10020
ggaggcacca	gtgggggtgt	gttttgtgca	ggggggaagc	attcacagaa	tggggctgat	10080
cctgaagctt	gcagtccaag	gctttgtctg	tgtaccagct	gaaatccttc	ctctgtttaca	10140
taaagcccag	ataggactca	gaaatgtagt	cattccagcc	cccctcttcc	tcagatctgg	10200
agcagcactt	gtttgcagcc	agtcctcccc	aaaatgcaca	gacctcgccg	agtggaggga	10260
gatgtaaaca	gcgaagggtta	attacctcct	tgtcaaaaac	actttgtggg	ccatagatgt	10320
ttctgtcaat	cttacaaaac	agaaccgaga	ggcagcgagc	actgaagagc	gtgttcccat	10380
gctgagttaa	tgagacttgg	cagctcgctg	tgcagagatg	atccctgtgc	ttcatgggag	10440
gctgtaacct	gtctcccat	cgcttcaca	ccgcagtgtc	gtcctggaca	cctcaccttc	10500
cataagctgt	aggatgcagc	tgcccaggga	tcaagagact	tttcctaagg	ctcttaggac	10560
tcattctttgc	cgctcagtag	cgtgcagcaa	ttactcatcc	caactatact	gaatggggtt	10620

025CIP SEQ List.txt

ctgccagctc tgcttgtttg tcaataagca tttcttcatt ttgcctctaa gtttctctca	10680
gcagcaccgc tctgggtgac ctgagtggcc acctggaacc cgagggggcac agccaccacc	10740
tccctgttgc tgctgctcca gggactcatg tgctgctgga tggggggaag catgaagttc	10800
ctcaccacaga cacctgggtt gcaatggctg cagcgtgctc ttcttggtat gcagattggtt	10860
tccagccatt acttgtagaa atgtgctgtg gaagcccttt gtatctcttt ctgtggccct	10920
tcagcaaaag ctgtgggaaa gctctgaggc tgctttcttg ggtcgtggag gaattgtatg	10980
ttccttcttt aacaaaaatt atccttagga gagagcactg tgcaagcatt gtgcacataa	11040
aacaattcag gttgaaaggg ctctctggag gtttcagacc tgactactgc tcgaagcaag	11100
gccagggttca aagatggctc aggatgctgt gtgccttcct gattatctgt gccaccaatg	11160
gaggagattc acagccactc tgcttcccgt gccactcatg gagaggaata ttcccttata	11220
ttcagataga atgttatcct ttagctcagc cttccctata accccatgag ggagctgcag	11280
atccccatac tctccccttc tctgggggtga aggcctgtgc cccagcccc ccttcccacc	11340
ctgtgcccta agcagccgc tggcctctgc tggatgtgtg cctatatgtc aatgcctgtc	11400
cttgcagtcc agcctgggac atttaattca tcaccaggt aatgtggaac tgtgtcatct	11460
tcccctgcag ggtacaaagt tctgcacggg gtcctttcgg ttcaggaaaa ccttactgg	11520
tgctacctga atcaagctct atttaataag ttcataagca catggatgtg ttttcctaga	11580
gatacgtttt aatgggtatca gtgattttta tttgctttgt tgcttacttc aaacagtgcc	11640
tttgggcagg aggtgagga cgggtctgcc gttggctctg cagtgatttc tccaggcgtg	11700
tggctcaggt cagatagtgg tcaactctgtg gccagaagaa ggacaaagat ggaaattgca	11760
gattgagtca cgtaagcag gcatcttggg gtgatttgag gcagtttcat gaaagagcta	11820
cgaccactta ttgttgtttt ccccttttac aacagaagtt ttcataaaaa taacgtggca	11880
aagcccagga atgtttggga aaagtgtagt taaatgttt gtaattcatt tgtcggagtg	11940
ctaccagcta agaaaaaagt cctacctttg gtatggtagt cctgcagaga atacaacatc	12000
aatattagtt tggaaaaaaa caccaccacc accagaaact gtaatggaaa atgtaaacca	12060
agaaattcct tgggtaagag agaaaggatg tcgtatactg gccagtcct gccagctgt	12120
cagcctgctg accctctgca gttcaggacc atgaaacgtg gcactgtaag acgtgtcccc	12180
tgcttttgct tgcccacaga tctctgccct tgtgctgact cctgcacaca agagcatttc	12240
cctgtagcca aacagcgatt agccataagc tgcacctgac tttgaggatt aagagtttgc	12300
aattaagtgg attgcagcag gagatcagtg gcaggggtgc agatgaaatc cttttctagg	12360
ggtagctaag ggctgagcaa cctgtcctac agcacaagcc aaaccagcca agggttttcc	12420
tgtgctgttc acagaggcag ggccagctgg agctggagga ggttgctgtg ggacccttct	12480

025CIP SEQ List.txt

ccctgtgctg	agaatggagt	gatttctggg	tgctgttcct	gtggcttgca	ctgagcagct	12540
caagggagat	cgggtgctcct	catgcagtgc	caaaactcgt	gtttgatgca	gaaagatgga	12600
tgtgcacctc	cctcctgcta	atgcagccgt	gagcttatga	aggcaatgag	ccctcagtgc	12660
agcaggagct	gtagtgact	cctgtaggtg	ctagggaaaa	tctctgggtc	ccagggatgc	12720
attcataagg	gcaatatatc	ttgaggctgc	gccaaatctt	tctgaaatat	tcatgctgt	12780
tcccttaatt	tatagaaaca	aacacagcag	aataattatt	ccaatgcctc	ccctcgaagg	12840
aaacccatat	ttccatgtag	aatgtgaacc	tatatacaca	cagccatgct	gcatccttca	12900
gaacgtgcca	gtgctcatct	cccattggcaa	aatactacag	gtattctcac	tatgttggac	12960
ctgtgaaagg	aaccatggta	agaaacttcg	gttaaaggta	tggttgcaaa	actactcata	13020
ccaaaacagc	agagctccag	acctcctctt	aggaaagagc	cacttgagga	gggatgggtg	13080
gaaggctgga	ggtgagagac	agagcctgtc	ccagttttcc	tgtctctatt	ttctgaaacg	13140
tttgcaggag	gaaaggacaa	ctgtactttc	aggcatagct	ggtgccctca	cgtaaataag	13200
ttccccgaac	ttctgtgtca	ttgtttctta	agatgctttg	gcagaacact	ttgagtcaat	13260
tcgcttaact	gtgactaggt	ctgtaaataa	gtgctccctg	ctgataaggt	tcaagtgaca	13320
tttttagtgg	tatttgacag	catttacctt	gctttcaagt	cttctaccaa	gctcttctat	13380
acttaagcag	tgaaaccgcc	aagaaaccct	tccttttatc	aagctagtgc	taaataccat	13440
taacttcata	ggttagatac	ggtgctgcca	gcttcacctg	gcagtgggtg	gtcagttctg	13500
ctggtgacaa	agcctccctg	gcctgtgctt	ttacctagag	gtgaatatcc	aagaatgcag	13560
aactgcatgg	aaagcagagc	tgaggcacg	atggtgctga	gccttagctg	cttcctgctg	13620
ggagatgtgg	atgcagagac	gaatgaagga	cctgtccctt	actccctca	gcattctgtg	13680
ctatttaggg	ttctaccaga	gtccttaaga	ggtttttttt	ttttttgggtc	caaaagtctg	13740
tttgtttgggt	tttgaccact	gagagcatgt	gacacttgct	tcaagctatt	aaccaagtgt	13800
ccagccaaaa	tcaattgcct	gggagacgca	gaccattacc	tgagggtcag	gacctcaata	13860
aatattacca	gcctcattgt	gccgctgaca	gattcagctg	gctgctccgt	gttccagtcc	13920
aacagttcgg	acgccacggt	tgtatatatt	tgaggcagc	ctcgggggga	ccatctcagg	13980
agcagagcac	cggcagccgc	ctgcagagcc	gggcagtacc	tcaccatggc	tttgaccttt	14040
gccttactgg	tggtctctcct	ggtgctgagc	tgcaagagca	gctgctctgt	gggctgcgat	14100
ctgcctcaga	cccacagcct	gggcagcagg	aggaccctga	tgctgctggc	tcagatgagg	14160
agaatcagcc	tgtttagctg	cctgaaggat	aggcacgatt	ttggctttcc	tcaagaggag	14220
tttggcaacc	agtttcagaa	ggctgagacc	atccctgtgc	tgacagagat	gatccagcag	14280
atctttaacc	tgtttagcac	caaggatagc	agcgctgctt	gggatgagac	cctgctggat	14340
aagttttaca	ccgagctgta	ccagcagctg	aacgatctgg	aggcttgctg	gatccagggc	14400

025CIP SEQ List.txt

gtgggctga	ccgagacccc	tctgatgaag	gaggatagca	tcctggctgt	gaggaagtac	14460
tttcagagga	tcaccctgta	cctgaaggag	aagaagtaca	gccctgcgc	ttgggaagtc	14520
gtgagggctg	agatcatgag	gagcttttagc	ctgagcacca	acctgcaaga	gagcttgagg	14580
tctaaggagt	aaaaagtcta	gagtcggggc	ggccggccgc	ttcgagcaga	catgataaga	14640
tacattgatg	agtttgga	aaccacaact	agaatgcagt	gaaaaaaatg	ctttatttgt	14700
gaaatttgtg	atgctattgc	tttatttgta	accattataa	gctgcaataa	acaagttaac	14760
aacaacaatt	gcattcat	tatgtttcag	gttcaggggg	agggtgtgga	ggttttttaa	14820
agcaagtaaa	acctctacaa	atgtggtaaa	atcgataccg	tcgacctcga	ctagagcggc	14880
cactaacata	cgctctccat	caaaacaaaa	cgaaacaaaa	caaactagca	aaataggctg	14940
tccccagtg	aagtgcaggt	gccagaacat	ttctctatcg	ataggtagcg	agctcttacg	15000
cgtgctagcc	ctcgagcagg	atctatacat	tgaatcaata	ttggcaatta	gccatattag	15060
tcattgggta	tatagcataa	atcaatattg	gctattggcc	attgcatacg	ttgtatctat	15120
atcataatat	gtacatttat	attggctcat	gtccaatatg	accgccatgt	tgacattgat	15180
tattgactag	ttattaatag	taatcaatta	cggggtcatt	agttcatagc	ccatataatg	15240
agttccgcgt	tacataactt	acggtaaatg	gcccgcctgg	ctgaccgccc	aacgaccccc	15300
gccattgac	gtcaataatg	acgtatgttc	ccatagtaac	gccaataggg	actttccatt	15360
gacgtcaatg	gggtggagtat	ttacggtaaa	ctgcccactt	ggcagtagat	caagtgtatc	15420
atatgccaag	tccgccccct	attgacgtca	atgacggtaa	atggcccggc	tggcattatg	15480
cccagtagat	gaccttacgg	gactttccta	cttggcagta	catctacgta	ttagtcatcg	15540
ctattaccat	ggatgatgcg	ttttggcagt	acatcaatgg	gcgtggatag	cggtttgact	15600
cacggggatt	tccaagtctc	cacccattg	acgtcaatgg	gagtttggtt	tggcaccaaa	15660
atcaacggga	ctttccaaaa	tgctgtaaca	actccgcccc	attgacgcaa	atgggcggta	15720
ggcgtgtacg	gtgggaggtc	tatataagca	gagctcggtt	agtgaaccgt	cagatcgctt	15780
ggagacgcca	tccacgctgt	tttgacctcc	atagaagaca	ccgggaccga	tccagcctcc	15840
cctcgaagct	cgactctagg	ggctcgagat	ctgcgatcta	agtaagcttg	catgcctgca	15900
ggtcggccgc	cacgaccggt	gccgccacca	tcccctgacc	cacgcccctg	accctcaca	15960
aggagacgac	cttccatgac	cgagtacaag	cccacgggtg	gcctcgccac	ccgcgacgac	16020
gtccccggg	ccgtacgcac	cctcgccgcc	gcgttcgccg	actacccgc	cacgcgccac	16080
accgtcgacc	cggaccgcca	catcgagcgg	gtcaccgagc	tgcaagaact	cttcctcacg	16140
cggtcgggc	tcgacatcgg	caagggtgtg	gtcgcgagc	acggcgccgc	gggtggcggtc	16200
tggaccacgc	cggagagcgt	cgaagcgggg	gcggtgttcg	ccgagatcgg	cccgcgcatg	16260

025CIP SEQ List.txt

gccgagttga gcggttcccc gctggccgcg cagcaacaga tggaaggcct cctggcgccg 16320
 caccggccca aggagcccgc gtggttccct gccaccgtcg gcgtctcgcc cgaccaccag 16380
 ggcaagggtc tgggcagcgc cgtcgtgctc cccggagtgg aggcggccga gcgcgccggg 16440
 gtgcccgcct tcctggagac ctccgcgccc cgcaacctcc ctttctacga gcggctcggc 16500
 ttcaccgtca ccgccgacgt cgaggtgccc gaaggaccgc gcacctggtg catgaccgcg 16560
 aagcccgggtg cctgacgccc gccccacgac ccgcagcgcg cgaccgaaag gagcgcacga 16620
 ccccatggct ccgaccgaag ccgaccggg cgccccgcg gaccccgac ccgccccga 16680
 ggcccaccga ctctagagtc ggggcggccg gccgcttcga gcagacatga taagatacat 16740
 tgatgagttt ggacaaacca caactagaat gcagtgaaaa aaatgcttta tttgtgaaat 16800
 ttgtgatgct attgctttat ttgtaaccat tataagctgc aataaacaag ttaacaacaa 16860
 caattgcatt ctttttatgt ttcagggttca gggggagggtg tgggagggtt tttaaagcaa 16920
 gtaaaacctc taaaaatgtg gtaaaatcga taaggatcaa ttcggcttca ggtaccgtcg 16980
 acgatgtagg tcacggtctc gaagccgcgg tgcgggtgcc agggcggtgc cttgggctcc 17040
 ccgggcgcgt actccacctc acccatctgg tccatcatga tgaacgggtc gaggtggcgg 17100
 tagttgatcc cggcgaacgc gcggcgacc ggggaagccct cgccctcgaa accgctgggc 17160
 gcggtggtca cggtagacac gggacgtgcg acggcgctcg cgggtgcgga tacgcggggc 17220
 agcgtcagcg ggttctcgac ggtcacggcg ggcatgtcga cagccgaatt gatccgtcga 17280
 ccgatgccct tgagagcctt caaccagtc agctccttcc ggtgggcgcg gggcatgact 17340
 atcgtcgccg cacttatgac tgtcttcttt atcatgcaac tcgtaggaca ggtgccggca 17400
 gc 17402

<210> 9
 <211> 5172
 <212> DNA
 <213> Plasmid pRSV-Int

<400> 9
 ctgcattaat gaatcgcca acgcgcgggg agaggcggtt tgcgtattgg gcgctcttcc 60
 gcttcctcgc tactgactc gctgcgctcg gtcgttcggc tgcggcgagc ggtatcagct 120
 cactcaaagg cggtaatagc gttatccaca gaatcagggg ataacgcagg aaagaacatg 180
 tgagcaaaag gccagcaaaa ggccaggaac cgtaaaaagg ccgcgttgct ggcgtttttc 240
 cataggctcc gccccctga cgagcatcac aaaaatcgac gctcaagtca gaggtggcga 300
 aacccgacag gactataaag ataccaggcg tttccccctg gaagctccct cgtgcgctct 360
 cctgttccga ccctgccgct taccggatac ctgtccgcct ttctcccttc ggaagcgtg 420
 gcgctttctc aatgctcac ctgtaggtat ctcagttcgg ttaggtcgt tcgctccaag 480

025CIP SEQ List.txt

ctgggctgtg tgcacgaacc ccccgttcag cccgaccgct gcgccttata	cggttaactat	540
cgtcttgagt ccaacccggt aagacacgac ttatcgccac tggcagcagc	cactggtaac	600
aggattagca gagcgaggta tgtaggcggt gctacagagt tcttgaagtg	gtggcctaac	660
tacggctaca ctagaaggac agtatTTTggt atctgcgctc tgctgaagcc	agttaccttc	720
ggaaaaagag ttggtagctc ttgatccggc aaacaaacca ccgctggtag	cggtggTTTT	780
tttgtttgca agcagcagat tacgcgcaga aaaaaaggat ctcaagaaga	tcctttgatc	840
ttttctacgg ggtctgacgc tcagtggaac gaaaactcac gttaagggat	tttggtcatg	900
agattatcaa aaaggatctt cacctagatc cttttaaatt aaaaatgaag	ttttaaatca	960
atctaaagta tatatgagta aacttgggtc gacagttacc aatgcttaat	cagtgaaggca	1020
cctatctcag cgatctgtct atttcgttca tccatagttg cctgactccc	cgtcgtgtag	1080
ataactacga tacgggaggg cttaccatct ggccccagtg ctgcaatgat	accgcgagac	1140
ccacgctcac cggctccaga tttatcagca ataaaccagc cagccggaag	ggccgagcgc	1200
agaagtggtc ctgcaacttt atccgcctcc atccagtcta ttaattgttg	ccgggaagct	1260
agagtaagta gttcgccagt taatagtttg cgcaacgttg ttgccattgc	tacaggcatc	1320
gtgggtgtcac gctcgtcgtt tggtagggt tcattcagct ccggttccca	acgatcaagg	1380
cgagttacat gatcccccat gttgtgcaaa aaagcgggta gtccttcgg	tcctccgatc	1440
gttgtcagaa gtaagtTggc cgtagtggt tcaactcatgg ttatggcagc	actgcataat	1500
tctcttactg tcatgccatc cgtaagatgc ttttctgtga ctggtagagta	ctcaaccaag	1560
tcattctgag aatagtgtat gcggcgaccg agttgctctt gccggcgctc	aatacgggat	1620
aataccgcgc cacatagcag aactttaaaa gtgctcatca ttggaaaacg	ttcttcgggg	1680
cgaaaactct caaggatctt accgctgttg agatccagtt cgatgtaacc	cactcgtgca	1740
cccaactgat cttcagcatc ttttactttc accagcgttt ctgggtgagc	aaaaacagga	1800
aggcaaaatg ccgcaaaaaa gggaataagg gcgacacgga aatgttgaat	actcatactc	1860
ttcctttttc aatattattg aagcatttat caggggttatt gtctcatgag	cggatacata	1920
tttgaatgta tttagaaaaa taaacaaata ggggttccgc gcacatttcc	ccgaaaagtg	1980
ccacctgacg tcgacggatc gggagatctc ccgatccct atggtcgact	ctcagtacaa	2040
tctgctctga tgccgcatag ttaagccagt atctgctccc tgcttgtgtg	ttggagggtcg	2100
ctgagtagtg cgcgagcaaa atttaagcta caacaaggca aggcttgacc	gacaattgca	2160
tgaagaatct gcttaggggt aggcgttttg cgctgcttcg cgatgtacgg	gccagatata	2220
cgcgtgctag gggcttagga tcgattctag gaattctcta gccgcgggtc	agggatcccc	2280
gcgcgtatgg tgcaactctg gtacaatctg ctctgatgcc gcatagttaa	gccagtatct	2340
gctccctgct tgtgtgttgg aggtcgctga gtagtgcgcg agcaaaattt	aagctacaac	2400

025CIP SEQ List.txt

aaggcaaggc ttgaccgaca attgcatgaa gaattctgctt aggggttaggc gttttgcgct	2460
gcttcgcgat gtacggggcca gatatacgcg tatctgaggg gactaggggtg tgtttaggcg	2520
aaaagcgggg cttcggttgt acgcggttag gagtcccctc aggatatagt agtttcgctt	2580
ttgcataggg agggggaaat gtagtcttat gcaatacact tgtagtcttg caacatggta	2640
acgatgagtt agcaacatgc cttacaagga gagaaaaagc accgtgcatg ccgattgggtg	2700
gaagtaaggt ggtacgatcg tgccttatta ggaaggcaac agacaggtct gacatggatt	2760
ggacgaacca ctgaattccg cattgcagag ataattgtat ttaagtgcct agctcgatac	2820
aataaacgcc atttgaccat tcaccacatt ggtgtgcacc tccaagcttg catgcctgca	2880
ggtaccggtc cggaattccc gggtcgacga gctcactagt cgtagggctg ccgacatgac	2940
acaaggggtt gtgaccgggg tggacacgta cgcggtgtct tacgaccgtc agtcgcgcga	3000
gcgcgagaat tcgagcgag caagcccagc gacacagcgt agcgccaacg aagacaaggc	3060
ggccgacctt cagcggaag tcgagcgga cgggggccgg ttcaggttcg tcgggcattt	3120
cagcgaagcg ccgggcacgt cggcgttcgg gacggcggag cgcccgaggt tcgaacgcat	3180
cctgaacgaa tgccgcgcg ggcggctcaa catgatcatt gtctatgacg tgtcgcgctt	3240
ctcgcgcctg aaggatcatg acgcgattcc gattgtctcg gaattgctcg ccctgggcgt	3300
gacgattgtt tccactcagg aaggcgtctt ccggcaggga aacgtcatgg acctgattca	3360
cctgattatg cggctcgacg cgctcgacaa agaattctcg ctgaagtcgg cgaagattct	3420
cgacacgaag aaccttcagc gcgaattggg cgggtacgtc ggcggaagg cgccttacgg	3480
cttcgagctt gtttcggaga cgaaggagat cacgcgcaac ggccgaatgg tcaatgtcgt	3540
catcaacaag cttgcgcact cgaccactcc ccttaccgga cccttcgagt tcgagcccga	3600
cgtaatccgg tgggtggtggc gtgagatcaa gacgcacaaa caccttcctt tcaagccggg	3660
cagtcaagcc gccattcacc cgggcagcat cacggggctt tgtaagcgca tggacgctga	3720
cgccgtgccg acccggggag agacgattgg gaagaagacc gcttcaagcg cctgggaccc	3780
ggcaaccgtt atgcgaatcc ttcgggaccc gcgtattgag ggcttcgccg ctgaggtgat	3840
ctacaagaag aagccggacg gcacgccgac cacgaagatt gagggttacc gcattcagcg	3900
cgacccgatc acgctccggc cggtcgagct tgattgcgga ccgatcatcg agcccgtga	3960
gtggtatgag cttcaggcgt ggttggacgg cagggggcgc ggcaaggggc tttcccgggg	4020
gcaagccatt ctgtccgcca tggacaagct gtactgcgag tgtggcgccg tcatgacttc	4080
gaagcgcggg gaagaatcga tcaaggactc ttaccgctgc cgctcgccgga aggtggctga	4140
cccgtccgca cctgggcagc acgaaggcac gtgcaacgtc agcatggcgg cactcgacaa	4200
gttcggttgcg gaacgcatct tcaacaagat caggcacgcc gaaggcgacg aagagacgtt	4260

025CIP SEQ List.txt

```

ggcgcttctg tgggaagccg cccgacgctt cggcaagctc actgaggcgc ctgagaagag 4320
cggcgaacgg gcgaaccttg ttgcggagcg cgccgacgcc ctgaacgccc ttgaagagct 4380
gtacgaagac cgcgcggcag gcgcgtacga cggacccggtt ggcaggaagc acttccggaa 4440
gcaacaggca gcgctgacgc tccggcagca aggggcgga gagcggcttg ccgaacttga 4500
agccgccgaa gccccgaagc ttcccccttga ccaatgggtc cccgaagacg ccgacgctga 4560
cccgaaccgg cctaagtcgt ggtggggggcg cgcgtcagta gacgacaagc gcgtgttcgt 4620
cgggctcttc gtagacaaga tcgttgtcac gaagtcgact acgggcaggg ggcagggaac 4680
gcccacgag aagcgcgctt cgatcacgtg ggcgaagccg ccgaccgacg acgacgaaga 4740
cgacgcccag gacggcacgg aagacgtagc ggcgtagcga gacacccgga tccctcgagg 4800
ggccctattc tatagtgtca cctaaatgct agagctcgct gatcagcctc gactgtgcct 4860
tctagtggc agccatctgt tgtttgcccc tccccgctgc cttccttgac cctggaaggt 4920
gccactcca ctgtcctttc ctaataaaat gaggaattg catcgcattg tctgagtagg 4980
tgtcattcta ttctgggggg tggggggggg caggacagca aggggggagga ttgggaagac 5040
aatagcaggc atgctgggga tgcggtgggc tctatggctt ctgaggcgga aagaaccagg 5100
tgcccagtc tagccgaata gcctctccac ccaagcggcc ggagaacctg cgtgcaatcc 5160
actggggggcg cg 5172

```

```

<210> 10
<211> 6233
<212> DNA
<213> Plasmid PCR-XL-TOPO-CMV-pur-attB

```

```

<400> 10
agcgccaat acgcaaaccg cctctccccg cgcgttggcc gattcattaa tgcagctggc 60
acgacagggt tcccgaactg aaagcgggca gtgagcgcaa cgcaattaat gtgagttagc 120
tactcatta ggcaccccag gctttacact ttatgcttcc ggctcgtatg ttgtgtggaa 180
ttgtgagcgg ataacaattt cacacaggaa acagctatga ccatgattac gccaagctat 240
ttaggtgacg cgtagaata ctcaagctat gcatcaagct tgggtaccgag ctcggatcca 300
ctagtaacgg ccgccagtgt gctggaattc gcccttggcc gcaataaaat atctttatct 360
tcattacatc tgtgtgttgg ttttttgtgt gaatcgatag tactaacata cgctctccat 420
caaaacaaaa cgaaacaaaa caaactagca aaataggctg tccccagtgc aagtgcagg 480
gccagaacat ttctctatcg ataggtagc agctcttacg cgtgctagcc ctcgagcagg 540
atctatacat tgaatcaata ttggcaatta gccatattag tcattgggta tatagcataa 600
atcaatattg gctattggcc attgcatacg ttgtatctat atcataatat gtacatttat 660
attggctcat gtccaatatg accgccatgt tgacattgat tattgactag ttattaatag 720

```

025CIP SEQ List.txt

taatcaatta	cggggtcatt	agttcatagc	ccatatatgg	agttccgcgt	tacataactt	780
acggtaaagt	gcccgccttg	ctgaccgccc	aacgaccccc	gcccattgac	gtcaataatg	840
acgtatgttc	ccatagtaac	gccaataggg	actttccatt	gacgtcaatg	ggaggagtat	900
ttacggtaaa	ctgcccactt	ggcagtagat	caagtgtatc	atatgccaag	tccgccccct	960
attgacgtca	atgacggtaa	atggcccgcc	tggcattatg	cccagtagat	gaccttacgg	1020
gactttccta	cttggcagta	catctacgta	ttagtcatcg	ctattaccat	ggtagatcgg	1080
ttttggcagt	acatcaatgg	gcgtggatag	cggtttgact	cacggggatt	tccaagtctc	1140
cacccattg	acgtcaatgg	gagtttgatt	tggcaccaaa	atcaacggga	ctttccaaaa	1200
tgtcgtaca	actccgcccc	attgacgcaa	atgggcggta	ggcgtgtacg	gtgggaggtc	1260
tatataagca	gagctcgttt	agtgaaccgt	cagatcgcc	ggagacgcca	tccacgctgt	1320
tttgacctcc	atagaagaca	ccgggaccga	tccagcctcc	cctcgaagct	cgactctagg	1380
ggctcgagat	ctgcatctta	agtaagcttg	catgcctgca	ggcggccgc	cacgaccggt	1440
gcccaccaca	tcccctgacc	cacgcccctg	acccctcaca	aggagacgac	cttccatgac	1500
cgagtacaag	cccacggtgc	gcctcgccac	ccgcgacgac	gtccccggg	ccgtacgcac	1560
cctcgccgcc	gcgttcgccc	actacccg	cacgcgccac	accgtcgacc	cggaccgcca	1620
catcgagcgg	gtcaccgagc	tgaagaact	cttcctcacg	cgctcgggc	tcgacatcgg	1680
caaggtgtgg	gtcgcggacg	acggcgccgc	ggaggcggtc	tggaccacgc	cggagagcgt	1740
cgaagcgggg	gcggtgttcg	ccgagatcgg	cccgcgcatg	gccgagttga	gcggttcccc	1800
gctggccgcg	cagcaacaga	tggaaagcct	cctggcgccg	caccggccca	aggagcccgc	1860
gtggttcctg	gccaccgtcg	gcgtctcgcc	cgaccaccag	ggcaagggtc	tgggcagcgc	1920
cgctgtgctc	cccggagtgg	aggcgccga	gcgcgcccgg	gtgcccgcct	tcctggagac	1980
ctccgcgccc	cgcaacctcc	ccttctacga	gcggctcggc	ttcacctca	ccgccgacgt	2040
cgaggtgccc	gaaggaccgc	gcacctgggtg	catgaccgc	aagcccgggtg	cctgacgccc	2100
gccccacgac	ccgcagcgcc	cgaccgaaag	gagcgacga	ccccatggct	ccgaccgaag	2160
ccgaccgggg	cggccccgcc	gaccccgac	ccgccccga	ggcccaccga	ctctagagtc	2220
ggggcgggcg	gccgcttcga	gcagacatga	taagatacat	tgatgagttt	ggacaaacca	2280
caactagaat	gcagtgaaaa	aaatgcttta	tttgtgaaat	ttgtgatgct	attgctttat	2340
ttgtaaccat	tataagctgc	aataaacaag	ttaacaacaa	caattgcatt	cattttatgt	2400
ttcaggttca	gggggaggtg	tgggaggttt	tttaaagcaa	gtaaaacctc	tacaaatgtg	2460
gtaaaatcga	taaggatcaa	ttcggcttca	ggtagcgtcg	acgatgtagg	tcacgggtctc	2520
gaagccgcgg	tgcgggtgcc	agggcggtgc	cttgggctcc	ccgggcgcgt	actccacctc	2580
acccatctgg	tccatcatga	tgaacgggtc	gaggtggcgg	tagttgatcc	cggcgaacgc	2640

025CIP SEQ List.txt

gcggcgcacc	gggaagccct	cgccctcgaa	accgctgggc	gcggtggtca	cggtgagcac	2700
gggacgtgcg	acggcgtcgg	cggtgcgga	tacgcggggc	agcgtcagcg	ggttctcgac	2760
ggtcacggcg	ggcatgtcga	cagccgaatt	gatccgtcga	ccgatgccct	tgagagcctt	2820
caaccagtc	agctccttcc	ggtgggcgcg	gggcatgact	atcgtcgccg	cacttatgac	2880
tgtcttcttt	atcatgcaac	tcgtaggaca	ggtgccggca	gcgtcttcc	gcttcctcgc	2940
tactgactc	gctgcgctcg	gtcgttcggc	tgccgcgagc	ggtatcagct	cactcaaagg	3000
cggtaatacg	gttatccaca	gaatcagggg	ataacgcagg	aaagaacatg	aagggcgaat	3060
tctgcagata	tccatcacac	tggcggccgc	tcgagcatgc	atctagaggg	cccaattcgc	3120
cctatagtga	gtcgtattac	aattcactgg	ccgtcgtttt	acaacgtcgt	gactgggaaa	3180
accctggcgt	tacccaactt	aatcgcttg	cagcacatcc	ccctttcgcc	agctggcgta	3240
atagcgaaga	ggcccgcacc	gatcgccctt	cccaacagtt	gcgcagccta	tacgtacggc	3300
agtttaaggt	ttacacctat	aaaagagaga	gccgttatcg	tctgtttgtg	gatgtacaga	3360
gtgatattat	tgacacgccg	gggcgacgga	tggtgatccc	cctggccagt	gcacgtctgc	3420
tgtcagataa	agtctcccgt	gaactttacc	cggtggtgca	tatcggggat	gaaagctggc	3480
gcatgatgac	caccgatatg	gccagtgtgc	cggtctccgt	tatcggggaa	gaagtggctg	3540
atctcagcca	ccgcgaaaat	gacatcaaaa	acgccattaa	cctgatgttc	tggggaatat	3600
aaatgtcagg	catgagatta	tcaaaaagga	tcttcaccta	gatccttttc	acgtagaaag	3660
ccagtccgca	gaaacggtgc	tgacccccga	tgaatgtcag	ctactgggct	atctggacaa	3720
gggaaaacgc	aagcgcaaag	agaaagcagg	tagcttgtag	tgggcttaca	tggcgatagc	3780
tagactgggc	ggttttatgg	acagcaagcg	aaccggaatt	gccagctggg	gcgccctctg	3840
gtaaggttgg	gaagccctgc	aaagtaaact	ggatggcttt	ctcgccgcca	aggatctgat	3900
ggcgcagggg	atcaagctct	gatcaagaga	caggatgagg	atcgtttcgc	atgattgaac	3960
aagatggatt	gcacgcaggt	tctccggccg	cttgggtgga	gaggctattc	ggctatgact	4020
gggcacaaca	gacaatcggc	tgctctgatg	ccgccgtgtt	ccggctgtca	gcgcaggggc	4080
gcccggttct	ttttgtcaag	accgacctgt	ccggtgccct	gaatgaactg	caagacgagg	4140
cagcgcggct	atcgtggctg	gccacgacgg	gcgttccttg	cgagctgtg	ctcgacgttg	4200
tactgaagc	gggaaggac	tggctgctat	tgggcgaagt	gccggggcag	gatctcctgt	4260
catctcacct	tgctcctgcc	gagaaagtat	ccatcatggc	tgatgcaatg	cggcggctgc	4320
atacgcttga	tccggctacc	tgcccattcg	accaccaagc	gaaacatcgc	atcgagcgag	4380
cacgtactcg	gatggaagcc	ggtcttgtcg	atcaggatga	tctggacgaa	gagcatcagg	4440
ggctcgcgcc	agccgaactg	ttcgccaggc	tcaaggcgag	catgcccgcg	ggcgaggatc	4500

025CIP SEQ List.txt

tcgtcgtgac ccatggcgat gcctgcttgc cgaatatcat ggtggaaaaat ggccgctttt	4560
ctggattcat cgactgtggc cggctgggtg tggcggaccg ctatcaggac atagcgttgg	4620
ctacccgtga tattgctgaa gagcttggcg gcgaatgggc tgaccgcttc ctctgtgcttt	4680
acggtatcgc cgctcccgat tcgcagcgca tcgccttcta tcgccttctt gacgagttct	4740
tctgaattat taacgcttac aatttcctga tgcggtatatt tctccttacg catctgtgcg	4800
gtatttcaca ccgcatacag gtggcacttt tcggggaaat gtgcgcggaa cccctatttg	4860
tttatttttc taaatacatt caaatatgta tccgctcatg agacaataac cctgataaat	4920
gcttcaataa tagcacgtga ggagggccac catggccaag ttgaccagtg ccgttccggt	4980
gctcaccgcg cgcgacgtcg ccggagcggc cgagttctgg accgaccggc tcgggttctc	5040
ccgggacttc gtggaggacg acttcgccgg tgtggtccgg gacgacgtga ccctgttcat	5100
cagcgcggtc caggaccagg tggcgccgga caacaccctg gcctgggtgt gggcgcgcg	5160
cctggacgag ctgtacgccg agtggtcgga ggtcgtgtcc acgaacttcc gggacgcctc	5220
cgggccggcc atgaccgaga tcggcgagca gccgtggggg cgggagttcg ccctgcgcga	5280
ccgggccggc aactgcgtgc acttcgtggc cgaggagcag gactgacacg tgctaaaact	5340
tcatttttaa tttaaaagga tctaggtgaa gatccttttt gataatctca tgaccaaaat	5400
cccttaacgt gagttttcgt tccactgagc gtcagacccc gtagaaaaga tcaaaggatc	5460
ttcttgagat cctttttttc tgcgcgtaat ctgctgcttg caaacaaaaa aaccaccgct	5520
accagcgggtg gtttgtttgc cggatcaaga gctaccaact ctttttccga aggtaactgg	5580
cttcagcaga gcgcagatac caaatactgt ctttctagt tagccgtagt taggccacca	5640
cttcaagaac tctgtagcac cgcctacata cctcgctctg ctaatcctgt taccagtggc	5700
tgctgccagt ggcgataagt cgtgtcttac cgggttgac tcaagacgat agttaccgga	5760
taaggcgag cggtcgggct gaacgggggg ttcgtgcaca cagcccagct tggagcgaac	5820
gacctacacc gaactgagat acctacagcg tgagctatga gaaagcgcca cgcttcccga	5880
agggagaaag gcggacaggt atccggtaag cggcagggtc ggaacaggag agcgcacgag	5940
ggagcttcca gggggaaacg cctggtatct ttatagtcct gtcgggtttc gccacctctg	6000
acttgagcgt cgatttttgt gatgctcgtc agggggggcg agcctatgga aaaacgccag	6060
caacgcggcc tttttacggt tcctgggctt ttgctggcct tttgctcaca tgttctttcc	6120
tgctttatcc cctgattctg tggataaccg tattaccgcc tttgagttag ctgataccgc	6180
tcgccgcagc cgaacgaccg agcgacgcga gtcagttagc gaggaagcgg aag	6233

<210> 11
 <211> 234
 <212> DNA
 <213> artificial

025CIP SEQ List.txt

<220>

<223> attP containing polynucleotide

<400> 11

gactagtact gacggacaca ccgaagcccc ggcggaacc ctcagcggat gccccggggc 60

ttcacgtttt cccaggtcag aagcggtttt cgggagtagt gcccactg gggtaacctt 120

tgagttctct cagttggggg cgtaggggtcg ccgacatgac acaaggggtt gtgaccgggg 180

tggacacgta cgcgggtgct tacgaccgtc agtcgcgcga gcgcgactag taca 234

<210> 12

<211> 26

<212> DNA

<213> artificial

<220>

<223> Primer attB-for

<400> 12

taccgtcgac gatgtaggtc acggtc 26

<400> 13

Cys	Gly	Gly	Pro	Lys	Lys	Lys	Arg	Lys	Val	Gly
1				5					10	

<210> 13

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Lys051